

# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





GARDEN.

## NEW HARDY CARNATIONS.

The following seedlings were raised by J. F. C. Hyde, Esq., President of the Massachusetts Horticultural Society, whose efforts with this flower have been long continued, and are now crowned with remarkable success. The four distinct seedlings described below have received the highest commendations as exhibited the past year; and are undoubtedly the most vigorous hardy, profuse, and perfect-flowering varieties produced in this country, and adapted to our climate. All these will endure our winter, with a slight covering of litter or boughs.

#### SALLY LEE.

Flower very large and double, two and a half inches in diameter; petals large, round, smooth; centre full and bold; never bursts; color a brilliant magenta; fragrant; stock two feet high; grass most abundant, giving a remarkable profusion of bloom.

#### EMILY

Flower large, two to two and a half inches across; double and full, with good outline; pure white; very free, hardy, and vigorous; stalks eighteen inches high; very valuable for the florist.

#### MRS. BISHOP.

A beautiful picotee, large, well shaped; petals large, finely formed, and free from serature; full in centre; color creamy-white, beautifully edged with crimson; very fragrant; equal to the foreign high-breds in beauty, and far surpassing in strong, robust habit.

#### · AUGUSTA.

Flower of good size; petals smooth, nearly free from serature; outline good; never bursts; remarkably free and very fragrant; color a dark purple; stock two feet, vigorous, and very hardy.

Price of the set of four, \$3; single plants, \$1 each. Ready for delivery after April 1.

## JAPAN LILIES.

Our collection of Lilies comprises all the most beautiful kinds, including ten of our own seedlings, which are unsurpassed by any yet produced. A full description will be found in our Bulb Catalogue. The following are the principal varieties of the Japan:—

LILIUM	ALBUM. Pure white. Each			.50 to \$1.00
	RUBRUM. White, with deep crimson spots			.50 to 1.00
	ROSEUM. White, with rose-colored spots			.50 to 1.00
	NAMED SEEDLINGS. (All superb.)			\$1.00 to 1.50

### MADEIRA VINE.

A beautiful summer climbing plant, of rapid growth, completely covered with long, graceful racemes of deliciously-fragrant white flowers. Each 15 cents to 25 cents.

TABLE showing the amount of Seed necessary for an Acre, and the number of Pounds in a Bushel.

	No	. 0	f lbs	. pe	rl	ou	sh	el.			1	No	. 0	f lbs	to.	the Ac	ļ
Timothy			. 4	5 .					 	 				. 10	to	15	
Red Clover			. 6	0 .					 	 				. 6	to	10	
White Clover			. 6	0 .					 	 				. 4	to	6	
Lucerne Clover				0 .					 	 				. 4	to	6	
Espersette Clover			. 2	5 .					 					-	to	-	
Hungarian				8 .					 	 				12	to	16	
Millet			. 5	0 .					 	 	2.1			25	to	50	
Hemp			. 4	4 .					 	 				44	to	110	
Buckwheat			. 5	2 .					 	 				25	to	52	
Kentucky Blue Grass			. I	4 .					 	 				5	to	10	
Red Top			. I.	4 .					 	 				. 7	to	14	
Orchard Grass				4					 	 				. 7	to	14	
Sweet-scented Vernal Grass			. I	1					 	 				. 6	to	II	
Sheep's Fescue			. I	4					 	 				. 7	to	14	
Flax			. 5	6 .					 	 			24	20	to	30	
Top Onion Sets			. 2	5 .					 	 				-	to	-	

It will facilitate the dispatch of business, if with each order the NAME and ADDRESS are written distinctly, and in full. Except in cases of urgency, orders are executed in rotation as received. W. & Co. therefore respectfully invite their patrons to ANTICIPATE THE "PLANTING TIME," by sending their orders early.

# WASHBURN'S ORDER SHEET

# FLOWER AND VEGETABLE SEEDS

For 1869.

## ONLY THE BEST SEEDS ARE SUPPLIED.

Enclosed	find Post Office Order.	Amount,	\$	
do.	do. Cash.	do.		
do.	do. Draft.	do.		
For which	h send the enclosed list of	of Seeds, &c.,	by	to
	ess of			
Town,	Co	unty,	State.	
		With the second		

## FLOWER SEEDS.

No. of Packets.	Corresponding No. in Guide.	No. of Packets.	Corresponding No. in Guide.	No. of Corresponding No. in Guide.
--------------------	-----------------------------	--------------------	-----------------------------	------------------------------------

# FLOWER SEEDS - CONTINUED.

No. of Packets. Corresponding
No. in Guide.

No. of Packets. Corresponding No. in Guide.

No. of Packets. Corresponding
No. in Guide.

VEGETABLE SEEDS.


Am't in Qts. Oz. or Pkts.

VARIETIES.

Am't in Qts. Oz. or Pkts.

VARIETIES.

# REMARKS.





1869.

# WASHBURN & CO.'S

# AMATEUR CULTIVATOR'S GUIDE

TO THE

# flower and Kitchen Garden:

CONTAINING A DESCRIPTIVE LIST OF

TWO THOUSAND VARIETIES

OF

FLOWER AND VEGETABLE SEEDS;

ALSO A LIST OF

FRENCH HYBRID GLADIOLUS.



HORTICULTURAL HALL.

RAISED AND IMPORTED BY

WASHBURN AND COMPANY, SEED MERCHANTS,

HORTICULTURAL HALL, No. 100, TREMONT STREET, BOSTON, MASS.

## TO OUR FRIENDS.

It is with great satisfaction that we now present to our friends the present edition of our Catalogue, enlarged by important additions, and accompanied with what we believe to be such useful information that we can well claim for it the name of the "Amateur Cultivator's Guide to the Flower and Vegetable Garden." For it has been our endeavor to make it reliable in every respect, not only in the descriptions of the great number of flowers and vegetables which are enumerated on its pages, but equally so in the full and complete practical directions for the successful growth of every variety.

The arrangement, though different from our last edition, is not new, having been adopted by eminent foreign dealers. To many it may not be very important, but to the mass of our customers we think it will commend itself as highly useful. All flowers and plants are divided into natural groups, and to know the character of one of these groups gives an idea of the whole. The Aster and the Coreopsis are familiar to almost every cultivator; and, when it is known that these belong to the composite order (Compositæ), it will at once be understood that any unknown plant belonging to this order resembles, in some respects, the above flowers. It is to convey this general information that we think the addition of the natural order is highly important.

The character of every plant, whether annual, biennial, perennial, for the greenhouse, or whether hardy or half-hardy, is stated; and, with our prefatory remarks upon the culture of each, there can be no difficulty in their successful growth. In addition to this information, our remarks on laying out flower-gardens will, we hope, not only prove a valuable aid to amateurs, but assist in disseminating a true taste for gardening art.

As specialities, we refer particularly to the very extensive list of NOVELTIES, many of them of rare merit, and difficult to obtain. Other specialities are our choice selection of French and German flower-seeds, particularly Double Asters, German Stocks, English Double Hollyhocks, Camellia-flowered Balsams, Carnation and Picotee Pinks, Double Zinnias, Double Portulacas, &c.; and of greenhouse plants, the Cineraria, Calceolaria, Gloxinia, Pelargonium, Chinese Primrose, &c. Many of these are of our own growth, and others are received direct from growers who produce their own seed, and some of whom raise them expressly for us. In our collection of German, French, and

English flower-seeds (p. 90), we feel especial pride; for they contain all the truly beautiful varieties obtained in Europe during the last ten years, all selected especially for us, and never surpassed, if equalled.

Our VEGETABLE SEEDS are such as we can recommend with the greatest confidence; and, though we have not had the opportunity to test the latest additions, the dealers from whom they have been obtained leave little doubt of their real value. In continon, we have to acknowledge our indebtedness to various authorities for names, as well as occasional hints, and more particularly to that valuable book, Burr's "Vegetables of America," to Buist's "Kitchen Garden," and to numerous English catalogues.

In consequence of the extent of our Catalogue, we have been compelled to omit the descriptions of many new plants and flowers suitable for the garden. These will be enumerated in our Spring Catalogue of Bedding Plants.

Owing to the greatly increased expense of publishing a work so extensive as the present edition, we are reluctantly obliged to make the nominal charge of TWENTY-FIVE CENTS per copy, upon the receipt of which it will be mailed to all applicants from any part of the United States or Canada.

Address,

WASHBURN & CO.,

HORTICULTURAL HALL, BOSTON, MASS.

# SUMMER FLOWER-GARDEN:

CONTAINING

BRIEF DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL, AND PERENNIAL FLOWER-SEEDS.



NNUAL flowers are not only among the most beautiful ornaments of the summer flower-garden, but the ease with which they are cultivated, and the long time they remain in bloom, give them the highest claim to our attention and care. Without them, however much we may admire the various showy bedding plants, a continuous and uninterrupted display of flowers, from spring till frost, cannot well be obtained; and when we add the charm of novelty, and the still greater one of variety, we have only enumerated a few of the claims of these most desirable and effective ornaments of the gardens of "the million."

In consequence of their simple culture, and the small amount of trouble they give to the amateur, as well as their comparative inexpensiveness for their rich array of beauty, they are yearly becoming more generally grown. Bedding-plants are charming objects; but the yearly propagation grown. Bedding-plants are charming objects; but the yearly propagation required for geraniums, verbenas, &c., the labor of potting and watering, and the expense of wintering them, are not within every one's means; but a few dollars expended in seeds, and a little pleasant labor in the sumny days of early spring, will give an amount of real enjoyment beyond belief. The most desource of beauty in scarcely more than a month's time. Annuals are not

sunny days of early spring, will give an amount of real enjoyment beyond belief. The most deso-late garden may be made a scene of beauty in scarcely more than a month's time. Annuals are not what they were in former days. The skill of the hybridizer in the production of new varieties, and the diligence of the enthusiastic florist in the selection of the finest plants, have entirely changed the character of many of these flowers; and, if to this we add the new acquisitions from Japan, how could we well make up a summer-garden without them? What should we do without the grand Peconywe well make up a summer-garden without them? What should we do without the grand Pccony-flowered Asters, the brilliant double Zinnias, the boldly-marked and rich-colored Petunias, the Double Portulacas, —like miniature roses, — the Heddewiggi pink, the Tropæolum, &c.? These give an entire new feature to our annuals, to be cherished by every lover of beautiful flowers. We therefore make no apology for giving a few brief hints on the cultivation of these, as well as some of the biennials and perennials, equally important in the decoration of the flower-border.

#### ANNUALS.

Among florists and gardeners, the term "annual" is given to those plants which are sown in the spring, bloom and seed in the summer, and soon afterwards perish. A few are included among annuals, like the Marvel of Peru, &c., because they flower the first year; but they are only annual as regards treatment. By cultivators they have been divided into three classes; viz., Hardy, Half-hardy, and Tender Annuals,—a very convenient classification; and as such we shall treat of them

#### HARDY ANNUALS.

These are so called because they do not require any artificial heat at any period of their growth, and are capable of enduring any ordinary weather from April to November; a frosty morning, not unusual in the former month, or even in May, doing them no injury, if advanced beyond the seedleaf. Many of them may be sown in autumn; and the young plants will make their appearance early in spring, and flower stronger than when it is deferred till April.

#### THE SOIL AND ITS PREPARATION,

The best soil for annuals, and indeed for most flowering plants, whether biennials or perennials, is a The best soil for annuals, and indeed for most flowering plants, whether biennials or perennials, is a light, rich loam, neither too sandy nor too stiff. In such they grow readily, and attain to great perfection of bloom, with but little care; but it is hardly necessary to say that few persons have just such a soil, nor is it possible often for the cultivator to have much choice. He must take such soil as he has, and make the most of it; and, by the application of proper manures, or sand or clay, he can bring it to such a condition as to answer all the purposes of a flower-garden. Moving large masses of soil is very expensive; and writers who advise the addition of rich loam seem not to be aware of the difficulty of procuring it, or the expense and labor attending the same. For the complete garden of the wealthy, this may and should be done; but the mass of cultivators need not fear of obtaining good results without it. Deep and thorough trenching in the autumn, if possible, and the application of very old decayed manure or leaf-mould, will give the amateur a well-prepared and suitable soil. If the situation of the garden is low or damp, first of all, it should be well drained; for, in addition to the injury from excessive moisture, such soils are cold, and the young plants are injured by early frosts, when they would escape damage in one of the opposite character: neither should the situation be too dry, as, in this case, the plants would suffer in summer, and present a meagre in place of a vigorous bloom. Where the soil is too light, a thin layer of clay, if to be had, spread over the surface in the autumn, and dug in, after being pulverized by the winter frosts, in the spring, is the best remedy. This, with the use of old manure, — that which has lain a year or more, and been frequently turned over till it becomes thoroughly decayed, — will keep the garden in good condition. No unvarying rules can be given: much must be left to the judgment of the amateur. He must understand that the soil of a good garden should be deep, well pulverized, friable, and rich; and if the opposite, to make it as near that as possible.

When the flower-garden is to be a speciality, — a piece of ground set apart for that object, and laid out in geometrical order, and all the beds edged with box or thrift, — then more pains ought to be taken; and those who are about to do this, if they have not the requisite information, will consult something more than a catalogue. Our hints are intended for the mass of the people who love flowers, — who have but little leisure, — and do not wish to incur great expense in the gratification of

their taste.

#### PERIOD FOR SOWING.

This must depend much upon the season, as well as the locality. Our Northern springs are so variable, that no definite period can be named. As a general rule, the proper time to commence sowing is about the middle of April, though a few sorts may be planted as soon as the ground can be got ready; and, for a succession, the sowing should be continued until June. In the Southern States, of course, January, February, or March will be the time to sow, as they correspond with April, May, and June of the North. The Californian annuals, now so numerous and so omamental, are very hardy, and should be sown early, as they get well established before the heat of summer. To avoid all danger of injury, the sowing may be deferred till the last of April; but, when a little labor is of no consideration, the sowing may be made earlier, and in case of failure to grow, or subsequent injury from frost or wet, another sowing may be made when the weather is more favorable. Because we recommend April, it is not to be understood the sowing must be made at that time. The only object is to obtain a vigorous growth and early bloom. If sown in any part of May, they will flower later but abundantly throughout the latter part of summer.

#### MODE OF SOWING.

This must be varied according to the style of the garden and the variety to be sown. Many of the most showy and beautiful annuals are very impatient of removal; and these must be sown where they are to remain and flower. Such are the Lupins, Sweet Pea, Eschscholtzia, Poppies, &c. Indeed, most of the tap-rooted annuals will not bear transplanting. Other annuals which may be transplanted, and some of which flower stronger for removal, may either be sown in the places where they are to bloom, or in prepared beds, from whence they are to be transplanted to the flower-garden. In small gardens, undoubtedly the best way is to sow where they are to remain, thinning out the superfluous plants; this gives the least trouble; but in larger gardens, or where there are beds of early spring bulbs to be filled, the safest and best plan is to sow in well-prepared beds, and, when the young plants are of proper size, to transplant to the flower-garden.

he young plants are of proper size, to transplant to the flower-garden.

Never sow seeds when the ground is very wet, particularly early in the spring. Select a time when the soil is neither wet nor dry. The sowing must be left to the taste of the cultivator, and the extent of surface. If there are vacant beds, the seeds may be sown in rows across the bed; but if in the border, where there are only limited spaces among the perennials or bulbs, they may be planted in masses or groups, in which mode we think annuals produce the greatest effect. Our plan has always been to mark out a circle a foot or more in diameter, and level the ground evenly and nicely with the rake; then, with the back of a trowel, press the surface firmly down; around the circle make a slight drill of the proper depth, in which the seeds are thinly sown, covering them lightly, and again pressing the earth upon the seeds with the back of the trowel. If the soil should happen to be too wet, or stiff and adhesive, fill the drill with some light, sandy loam, and make firm, as

before ordered.

And here we should remark that great care should be exercised in covering the seeds. It is the great error to cover too deep; and the cause of more than half of the complaints against seedmen of selling old and worthless seeds comes from inexperience or want of judgment in sowing. No rule can be given in this respect; but, as a general guide, all large seeds, such as Sweet Peas, Lupins, &c., may be sown half an inch deep, — smaller, less; and for the smallest, such as Clarkia, Pinks, &c., a covering of one-sixteenth of an inch suffices. If sown too deep, they are longer in germinating, and are liable to decay. Avoid the general error of sowing the seeds too thick, as it causes an elongated and feeble growth, which no subsequent thinning will entirely remedy.

If the weather should be warm, or the soil very dry, it will be advisable to give a slight watering with a watering-pot with a fine rose. It is not often that seeds planted in April need watering; but later in the season they frequently require it. Use water of the same temperature of the soil; or, if warmer, it will do no harm. The waterings should be given early in the afternoon, and repeated every few days, as, when the seeds begin to swell, they are more susceptible of injury from drought, and the young plants often perish when it is neglected. A good plan with very small seeds is to cover them with an inverted flower-pot, being careful to remove it before the young seedings appear above the surface, otherwise they will be drawn up weakly, and are likely to be injured by the hot sun or a cool night. Seeds vary in their period of germination. Some will be above ground in a week, while others require two or three weeks.

As soon as the seedlings have made three or four leaves, and are an inch high, they should be thinned out. If they are kinds which will bear removal, they may be replanted in vacant spaces in the border. No rule can be given for thinning. Tall-growing plants with spreading branches will require more room than slender-growing dwarf kinds; and in this the cultivator must be guided by the Catalogue. Stir the soil around the plants from time to time; and, if they appear crowded, a

second thinning will be of great benefit to those that remain. If the growth is not strong, from the nature of the soil, apply occasionally a very small amount of guano or bone-dust.

#### TRANSPLANTING.

Presuming that many cultivators will sow their seeds in prepared beds, whence the plants are to be removed to the borders to bloom, it is necessary that the work should be carefully performed to insure success. Transplanting should, if possible, always be done in cloudy weather, and towards evening. If the soil is dry, the plants will require a light watering to settle the earth around the roots; and, if warm sunny days succeed the operation, they will root all the better to have a little shade for a day or two, which may be done by spreading an old newspaper over them, or covering with a mar, removing either at night. All large-growing plants should be transplanted singly; but many of the smaller may be removed in patches, without any trouble, if the soil is previously well watered. We have found very little difficulty in moving Zinnias, Asters, and smaller plants, after they have begun to bloom. After the plants are established, they will need no other care than to tie up the taller-growing sorts to stakes to prevent the wind and rains from beating them down to the ground, and injuring their blossoms. the ground, and injuring their blossoms.

#### HALF-HARDY ANNUALS.

We have already remarked that half-hardy annuals are those that require the aid of artificial heat to assist germination; but it should be remarked that this is not absolutely necessary if the sowing is deferred until the ground is warm, — say the last of May. This is exemplified in the Portulaca, which sows itself: but the plants never appear above ground till June; and those who do not wish the trouble of sowing seed early should plant in open ground in May. But to gain time, and insure an early and abundant bloom, it is best to plant early, and assist the growth by a gentle artificial heat. Some of the most magnificent annuals are embraced in this class, of which the Aster, Zinnia, and Balsam are examples. The cheapest, most convenient, and simplest mode of doing this is the ordinary hotbed of stable manure, which gives a gentle bottom-heat quite sufficient for any of this class. Its construction is simple, and generally understood by most owners of a garden; but, as there may be some of our readers who do not know how to make a good hotbed, we add the details at the close of our remarks, observing, however, that it is so valuable an aid in the forwarding of flowers as well as vegetables, that no one having a garden can well dispense with it.

Presuming that the bed is made and all ready for use, the seeds may be sown on the prepared soil, just the same as in the open ground, and afterwards transplanted to the borders; but, as this is often attended with many failures in inexperienced hands, it is the safest to sow the seeds in pots or pans; if in neither of these, in shallow boxes. The pots should be about four or five inches in diameter, and should be perfectly clean. The soil should consist of a uniform compost of light, sandy loam, enriched with some fine leaf-mould, avoiding any raw or crude manures, which are certain to injure the young plants. Put in a few crocks at the bottom of each pot for drainage, and fill to the brim with the compost, giving the pot one or two gentle knocks on the bottom to sett We have already remarked that half-hardy annuals are those that require the aid of artificial heat

over the soil. Observe the same rules in regard to covering that we have already named. Some kinds will need nothing more than a thin sprinkling of earth just to fairly cover the seeds; and each pot should have the surface again gently pressed down: a slight watering with a very fine rose will complete the operation of sowing.

When all the pots are filled and planted, and marked as they should be with the name of each, and date of sowing, upon a neat label, remove them at once to the hotbed or frame, and place them perfectly level, so that each pot may receive its proper proportion of water evenly over the surface. If there are but a few pots, and a greenhouse is at hand, they may have a place on a sunny shelf near the glass, shading them during the middle of the day. Shading will also be necessary in the hotbed. The temperature should not exceed 75° or 80°, or the seeds will germinate too quick, and be drawn up weakly. As the seedlings appear above ground, give air by titing the sashes at the back. Give water as the pots require it (which is usually once a day), and always of the same temperature of the bed, and be careful in the operation not to wash away or destroy the young and slender seedlings. During cold nights, a mat may be thrown over the frame, which will prevent the loss of heat, and maintain a more even temperature. As some of the seeds will make their appearance before others, those that appear above ground should be placed together towards the back of the frame, where they can have a greater abundance of air and be more freely watered than the others. As the plants acquire a proper size, they should be thinned out so as not to injure the others. As the plants acquire a proper size, they should be thinned out so as not to injure those that remain; and then, when farther advanced, should be transplanted into four-inch pots, —one, three, or five plants in each, according to the variety, —using a compost similar to that in which they were sown, replacing the pots in the bed, and shading slightly till they are well established, and able to bear the full sun. Those that are later in vegetating should be treated in the lished, and able to bear the full sun. same manner, until all are transplanted, unless it is such kinds as will not bear removal safely; and

same manner, until all are transplanted, unless it is such kinds as will not bear removal safely; and must be allowed to remain in the pot in which they were sown, thinning them out, so that not more than three or five plants are left. The Cypress-vine, Thunbergia, &c., are of this character.

By the middle of May, the seedlings will be ready for transferring to the beds or borders where they are to bloom; but, before this is done, the plants should be "hardened off," as it is termed, in order to prepare them for the change. This is effected by gradually giving the plants more air, and when the weather is favorable, both day and night, removing the sashes wholly during the day; or, if more convenient, removing them to a cold frame, where they can be fully exposed in the day-time, and protected at night, if cold, with a covering of mats. Much must be left to the judgment of the cultivator and the amount of available space, the object being to prevent the plants from being injured by a too sudden exposure to the open air. Proceed in transplanting as we have already recommended under that head for hardy annuals.

#### TENDER ANNUALS.

We have stated that the classification of hardy, half-hardy, and tender annuals, was a convenient one; but really there is scarcely an annual but will grow freely in our climate in the open ground in summer. The term tender has been applied by English gardeners because the plants do not attain full perfection unless grown in pots in the greenhouse. Such are the Globe Amaranth, Balsam, Egg-plant, &c. All the tender annuals, therefore, may be treated in the same manner as the halfhardy, and with equal success.

#### BIENNIALS AND PERENNIALS.

Biennial and perennial plants are almost indispensable additions to the flower-garden, displaying their blossoms both early and late, succeeding and even flowering with the spring builts, and continuing long after the frost has destroyed the hardiest annuals. They are also so easily cultivated,

tinuing long after the frost has destroyed the hardiest annuals. They are also so easily cultivated, and require so little care for their great amount of beauty, that they must be ranked as the most permanent and showy objects of the flower-border. We only need name the Larkspur, Phlox, Lychnis, Coreopsis, Saxifrage, &c., as a few among the many imposing and elegant groups. Biennials are those plants that generally do not flower until the second year, and, after blooming, die. These include, however, many splendid species, such as the Foxglove, Canterbury Bells, Sweet Williams, Hollyhocks, &c. Perennials are plants which generally do not bloom until the second year, but continue to bloom for years in succession, and may be propagated, after once obtained, by division of the roots, growing more vigorously and flowering better if divided and replanted every three or four years.

planted every three or four years

The proper time for sowing the seeds of hardy kinds is in April or May, at the period of sowing the hardy annuals, in order to obtain a good strong growth the first year, and a greater abundance of flowers the second; but the sowings may be continued with success as late as August, after which the plants will not become strong enough to flower the following year. Whether the seeds are sown in beds or in the border, the young plants should be thinned out, and afterwards transplanted, just as we have directed for hardy annuals, only giving them more room, and encouraging a vigorous growth by hoeing, watering, &c. On the approach of severe frosty weather, protect the plants with a light covering of leaves or coarse manure, and the succeeding year they will blossom in great profusion.

### SPECIAL DIRECTIONS TO AMATEUR CULTIVATORS.

In addition to the preceding remarks, which are given as the results of our own practice for many years, and which, we think, are adequate for all general purposes, the following special directions are added for the guidance of amateurs in the treatment of many of the more choice and new flowers enumerated in our Catalogue. If carefully followed, it is hoped they will remove all causes of failure in the attempt to cultivate many of the most beautiful plants.

FRENCH AND GERMAN ASTERS. - These now justly admired and most beautiful annuals should be sown in pots, pans, or boxes, in a well-prepared soil, and placed in an exhausted horbed or cold frame, watering them gently till the plants are an inch high; when, after hardening off by gradual exposure to the air, they should be transplanted into the open ground in a light, rich soil, placing them in rows six inches apart, shading for a few hours in the middle of the day, until well rooted. In the course of two or three weeks, they will have become stout and stocky, and ready for replanting out where they are to flower. Before transplanting, give the bed a good watering; then with a trowel take each plant up separately and carefully, and remove it to the bed or border; finish with another liberal watering which must be a recorded the control of the course of the cours finish with another liberal watering, which must be repeated if the weather is dry: they will soon take root, however, and will make a rapid growth. Before the flowers expand, the each plant up to a neat stick, and, if the soil is not rich, apply a light sprinkling of guano. The first week of June is the best period for final planting.

ZINNIAS may be treated precisely like the Aster. The double varieties, in eight distinct colors, are superb ornaments of the garden.

EPACVISES, HEATHS, AZALEAS, and RHODODENDRONS should be planted in boxes or pans, EPACVISES, HEATHS, AZALEAS, and RHODDENDRONS should be planted in boxes of pans, well drained, and filled with light, very sandy loam, with a small quantity of peat. Make the earth firm, and give a thorough watering before sowing. Cover the surface with a little sand, upon which the seed should be thinly scattered, covering with the least possible quantity of rine sand. Place the pans or boxes in the greenhouse, where they can be wholly shaded from the mid-day sun, and lightly damp the surface when dry. The young plants will make their appearance in three or four weeks; and, when strong enough to handle easily, transplant into boxes an inch or two apart, and gradually harden them off, so as to remove to frames or the open air.

CALCEOLARIAS, CINERARIAS, and CHINESE PRIMROSE, require similar treatment. The seeds of the former are so minute, that they are liable to be destroyed by covering; and compounts are frequent

the former are so minute, that they are hable to be destroyed by covering; and compraints are frequent of the failure to make the seed grow. If the following directions are carefully observed, an abundance of plants may be easily raised:—

The seed should be sown in pots prepared in the following manner: The pot to be half filled with drainage, over that rough sitings of the mould, and the surface covered with soil as fine as possible, half of which should be composed of silver sand. When prepared thus, it should be watered with a fine rose, immediately after which sow the seed carefully without any covering of soil. The pots should, then be placed under a close frame or hand-glass, in a shady part of the garden (no artificial heat being required). In large establishments, of course, they may have propagating or other

houses that will do, where the same kind of moist temperature could be obtained; but any exposure to the sun must be carefully guarded against by mats or paper. If the situation is of the proper temperature, they will require watering but very seldom. Directly the seedings are strong enough, they must be pricked off in pots prepared as before, and placed in the same situation. From the store-pots they will require to be potted off singly; after this they will grow very rapidly. Through the winter, the plants will thrive well on the shelves near the glass, in the greenhouses; and, to obtain fine specimene: tain fine specimens, they must be shifted freely till the flower-stalks have started, and should always be smoked with tobacco directly the green-fly appears, as no plants in cultivation so readily suffer from this insect as the Calceolaria.

It is necessary to remark, that one of the most frequent causes of the appearance of these injurious insects is the plant becoming root-bound; to avoid which evil, it is important that it should fre-

quently be repotted during the growing season.

ACACIAS of all kinds should have scalding water poured over the seeds, and be allowed to soak for twelve or twenty-four hours: they should then be planted in pots, in light, rich, sandy soil, covering one-fourth of an inch deep, and placed in the hotbed or greenhouse.

GLOBE AMARANTH, LINUM, and CYPRESS-VINE seeds should be soaked in tepid water for twelve hours to insure a quick germination. Rub the seeds with a little dry sand when ready for

LILIUMS of all kinds should have their seed planted immediately they are gathered, if possible, as they vegetate sooner. They remain good, however, for three or four years, but, when sown in spring, do not often vegetate until the second year.

Cyclamens should be sown in the greenhouse or hotbed, in pans of light rich soil, well drained. Transplant singly into pots, and keep them constantly growing the first year.

STOCKS of the winter-flowering varieties should be sown in July, and pricked off singly into small pots, shifting them as they require it, and keeping them in cold frames as long as it can be safely done.

Canna-Seeds have a hard, horny covering, and require to have the seed soaked in warm water for ten or twelve hours, planting them in hotbed while the heat is brisk and strong. Transfer to the open ground June 1st, and take up the roots before hard frosts.

GLOXINIAS and ACHIMENES require to be grown in pots in the greenhouse, or a warm frame. The soil should be light and rich, —leaf-mould, loam, and sand.

FERNS are easily raised from the spores (or seeds) with a little care. Sow in pots which should be half filled with a good drainage of crocks, and the remainder, to within a inch of the rim, with coarse sandy peat or leaf-mould; make the surface smooth, and cover with a thin layer of sand; on this sprinkle the spores. Set the pot in a pan of water in a warm, shady part of the greenhouse, and cover with a pane of glass. In a month or two, the plants will be ready to pot off singly in small

#### THE CONSTRUCTION AND MANAGEMENT OF HOTBEDS.

We have already alluded to the importance of a hotbed for the successful growth of many of the half-hardy annuals and more delicate greenhouse plants. Though most or all kinds of seeds may be raised in a frame without bottom heat, yet this can only be done so late in the season, when the weather has become warm, that many of the annuals are late in blooming, and the greenhouse plants do not ripen and mature their wood, and are therefore ill adapted to winter well. It is to obviate this that the hotbed is recommended to all amateurs. It is so easily made, and at such slight expense, that it will well repay all who would secure an abundance of flowers early in the season.

SITUATION OF THE BED. - This should be in a warm position, fully exposed to the sun, facing the east or south, and sheltered by a fence or hedge on the west or north. The soil should, if possible, be light and dry, as in this case the bed can be sunk a foot or more in the ground; but, if damp or cold, it should be built upon the surface.

MAKING THE BED. — Manure fresh from the stable is best. This should be thrown over and thoroughly shaken up with the fork, making it into a conical heap. In this state it should be allowed to remain four or five days, at the end of which time it should be turned over, shaking it up as before. At the end of another three or four days, it will be ready to make up the bed. out the ground six inches larger than the frame, and put down a stake at each corner. The may be of any size; but the most convenient is nine by three feet, which will take three lights may be or any size; but the most convenient is nine by three feet, which will take three lights three by six feet, the ordinary size, which can always be had ready made. Proceed to build up the bed to the height of two and a half or three feet, making it rather firm, and watering, if the manure is dry. When the bed is finished, put on the lights, and let it stand to settle and exhaust the violent heat. In a day or two add three or four inches of light sandy loam, spreading it evenly over the bed. If the seeds are to be sown in the soil of the bed, two or three more inches should be added; but if in pots, no addition will be necessary.

The pots being ready, and sown with the various seeds, should be put into the frame, shading them during the day, and regulating the temperature, by tilting the lights at the back, both night and day, and covering at night with mats. Plunge the pots in the soil, and, with proper care, the seeds will soon be above the soil. A thermometer placed in the bed will be the safest guide to the inexperienced. It should not rise above 85° in the day, nor sink below 60° at night. As the heat declines, linings of fresh manure should be applied around the outside of the bed; but, ordinarily for seeds this is not necessary.

The length or number of the frames is immaterial; but they should be nine to twelve inches deep at the front, and fifteen to eighteen inches at the back. This will give a good slope to carry off the rain. Cold frames are simply the hotbed-frame set upon a warm spot of ground, covering it at night to keep in the warmth accumulated during the day.

# THE FLOWER-GARDEN.




THE arrangement of a flower-garden must de-pend so much upon the taste or fancy of the culpend so much upon the taste or rancy of the cui-tivator, that it is very difficult to lay down any rules applicable to general use. All, we can do to aid the inexperienced is to give such plants as display correct principles in their general features, which will serve as a guide in grounds of smaller or larger extent. Of course, we have reference to flower-gardens, or spots of ground set apart for annuals, bedding-plants, or bulbs, as any thing more extensive would be beyond as any thing more extensive would be beyond the scope of a catalogue.

Where the flower-garden already exists, and is laid out in beds or borders for miscellaneous plants, all the information necessary to the amateur will be found in our preceding remarks, except that, perhaps, in reference to the disposition of colors. If, however, the form is not a fanciful one, or one laid out in the true principles of the geometrical style, it may be remodelled upon some plan which will combine the merits of those we now annex

the merits of those we now annex.

Commencing with the simplest form of ground, where there is no pretension to artistic display, the two following will be found well adapted for annuals or bedding-plants, or the two combined.

In the first plan (No. 1), the ground may be arranged as follows: In the centre may be double Zinnias, if a grand display is desired; but if not, then Zinnias, Marigolds, Asters, and similar tall-growing annuals, placing the tallest in the centre. The eight small beds adjoining the centre one may be planted in alternate colors, or mixed, with Clintonia, Portulaca, Verbenas, Pansies, Agrostemma, Lobelias, &c. The four larger beds may be planted in four different colors, or mixed, or in the ribbon style; in the latter case using Perilla Nankinensis for the centre row, and other decided colors for the outer rows, which should be dwarf at the edge. The four corner-beds may be filled with Mignorette. Sweat Abresium for the fragrance, or with other cares chown ribes. be filled with Mignonette, Sweet Alyssum for the fragrance, or with other more showy plants.





No. 1.

No. 2.

The second plan (No. 2) admits of a greater display, and particularly if masses of one color are sired. The centre may be filled with any tall plants of one color; viz., Zinnias, Asters, Marids, or Balsams. Two of the four oval beds may be Portulaca, scarlet and white, or golden and rlet; the other two with blue and white Lobelia, or crimson and white Candytuft. Two of the four golds, or Balsams. goids, or baisams. Iwo of the four oval beds may be Portulaca, scarlet and white, or golden and scarlet; the other two with blue and white Lobelia, or crimson and white Candytuft. Two of the four large beds between the oval ones may be planted with Tropacolums in two colors, and the other two with crimson and variegated Petunias. The four small beds may be planted with Abronia umbellata, Nolana, Phlox Drummondii, and Linum Grandiflora. The four oval comer-beds may be planted with ornamental foliaged-plants, Perilla in two, and Coleus Verschaffeltii in the other two. Four of the small corner-beds may be filled with Mignonette and Alyssum, and four with Dianthus Heddiwiggi. These may be varied to suit the fancy of the possessor with the newest annuals described in the Catalogue, selecting them according to colors, and height of growth. All the beds should be edged with box or thrift. The extent of ground is thirty-two feet square.

For more artistic and complete grounds, we add two plans from two of the most elegant flower-All the beds

gardens of England.

30

28

25

27

3 N

The first plan (No. 3) is extensive and elaborate in design, and evinces artistic skill and arrangement of a high order. The length of the garden is a hundred and sixty feet, and the width seventy-two feet. The walks are of gravel, and the beds are all edged with box. It may be

the beds are all edged with box. It may be filled with bedding-plants or with annuals; and, supposing the amateur to desire a mixture of the two, the following is an appropriate list, Scarlet Geraniums and Verbenas being the most effective of bedding-plants:

Verbena (blue).

2. Verbena (white)

- Pansies, of the fine showy sorts.
   Portulaca (white).
- Tom Thumb Geranium. Tom Thumb Ger
   Verbena (striped)
- Portulaca (golden).
- 7. Portulaca (golden). 8. Campanula Carpatica, with Tree Rose in the centre.
- The same.
  Tom Thumb Geranium. 10.
- 11. Portulaca (white).
  12. Verbena (striped)
- 13. Portulaca (golden).
  14. Pansies of the fine showy sorts.
- 14.
- 15. Verbena (white). 16. Verbena (blue).
- Ageratum. 18. Heliotrope
- Tom Thumb Geranium. 19.
- Verbena, Sunset (rose). 20.
- 21. Portulaca (golden).
- 22. Portulaça (scarlet).
- 23. Same as No. 8.
- 24. Geranium, Lucia Rosea (pink). 25. Tom Thumb Geranium.
- Tom Thumb Geranium 26.
  - 27. Geranium, Lucia Rosea (pink).
  - 28. Portulaca (scarlet).
    29. Tom Thumb Geranium.

  - 30. Heliotrope. 31. Verbena, Sunset.

  - 32. Portulaca (golden).
  - Ageratum.
  - Vase, or Statue. If a vase, to be filled with Verbenas, Petunias, &c. If a statue, to be surrounded with a circle of Oxalis Floribunda.

But, when it is intended to be filled with

But, when it is intended to be filled with annuals, this may easily be done by substituting Candytuft, Alyssum, Eschscholtzia, Lobelia, Agrostemma, Petunias, Dwarf Convolvulus, Clarkias, &c.

The last plan which we give (No. 4) is a copy of the flower-garden of the Duchess of Bedford, at Camden Hill, near London. In harmony of arrangement, it stands very high: and offering as it does a great variety. high; and, offering as it does a great variety in the disposition of the beds, it contains, in an eminent degree, the two great elements of a select garden, - harmony and variety. "Two things," says a well-known writer, "are necessary to the beauty of a flowergarden, - harmony and variety. Harmony consists in agreeableness of form, likeness

of size, and relation of color: variety is the indefinite diversity of vegetative existence.

If there is variety merely, the garden is strange, extraordinary, fantastic; it is not fine. If harmony alone is displayed, then it is monotonous, dull, and wearisome. But in the happy combination of the two resides its power to awaken agreeable sensations, and impart delight. This harmony alone is displayed, then it is monotonous, dull, and wearisome. But in the happy combination of the two resides its power to awaken agreeable sensations, and impart delight. This union is well exemplified in this plan."

No scale is given; but we suppose the ground to contain a circle of one hundred feet,—about fifty feet to the inch. The plants employed, annuals and bedding-plants, would be as follows, according to the numbers:—

#### CENTRE.

- Sweet Alyssum (white).
   Lobelia (blue).
   Verbenas (purple).

# FIRST CIRCLE.

- 7. Lobelia (blue).
   8. Eschscholtzia (yellow).
   9. Portulaca (scarlet).
- 10. Nierembergia Gracilis (white).
- 11. Verbena (deep purple).
  12. Portulaca (yellow).

- 13. Lobelia (blue). 14. Verbena (scarlet). 16. Portulaca (yellow).


Portulaca (yellow).
 Anagallis (blue).
 Verbenas (scarlet).

- Linium Grandiflorum (crimson)
  - Sweet Alyssum (white).

#### SECOND CIRCLE.

- Petunia (purple).
   Cacalia Coccinea.
   Convolvulus Minor (blue).
   Anagallis (blue).
   Sanvitalia Procumbens (yellow).
   Verbena (lilac).

- 25. Verbena (scarlet).
- Ageratum Albiflorum (white). Nemophila Insignis.
- 28. Godetia Lepida (lilac).
- 29. Gilia Capitata.
- 30. Enothera Drummondii.



THIRD CIRCLE.

- 31. Linum Grand. Rubrum (scarlet),
  32. Clarkia Elegans (lilac).
  33. Clintonia Elegans (blue).
  44. Eschscholtzia (yellow).
  35. Coreopsis Burridgii (yellow and brown).
  45. Verbras (scarlet).
- 36. Verbena (scarlet).

- Candytuft (white)
- Eutoca Viscida (blue). Arctotis (yellow).

  - 40. Phlox Drummondii Alba (white).
- 41. Geranium (scarlet) 42. Candytust (crimson).

#### FOURTH CIRCLE.

- 43. Petunia (white). 44. Lobelia (blue).
- Eschscholtzia (vellow).
- 46. Petunia (purple)
- Geranium (scarlet). 48. Senecio or Jacobæa (purple).
- 49. Verbena (purple). 50. Portulaca (vellow). 51. Candytuft (white). 52. Verbena (scarlet)
- 53. Convolvulus Minor (blue).
- Œnothera Drummondii (yellow).

#### FIFTH CIRCLE.

- 61. Petunia (purple).
  62. Candytuft (white).
  63. Double Zinnia (scarlet).
  64. Geranium (scarlet).

- 65. Double Asters (blue). 66. Double Zinnia (scarlet).

- 55. Phlox Drummondii (rose).

- 55. Pillox Diminional (1982).
  56. Bartonia Aurea (yellow).
  57. Asters (white).
  58. Salvia (scarlet).
  59. Double Peony Aster (blue).
  60. Double Zinnia (yellow).

### TO OUR AMATEUR FRIENDS AND CUSTOMERS.

AFTER the publication of our Catalogues for thirty years, during which period immense additions have been made to the list of Flowers and Vegetables, we now present our friends with a full and complete list of the accumulations of so long a time, with accurate descriptions of all that are really valuable, or worthy of cultivation. In doing this, we embrace the opportunity to offer a few friendly and familiar remarks.

From the small catalogue of a few hundred varieties, through the exertions of zealous florists, collectors, and skilful men, the number has been increased to thousands; while, during the same time, the cultivators of beautiful flowers have increased in a very much greater ratio. Hence the demand now of something more than a mere list of names to enable the inexperienced to obtain some knowledge of what they desire to plant, and the opportunity of making a judicious selection from the great number which are so well worthy a place in every garden. This has been almost impossible in the limits of an ordinary catalogue; and, to furnish the information really needed, it has now assumed the form of "The Cultivator's Guide to the Flower and Kitchen Garden."

Having enumerated in our Catalogues, from year to year, all these additions in a brief manner, we deem it quite unnecessary to say they have been heretofore, or that our present one is, without a rival, or is not surpassed by any one of the kind. This we leave to our amateur friends, who can carefully compare our Guide with others, either at home or abroad. Neither shall we speak of its truthfulness or beauty. Thirty years have, we trust, been quite sufficient to establish the former: the latter can easily be detected at a single glance. It is not the result of one or ten years' experience in the growth of the numerous varieties, but of THIRTY YEARS devoted to the cultivation of every flower or vegetable embraced in these pages.

As regards the freshness of our seeds, or their quality, we have nothing to add. Our numerous customers throughout the country know us too well to ask any additional guaranty than that of the many years we have labored to place before them all the treasures of the flower-garden or conservatory, selected from the best sources in Europe and our own country, or grown or originated by us. Our long correspondence with the cultivators of England, France, Germany, and Prussia, has enabled us to be the first to possess every thing new, whenever introduced. The novel-ties described in our present Catalogue are nearly three times the number of those enumerated by any dealer in America.

We do not think it necessary to add that our stock is obtained without regard to price; for no really beautiful and first-class flower-seed can be had at a low rate. This is impossible. All who know any thing of the growth of seeds, know that the finest Double Asters, Zinnias, Petunias, Portulacas, &c., are so sparingly produced, that the supply is quite insufficient for the demand. Every lover of flowers cannot afford to procure the highest-priced seeds; and those who cannot are content with those of moderate excellence at a reasonable rate. Because they are cheap, it does not follow they should be rubbish, as is too often the case. It is often difficult to distinguish between those of moderate excellence and the so-called choice varieties.

Our seeds are put up in packages, with our name upon each, and a brief description of their quality, and the usual time of sowing. These are sent by mail, when desired, at the prices named, and postage paid, to any part of the United States or Canada; except peas, beans, corn, and potatoes, for which an additional remittance of 8 cents for every pound is required. When large orders are received, the seeds will be securely packed, and will be forwarded by express. All our orders are intended to be filled as soon as received; but, in the busiest season, it is impossible, with the very large quantity of orders, to prevent the delay of a few days.

COMMENDATIONS. — To attempt the publication of the numerous commendatory letters would fill several pages of our Catalogue. Gratifying as this would be to us, we are compelled to omit even the briefest extracts from the hundreds of letters expressing the satisfactory manner in which their orders have been executed, and the pleasure derived from the cultivation of our seeds.

# COLLECTIONS OF FLOWER-SEEDS, BY MAIL, FREE OF POSTAGE TO PURCHASERS.

In order to more extensively disseminate our choice varieties of Flower-seeds throughout the country, giving those who reside at a distance the same facilities for procuring them as those who have the opportunity to make personal application, we put up select assortments expressly for sending by mail, giving particular attention to this department of our trade. The low rate of postage enables us to supply distant customers with all the choicest seeds upon the same terms as those who are near the market. Orders may be forwarded to us with the understanding that the seeds we furnish are of the very best quality, and the selection such as will gratify every purchaser. Our collections are made up with great care, and all the varieties, unless those entirely new, are such as we have seen and cultivated ourselves, and can confidently recommend; many of the superb double varieties being such as have been raised from the fine flowers, specimens of which have obtained the highest prizes of the Massachusetts Horticultural Society.

	\$1.00
No. 2 contains twenty-four varieties of the finest hardy Biennials and Perennials	1.00
No. 3 contains tea varieties of extra fine Annuals and Perennials, including the beautiful	
French Asters, Double Camellia Balsams, Double German Stocks, and other	
choice flowers	1.00
No. 4 contains five varieties of very select flowers, including the best large English Pansies,	
Carnations, new Verbenas, new Double Zinnias, etc.	1.00
No. 5 contains one hundred varieties of Annuals, Biennials, and Perennials, including new	
and choice varieties	5.00
No. 6 contains fifty varieties of Annuals, Biennials, and Perennials	2.50
No. 7 contains twenty varieties of hardy Annuals, Biennials, and Perennials, for autumn	
sowing, in August and September	1.00
No. 8. contains fifteen different and choice kinds of greenhouse-plant seeds	3.00
	J

The seeds in these assortments are all of our own selection. Purchasers who had rather make a selection from the Catalogue can do so, and a proportionate discount will be made.

### FORMATION OF CLUBS.

The extensive distribution of our seeds is an especial object. Our Catalogue has been prepared with much labor; and it has been our constant aim to make it a complete and safe guide to the cultivator, both in the selection of varieties and their growth. As an additional inducement to individuals who desire to possess a large collection, or for the formation of clubs for the same object, we offer to send by mail, free of postage, to any address in the United States, on receipt of the amount of the order, seeds selected as follows:—

	remitting	\$1.00	may select	seeds at	Catalogue	prices,	amounting	to \$1.15
66	44	2.00	- 64	46		44	66	2.35
66	66	3.00	66	64		44	66	3.65
66	66	4.00	66	86		6.6	66	4.95
66	46	5.00	46	46		44	44	6.25
66	66	10.00	66	44		66	66	13.00
66	66	20.00	46	66		66	66	27.00
66	66	30.00	46	66		46	44	41.50

Persons desiring us to make their selections may rely upon our sending only those which are really showy and handsome, and easy to cultivate. We believe that our experience will enable us to make selections that cannot fail to give entire satisfaction to any lady or gentleman who may send us their orders.

In sending orders for seeds by mail, it will be only necessary to give the date of the Catalogue from which the selection is made, and the numbers, instead of the names, of the varieties. The name of the person to whom they are to be sent, and the names of the Town and State, should be so plainly written, that there may be no mistaking a single letter. We often receive letters containing money, the signatures of which are so indistinct as to make it almost impossible to decide where and to whom the seeds are ordered to be sent.

The above prices apply only to flower and garden seeds in packets; for prices by ounce and pound, see vegetable-seed department, in this Catalogue. Prices to dealers on application.

Address.

WASHBURN & CO.,

HORTICULTURAL HALL, BOSTON, MASS.

# AMATEUR CULTIVATOR'S GUIDE

## TO THE FLOWER GARDEN.

To aid in making selections of seeds, the botanical name is given, and the popular name when there is such, together with the natural order to which it belongs, as indicative of the general character of the flower. These, with the full remarks, will enable the amateur to make a judicious selection.

In giving orders for seeds, it is preferable to mention the numbers; but, as the numbers are often changed, it is absolutely necessary to give the date of Catalogue.

## FLOWER SEEDS.



ABRONIA UMBELLATA.

#### ABRONIA. NAT. ORD., Nyctaginiacea.

A charming plant, with verbena-like heads of sweet-scented flowers. Very effective in beds, rock-work, or in baskets suspended in a conservatory; growing freely in any light, rich soil, and flowering from August to October.

NO.


PRICE

1 Abronia Umbellata, rosy-lilac, half-hardy annual; from California. Half ft. high . , \$0.10

#### ACANTHUS. NAT. ORD., Acanthacea.

These deserve a place in every collection, from their stately appearance, and the legend of their leaves having given the first idea of the capital of the Connthian order of architecture. They require a good sandy loam, and plenty of room. Hardy perennials.

28	Acanthus Mollis.	White; from Italy.	3 feet .					.05
29	- Spinosus	White : from Europe	2 feet					.05



ABOBRA · VIRIDIFLORA. See page 14.



TO	THE	FLOWER	GARDEN.

#O. PRICE
ACHILLEA. NAT. ORD., Composita.
Belonging to the genus known under their English name of Milfoil. Hardy perennial.
30 Achillea Filipendula. Yellow; from Caspian Sea. 5 feet \$0.05
ACHIMENES. NAT. ORD., Gesneracea.
These are among the most beautiful plants for the decoration of a greenhouse or conservatory during the summer, being of dwarf, compact, branching habit, and flowering abundantly throughout the whole season. Grown in masses, in large pots or pans, they form superb objects for exhibition. Their culture is simple. After flowering, water should be gradually withheld, and allowed to remain in a dry state until they commence growing again.
31 Achimenes. Mixed. Saved from one of the largest collections in Europe
ACROCLINIUM. NAT. ORD., Compositæ.
An elegant new annual from Swan River, producing beautiful everlasting flowers resembling the Rhodanthe Manglesii, but much larger; should be grown in every collection; fine for winter bouquets, flowering in any garden soil. Hardy annuals.
32 Acrolinium Atroroseum. Deep rose-color. 1 foot
33 — Roseum. Light rose. 1 foot
ACONITUM (MONKSHOOD). NAT. ORD., Ranunculacea.
A common border plant, commonly known as Monkshood, growing freely in any situation.  Hardy perennial; from Europe.
35 Aconitum Napellis. Mixed, blue and white. 2 feet
ADIANTUM. NAT. ORD., Cryptogamia.
36 Adiantum (Maiden Hair). Mixed. A beautiful species of fern
AGERATUM, NAT. ORD., Compositæ,
AGERATUM. NAT. ORD., Composita.
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.
Valuable plants for large beds or borders, and very useful for pot culture. Very good for
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.  37 Ageratum Mexicanum. Light-blue; from Mexico. 1½ feet
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.  37 Ageratum Mexicanum. Light-blue; from Mexico. 1½ feet
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.  37 Ageratum Mexicanum. Light-blue; from Mexico. 1½ feet
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.  37 Ageratum Mexicanum. Light-blue; from Mexico. 1½ feet
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.  37 Ageratum Mexicanum. Light-blue; from Mexico. 1½ feet
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.  37 Ageratum Mexicanum. Light-blue; from Mexico. 1½ feet
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.  37 Ageratum Mexicanum. Light-blue; from Mexico. 1½ feet
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.  37 Ageratum Mexicanum. Light-blue; from Mexico. 1½ feet

16 AMATEUR CULTIVATOR'S GUIDE	
40 4 4 5 1 1 7 4 6	ICE 0.10
49 — Effusus. Fine; from Europe	.10
50 — Nebulosa. One of the most graceful and elegant; from Europe	.10
A STATE OF THE PARTY OF THE PAR	.10
ALONSOA. NAT. ORD., Scrophularinee.	
These plants are very ornamental, either in the greenhouse, or grown as annuals in the oren border during the summer, flowering freely from June until frost. Tender perennials.	
52 Alonsoa Grandiflora (large flowered). Deep scarlet. 2 feet	.10
54 — Warszewiczi. Bright crimson; from Chili. 1½ feet	.10
ALSTREMERIA. NAT. ORD., Amaryllidacea.	
This is a genus of tuberous-rooted plants, with beautiful flowers; requiring to be grown in a sheltered position to have them in perfection. Half-hardy perennials.	
55 Alstræmeria Van Houtte. Finest hybrids. 1½ feet	.25
ALYSSUM. NAT. ORD., Crucifera.	
One of the most useful, free-flowering little plants either for growing in pots, on rock- work, or the open border, the annuals varieties blooming nearly the whole summer.	
56 Alyssum Argenteum. Yellow, silvery foliage; from Switzerland. Hardy perennial. 1 ft.	.05
57 — Benthamii. White, fine hardy annual. I foot	.05
58 — Saxatile. Yellow, very showy, hardy perennial. 1 foot	.05
60 — Wiersbeck's. White and yellow, half-hardy perennial	.10
AMARANTHUS. NAT. ORD., Amarantacea.	
Ornamental foliaged plants, of an extremely graceful and interesting character, producing a striking effect, whether grown for the decoration of the conservatory or out-door flowergarden. If the seeds are sown early, and planted out the last of May or in June, in rich soil, they make exceedingly handsome specimens for the centre of beds, or mixed flower or shrubbery borders. Half-hardy annuals.	
61 Amaranthus Melancholicus. New. A beautiful novelty, rivalling the Perrilla Nan-	
kinensis for groups and edgings; of dwarfer habit than the latter, and of a lively	
blood-red-colored foliage  Caudatus (Love Lies Bleeding), Very pretty: from East Indies, 2 feet	.10
62 — Caudatus (Love Lies Bleeding). Very pretty; from East Indies. 3 feet 63 — Hypochondriacus (Prince's Feather). Red; from East Indies. 3 feet	.05
64 — Monstrosus. Very large and showy; from East Indies. 3 feet	.05
65 — Sanguineus. A fine dark variety; from India. 3 feet	.10
66 — Tricolor (Joseph's Coat). An old favorite, the chief beauty of which consists in its beautiful yellow, scarlet, and green variegated leaves. 2 feet	.05
AMMOBIUM. NAT. ORD., Composite.	
A fine everlasting plant, valuable for making dried winter bouquets; pretty for the garden.  67 Ammobium Alatum. White; from New Holland. Hardy annual. 2 feet	.05
	.03
ANAGALLIS. NAT. ORD., Primulacea.	
This is a class of beautiful trailing plants, that will be found highly ornamental for bedding purposes, as they bloom all the season. The Anagallis is also an old favorite for growing in greenhouses, presenting an extremely graceful appearance when cultivated in pots or vases. Hardy annuals.	
68 Anagallis India (Indian Pimpernel). Blue, trailing; from Nepaul. Half foot	.03
69 — Carnea, Flesh-color, Half foot	.10
70 — Coccinea. Scarlet. Half foot	.10
72 — Rubra. Beautiful red. Half foot.	.10
73 - Eugenie. Beautiful light-blue, shaded from the centre to pure white. Half ft.	.10
74 — Garibaldii. Rich vermilion; rare. Half foot	.10





AQUILEGIA GLANDULOSA. See page 93

112 - Good Mixed .

. .25

. .05

18	AMATEUR CULTIVATOR'S GUIDE
NO.	ARABIS. NAT. ORD., Cruciferæ.
	An exceedingly early spring-flowering plant, contrasting beautifully in ribbons with the yellow Alyssum; valuable for rock-work, edging, &c., succeeding well in any good garden soil. Hardy perennial.
113	Arabis Alpina. Pure white; from Switzerland. Three-quarters foot \$0.10
	ARBUTUS (STRAWBERRY-TREE). NAT. ORD., Ericacea.
	A handsome, nearly hardy, evergreen shrub, covered during October and November with pearl-like blossoms and strawberry iruit.
114	Arbutus Unedo. From Ireland. 10 feet
	ARCTOCTIS. NAT. ORD., Composita.
	Handsome, showy, free-flowering plants, of close, compact, dwarf habit, with large beautiful flowers in the style of Gazania Splendens; continuing in bloom the whole summer, and growing freely in any rich soil. Half-hardy perennials.
115	Arctoctis Grandiflora. Pale-yellow, dark-crimson centre; from Cape of Good Hope.  Half foot
116	Breviscarpa. Deep-orange, with dark centre; from Cape of Good Hope. Halfat10
117	ARALIA. NAT. ORD., Araliacea.
117	Aralia Papyrifera (Chinese Rice-paper plant). Greenhouse shrub from China. 4 feet25
	ARGEMONE. NAT. ORD., Papaveracea.
	Exceedingly showy, free-flowering border plant, with large, poppy-like flowers; succeeding well in any common garden soil. Hardy annual.
	Argemone Grandiflora. White. 2 feet
	ASCLEPIAS TUBEROSA. (See next page.)
	Useful, hardy perennials; adapted for rock-work, edging, or culture in pots. Half-hardy
	perennials.
120	Armeria Dianthoides, Delicate rose, Half foot

TO THE FLOWER GARDEN.	19
122 Armeria Longiaristata. Blue. 1 foot	1CE 0.10 .10
ASCLEPIAS. NAT. ORD., Asclepiadaceæ.  Handsome plants, remarkable for the singularity and beauty of their flowers; requiring a light soil.  125 Asclepia Curassavica. Scarlet. Greenhouse perennial; from South America. 3 feet .  126 — Mexicanum. White greenhouse shrub; from Mexico. 5 feet  126 126 — Tuberosa. (See engraving.) Orange. Hardy perennial	.10
ARUM. NAT. ORD., Araceæ.  Plants with singularly interesting and curious foliage; fine for mixed borders or froit of shrubberies. Hardy perennials.  127 Arum Corsicum. Mottled, like a snake; from Corsica. 1 foot	.10
ASTER. NAT. ORD., Compositæ.	
This splendid class of plants is not only one of the most popular, but also one of the most effective, of our garden favorites, producing in profusion flowers in which richness and variety of color are combined with the most perfect and beautiful form: it is indispensable in every garden or pleasure-ground where an autumnal display is desired. For flower-beds and mixed borders it stands unrivalled.  The Aster may be divided into two grand sections, — French and German. The French, as improved by Truffaut, has flat petals, either reflexed or incurved, the former resembling the Chrysanthemum; whilst the latter, by turning its petals towards the centre of the flower, forms, when well grown, a perfect ball, and is best described by its resemblance to the Peony.	
The German varieties are quilled; and the most perfect flowers are surrounded by a circle of flat or guard petals, as in the Hollyhock. The flowers of these are particularly admired for the exquisite symmetry of their form. The dwarf-bouquet varieties of this beautiful germ grow from nine to fifteen inches high, and are particularly adapted for small beds, edging, or for pot-culture. They often flower so profusely as entirely to hide their foliage. All the varieties delight in a rich light soil, and, in hot, dry weather, should be mulched with well-rotted manure, and frequently supplied with manure-water. This labor will be amply compensated by the increased size, beauty, and duration of the flowers. Half-hardy annuals.	
128 Aster French Peony Perfection, representing the greatest perfection in form, size, and fulness of flower of the Peony class. In this variety the petals are turned towards the centre, and a flower not quite in full bloom; resembles a ball; but few side flowers; a beautiful variety of colors; mixed. A foot and a half	.10
128½ — Truffaut's French Peony-flowered. Grown by Truffaut, the celebrated florist of Versailles, France. Acknowledged by all to be one of the best, in all respects. Twenty colors, mixed	
129 — Dwarf Large-growing Peony. About half the size of the Peony Aster; habit, fine; pyramidal; flower, splendid, large and very double, in the way of the Peony, perfection. All colors, mixed	.to
130 — Crown-flowered, or Cocardeau. The flowers of this variety have large white centres, surrounded by scarlet, carmine, violet, blue, and many other colors.	.10
<ul> <li>131 — Chinese. The variety most commonly grown. Mixed</li></ul>	.05
tall; wide-spreading branches, and of a very curious and original aspect. New.  German Dwarf. This is a fine variety, growing only three-quarters foot high; flowers similar to the double-quilled; good form; an abundant bloomer. All	
colors, mixed.  Dwarf Bouquet Pyramidal. The flower of this variety, when well grown, forms a complete bouquet of itself, the flowers completely hiding the foliage, and often numbering from a hundred and fifty to two hundred to a single plant. All	.05
135 — Dwarf Chyrsanthemum-flowered. This is a valuable late variety, coming in after many other varieties are gone. They grow very uniform in height. The	.10
flowers are from three to four inches in diameter, blooming so profusely as to completely hide the foliage; very good for pot-culture; splendid mixture	.10


20	AMATEUR CULTIVATOR'S GUIDE	
NO. 136	Aster Peony-Globe. A very early variety, of branching habit; color very distinct, and flower double. Mixed	ICE
137	— Pyramidal. This is a very popular variety of the Aster, growing very uniform in height and shape. The form of flower resembles an inverted pyramid.	
138	Globe-quilled. This is a fine old variety. The flowers are formed in the shape	.10
139	— Giant Emperor. This is a comparatively new variety. The flowers are very double, and of immense size. It does not flower so freely as many other varieties. In favorable cases it produces four to six flowers, of which the chief blossom is	.25
139½	— Imbricated Pompon. One of the most pleasing styles; of pyramidal growth, with medium-sized flowers of the most perfect form, very double and densely imbricated. Six colors mixed	.10
140	— Porcupine, or Hedgehog. The flowers are composed of long, quilled, curious-looking petals: hence the name. Mixed	.10
14 I <sup>1</sup>	— Ranunculus-flowered. This is a small flowered variety, very double, imbricated, surrounded by a range of green leaves; not quite as showy as many other varieties, yet we consider it quite an acquisition; valuable for bouquets. Finest	.10
143	mixed  Rose-flowered. A new class, of great merit, about two and a half feet high, of robust growth, fine habit, and profuse bloomers. The flowers are as large as Peony Asters, beautifully imbricated, of oval form, and very double. In habit, height of plant, and form of flower, intermediate between the Tall Chrysanthemum and Peony Perfection Asters, and which will become a favorite class. The colors are carmine, carmine and white, dark-blue, deep-lilac, deep-purple, deep purple-white, bright crimson tipped with white, white tinted blush, crimson, and	
144	- Dwarf Turban, or Chessboard. Leaves of dark-brown tint, with flowers of a	.25
144}	Victoria. This beautiful kind forms a new class, allied to the Giant Emperor, but superior to that in habit of plant and form of flower. The plant is very robust, about one and three-quarters feet in height, bearing itself without assistance of a stick, forming a handsomely branched-compact bush, crowned with from ten to twenty large and smaller flowers, half of them of the size of the largest Giant Emperor Asters, which are of a beautiful globular form, regularly imbricated. It has, besides, the great superiority over the Giant Emperor Aster of being perfectly constant in height, and fulness of flower, and, in consequence, of great value for bedding	.25
	Persons wishing any of the above Asters in separate colors are referred to the collections under the head of Assortments.	
	ASTRAGALUS. NAT. ORD., Leguminosa.  A showy, beautiful, and useful herbaceous plant, succeeding in any common garden soil. Hardy perennial.  Astragalus purpureus; deep-red, a pretty trailer; from south of France  Galegiformis; yellow, with pretty foliage; from Siberia. 3 feet	.10
140	ANTHANASIA. NAT. ORD., Composita.	.10
147		.10
	AUBERGINE (EGG-PLANT). NAT. ORD., Solanacea.	
	The varieties enumerated are the eatable fruited kinds so extensively grown about our cities. The white and scarlet are sometimes grown in pots, and are very interesting, being covered in autumn with beautiful egg-shaped fruit. The scarlet variety is a great novelty. They succeed in a warm southern location. Half-hardy annuals.	
148	3,	.05

TO THE FLOWER GARDEN 21
NO.
No.  150 Aubergine, Scarlet-fruited. Very striking and handsome; from France. 11/2 feet, \$0.10
151 — Striped. New, very ornamental; from Guadeloupe. 11/2 feet
AURICULA. NAT. ORD., Primulacea.
A well-known garden favorite of great beauty, succeeding best in a northern aspect. Half-
hardy perennial.
152 Auricula Alpine. This is the most hardy of all the Auricula. Mixed
153 — Extra German. Saved from German prize varieties. Mixed. Half foot
AZALEA. NAT. ORD., Ericacea.
Beautiful flowering plants, requiring very careful treatment. All the species should be
grown in peat, leaf-mould, and a very sandy loam.
155 Azalea Indica. Saved from finest named collection; greenhouse shrubs. 4 feet
156 — Pontica. Saved from a fine collection. Hardy shrub. 4 feet
BALSAM. NAT. ORD., Balsaminaceæ.
Magnificent conservatory or out-door plants, producing their gorgeous masses of beautiful brilliant colored flowers in the greatest profusion: when grown in pots, and large specimens are desired, they should be shifted into ten or twelve inch pots, using the richest and freest compost at command, and liberally supplied with manure-water; for out-door decoration, the soil should be of the richest possible character. Tender annuals.
158 Balsams, Camellia-flowered, or Blotched. A beautiful collection of ten colors, mixed;
very double. 2 feet
159 — Double Tall. Twelve fine colors, mixed. 2 feet
160 — Double Dwarf. Twelve fine colors, mixed. 1 foot
diameter; superb; twelve colors, mixed. 2 feet
162 — Rose-spotted. Six varieties, mixed. 2 feet
163 — Chamois. New and rare. 2 feet
164 — Aurora-colored. Very striking and beautiful. 2 feet
165 — Pale Yellow. Sweet-scented; fine. 2 feet
167 — Smith's Prize. From a celebrated English collection; very fine
168 — Good Mixed
The above Balsams may be relied upon as being first-class in all respects. For collections, see page of Assortments.
BARTONIA. NAT. ORD., Loasea.
169 Bartonia Aurea (golden). (See engraving.) Flowers yellow, about an inch and a half across, which have quite a metallic lustre when the sun shines upon them; very
showy. 2 feet
ered with its large white flowers, of the most delicate texture, surpassing even the
finest lace-work. The flowers are two and a half inches in diameter, and pro-
duced in great abundance all the season; a perfectly hardy perennial, from North
America
BALLOON VINE (CARDIOSPERMUM). NAT. ORD., Sapindacea.
A very pretty climbing plant, remarkable for an inflated membraneous capsule, from which it derives the name of Balloon Vine. It answers either for the greenhouse or open ground. Half-hardy annual.
171 Cardiospernum Halicacabum. White; from India. 5 feet
BAPTISIA. NAT. ORD., Leguminosæ.
172 Baptisia Australis. A handsome border plant, of the easiest culture; flowers blue. Hardy perennial. 2 feet
BELLIS (DOUBLE DAISY). NAT. ORD., Composita.
A well-known perennial. Many elegant varieties have been raised by saving the seeds from the handsomest kinds. They are admirable plants for making edgings, &c. Half-hardy perennial.
173 Bellis Perennis. Good. Mixed. one-quarter foot
174 — Extra Fine. Saved from named flowers

22	AMATEUR CULTIVATOR'S GUIDE
NO.	PRICE
	Pretty, cypress-like plant, sometimes called summer-cypress; fine for a cemetery.
	magnificent stove-plant, with long, graceful, delicate green foliage, beautiful zebraed flowers, extremely handsome and showy, succeeding best in sandy peat and loam.    bergia Zebrina. Scarlet and purple; beautiful; one and a half feet; from Rio Janeiro. 1½ feet
	BEGONIA. NAT. ORD., Begoniacea.
othe	magnificent genus of ornamental greenhouse plants, as remarkable for the varied and tiful foliage of many of its varieties as for the splendor and profusion of the flowers of rs. Should be grown in sandy peat and loam.  gonia, Mixed. Several of the most choice sorts mixed
	BARTONIA AUREA. (See preceding page.)
	BIGNONIA. NAT. ORD., Bignoniacea.
	highly ornamental greenhouse climber, producing its gorgeous flowers in panicles and le greatest profusion.
178 Bi	nonia Tweedieana. Yellow, half-hardy shrub
	BLUMENBACHIA. NAT. ORD., Loasea.
179 BI	quarters foot
	BOSSIÆA. NAT. ORD., Leguminosa.
H	andsome, free-flowering, and beautiful genus of greenhouse plants. Succeeds best in a post of turf, loam, and peat.
180 Bo	post of turn, loam, and peat.  ssiæa Biloba. Three feet high; from New Holland

NO.

PRICE



BOCCONIA FRUTESCENS.

### BOCCONIA. NAT. ORD., Papaveracea.

A new and beautiful foliaged greenhouse plant, and one of the rarest plants yet introduced for the decoration of beds and laws in summer.

### BRACHYCOME. NAT. ORD., Compositæ.

A beautiful free-flowering, dwarf-growing plant, covered, during the greater portion of the summer, with a profusion of pretty cineraria-like flowers, very effective in edgings, small beds, rustic baskets, or for pot-culture; succeeding in any light, rich soil. Half-hardy annuals.

183	Brack	hycome Ibe	ridifolia	(Swa	ın-Riv	er Dai	sy). 1	Blue;	from	Swan	n Ri	ver.	Half	foot	٠	·10
184		Albiflora.	White;	from	Swan	River	. Hal	lf foot								.10
185		Finest Mix	ed .	1.				• 1			٠	•	• 1	•		.10

# BRIZA (QUAKING-GRASS). NAT. ORD., Graminea.

### BRYZOPYRUM. NAT. ORD., Graminea.

A very pretty dwarf variety of the ornamental grasses; good for dried bouquets.

188 Bryzopyrum Siculum. Distinct and beautiful; hardy annual; from North America . .10

# BROMUS. NAT. ORD., Gramineæ.

### BROWALLIA. NAT. ORD., Scrophulariaceæ.

Very handsome profuse-blooming plants, covered with rich, strikingly beautiful flowers during the summer and autumn months; growing freely in any rich soil. Half-hardy annual.

	annuai	•									
190	Brow	vallia Cerv	iakowskii	Blue, with	white centre	; beautifu	l. 1½ fe	et.			.10
191		Demissa.	Light-blu	ie and orange	e centre; fron	South A	merica.	r½ fe	et		.10
192		Elata Cer	rulea. Uj	oright; blue	; from Peru.	1½ feet					.10
100					1						

24 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
CACALIA (TASSEL-FLOWER). NAT. ORD., Compositæ.
A beautiful annual, with a profusion of scarlet tassel-shaped flowers from July to October.
195 Cacalia Coccinea. Orange, scarlet, flowering in clusters, very pretty; from South
America. 1½ feet
CALANDRINIA. NAT. ORD., Portulacea.
Very beautiful dwarf-growing plants, usually treated as tender annuals, though of pe-
rennial duration if protected in winter: they are a blaze of beauty wherever the sun shines  upon them. They succeed well in a light, rich soil.
197 Calandrinia Lindleyana. Small red flowers, suitable for edging. Half foot
198 — Grandiflora. Fine rosy-lilac flowers from July to October, very showy, and of easy
culture. 2 feet
CACTUS. NAT. ORD., Cactacea.
An extremely curious and interesting genus, many of the varieties producing magnificent
flowers of the most brilliant and striking colors; succeeds best in sandy loam, mixed with lime rubbish and a little peat or rotten dung. Greenhouse perennial.  200 Cactus, Mixed. A choice collection; from Africa.
CALCEOLARIA. NAT. ORD., Scrophulariacea.
Plants of a highly decorative character; an indispensable ornament for the drawing-room or conservatory. The shrubby variety is sometimes grown for in-door and sometimes for out-door decoration. They succeed in any light, rich soil. Half-hardy perennials.
201 Calceolaria Hybrida. Mixed. Saved from a named collection
202 — Superba Grandiflora. Extra fine, spotted and striped, large-flowered; saved from the prize flowers from the London Exhibition of the past season;
superb. r font
203 — Nana. A new dwarf variety from Germany, beautifully marked, close, com-
pact habit, free-bloomer; one of the best; mixed, saved from a prize collection.
Three-quarters foot
205 — Tigrini. New; spotted and striped of the above; very fine 50
206 — Scabious-leaved (Scabiosæfolia). Clear, sulphur-yellow flowers, in great pro-
fusion; fine. 2 feet
CALENDULA (CAPB MARIGOLD). NAT. ORD., Compositæ.
A very showy, free-flowering genus of plants, producing a pretty effect in beds or mixed bor- ders, and growing freely in almost any soil. Hardy annuals,
207 Calendula Hybrida. White. 1 foot
208 — Pluvialis. White, large flowers. 1 foot
209 — Pongei, fl. pl. Double white, fine. 1 foot
210 — Ranunculoides. Ranunculus-flowered
beautifully imbricated; fine
212 — Sulphurea. New sulphur-colored pot marigold; very double and beautiful 10
CALLA. NAT. ORD., Aracea.
A very handsome plant, either as an aquatic or for the ornamentation of the drawing-room
or conservatory. Half-hardy perennial.  213 Calla Æthiopica. White; from Cape of Good Hope. 2 feet
Too much cannot be said in praise of this beautiful summer-flowering annual; from two to three feet in height, with green sub-digitate leaves and leafy stems, terminating in large panicled racemes of rich violet or purple crimson close-petalled flowers, with white centre, each from one to one and a half inches in width, and partially cupped; commences to bloom when about six inches high, and continues to yield a succession of its numerous attractive flowers throughout the summer and autumn till hard frost, forming an elegant object for groups, beds, or single specimens, of the easiest culture.
2i4 Callirhoe Involucrata. A trailing, hardy perennial, of great beauty; from Rocky Mountains; flowers are much like the Portulacs in form and color
tains; flowers are much like the Portulaca in form and color

	TO THE FLOWER GARDEN. 2	5
NO. 215 216 217	Callirhoe Pedata. Rich violet-purple, with white eye, from North America. 2 feet \$0.  — Nana. Like the above, only dwarf. 2 foot	10
	CALLIOPSIS, or COREOPSIS. NAT. ORD., Composita.	
,	This genus is amongst the most showy, free-flowering, and beautiful of hardy annuals. The tall varieties are very effective in mixed borders and fronts of shrubberies; and the dwarf kinds, from their close, compact habit of growth, make fine bedding plants, and are valuable for edgings; while the different varieties make very pretty ribbons. Hardy annuals.	
218	Calliopsis Bicolor Tinctoria. A well-known favorite, the flowers having a dark-crim-	
219	son, brown centre, with yellow rays. 2½ feet  Marmorata (marbled). Brown and yellow, that are inclined to be shaded.	05
220	2½ feet	
221	- Cardaminifolia Hybrida. Brilliant yellow; growth, pyramidal; compact and free-	10
222		10
222	— Coronata. Rich yellow; disk encircled with crimson spots; handsome; from	10
	m I.C.	.05
224		.05
225		.05
226	<ul> <li>Burridge's. A new and exceedingly beautiful annual; flowers rich brown, tipped with bright orange; very showy. 2 feet</li> </ul>	~=
		.05
	CALLICHROA. NAT. ORD., Composita.	
227	Callichroa Platyglossa. Pretty light-yellow flowers in abundance; from California.	
	ı foot	.05
	* 1 P	



## CALAMPELIS SCABRA.

# CALAMPELIS. NAT. ORD., Bignoniacea.

228 Calampelis Scabra. A very pretty climbing plant from Chili, with orange-colored 

# CALLISTACHYS. NAT. ORD., Leguminosæ.

 $\bf A$  handsome greenhouse evergreen shrub, with beautiful spikes of flowers. It is easy of culture, thriving in sandy peat and loam.

229 Callistachys Lanceolata. Yellow; beautiful; from New Holland. 6 feet . . .

245

246

NO. CAMELLIA. NAT. ORD., Ternstromiacea.

PRICE

.05

.05

.10

Favorite winter and spring-flowering plants of great beauty. The amateur, in sowing seed saved from the following choice sorts, has a fair chance of raising some valuable varieties; succeed in sandy peat and loam. Half-hardy shrubs.

230 Camellia Japonica, Mixed. From a choice named collection of double flowers . \$0.5

# CAMPANULA. NAT. ORD., Campanulacea.

The Campanulas are strictly biennial plants by pot-culture, and, without exception, some of the finest of all garden plants for decoration in conservatory, greenhouse, and flower-garden. By good culture in pots, the tall varieties assume a magnificent effect, attaining five to seven feet or more in height, with lateral flower racemes from the base, four to the feet in length. The beautiful white variety forms a most striking contrast. By good arrangement, a rich and imposing effect can be formed, altogether unequalled by any other trants.

231 Campanula Loreii. Fine, with large, expanded blue blossoms, which continue to be produced in succession through the summer; will grow in almost any situation; should be well thinned, so that the plants will be eight or ten inches apart; desirable for desirable for experts. Held force.

		should be well thinned, so that the plants will be eight of ten inches apart; desira-	
		ble for edging, or bedding, en masse. Half foot	.05
232		- Alba. Differing from the above only in color; white. Half foot	.05
233	_	- Mixed. The above two varieties mixed	.05
234	_	Pentagonia. Blue; will bloom beautifully in open ground; requires the same	
		treatment as C. Loreii. Three-quarters foot	.05
235	-	- Alba. White variety of preceding	.05
236		Carpatica. Light, violet dwarf, and free; fine for beds and edging, &c. Half-	
		hardy perennial	.05
237		- Alba. White variety of the preceding	.05
238		Persicifolia. Large blue flowers, fine for borders. Hardy perennials. 3 feet .	.05
239		— Alba. White variety of preceding	.05
240		Grandis. Deep-blue; from Italy. Hardy perennial, 3 feet	.10
241	_	Grandiflora. A fine, free-blooming variety, with long, drooping, pury le flowers.	
		Hardy perennial	. 10
242	_	Pyramidalis. Very elegant, with fine blue flowers; may be trained to any form	
		of growth; suitable for the border or pot-culture. Hardy perennial. 3 feet .	.05
243		- Alba. White variety of the above	.03
244	_	Trachelium, fl. pl. A fine border-plant, with violet-blue flowers. Hardy peren-	



- Alba. White variety of the above

Vidalis. White, showy, half-hardy perennial. 11 feet .

CANARY-BIRD FLOWER

# CANARY-BIRD FLOWER. NAT. ORD., Tropaclacea.

The popular name of this pretty little annual alludes to the supposed resemblance of the flower to a bird with its wings expanded, the spur of calyx representing the head, and the two upper petals the wing; blooms from June to October; from Mexico.

247 Canary-Bird Flower (Tropaolum Peregrinum). Half-hardy annual. 20 feet . . . . 10

NO. P	RICE
CANDYTUFT. NAT. ORD., Crucifera.	
All the Candytufts are of the easiest culture, thriving in almost any soil or situation, and deserve to be cultivated more extensively in every flower-garden; very good for pot-culture. Hardy annuals.	
248 Candytuft Fragrans (Iberis odorata). Flower white, pinnated foliage; from Crete.	
	0.05
249 — Crimson (kermesina). Bright and showy. 1 foot	.05
251 — Rocket (coronaria). Pure white; fine. 1 foot	.05
252 — Rose (rosea). Rose-colored. 1 foot	.05
253 — White (amara). One of the best. 1 foot	.05
254 — Perennial (sempervirens). White, 1 foot	.05
CANTERBURY BELLS. NAT. ORD., Campanulaceæ.	
The Canterbury Bells have long been known among our most ornamental garden plants. Their large bell-shaped flowers, which are freely produced throughout the summer, render them strikingly effective. As they are strictly biennials, it will be necessary to sow the seed every year. Hardy biennials.	
255 Canterbury Bells, Double White (Campanula Medium). From Germany. 2 feet.	.05
256 — — Blue. From Germany. 2 feet	.05
253 — — Mixed. All the above.	.05
259 — Single White. From Germany. 2 feet	.05
260 — — Blue. From Germany. 2 feet	.05
261 — — Lilac. From Germany. 2 feet	.05
262 — — Mixed. Above single varieties	.05
CANNABIS. NAT. ORD., Articacea.	
263 Cannabis Gigantea (Giant Hemp). A very ornamental plant for shrubbery-borders.	
Hardy annual; from India. 10 feet	.05
CASSIA. NAT. ORD., Leguminosæ.	
A genus of highly ornamental and exceedingly useful free-flowering shrubs, for conservatory or greenhouse decoration; growing freely out of doors during the summer months; succeeding best in a mixture of loam and peat. Greenhouse shrubs.	
264 Cassia falcata superba. Yellow; from Buenos Ayres, 3 feet	.25
265 — Grandiflora. Yellow, flowering profusely during autumn and winter; from China.	_
4 feet	.25
266 — Lavigata. Sulphur-color, distinct; from India. 4 feet	.25
267 — Marylandica. Yellow; from North America. 4 feet	.25
CANNA (INDIAN SHOT). NAT. ORD., Marantacea.	
These stately species of plants are highly ornamental in flower-gardens, producing a rich and Oriental effect by their large, broad, massive foliage, and rich crimson and scarlet flowers. Though perennial, if sown early, they will make luxuriant growth, and bloom the first season. In late autumn, they should be carefully potted, and allowed to mature their bloom in the greenhouse or parlor, and afterwards preserved in a cool, dry cellar. In spring, again start them into growth, and replant them in the open air last of May or first of June. Before sowing, soak the seed in water at 125° for about twelve hours.	
268 Canna Acharis. Dark-red; from Mendoza 5 feet	.10
269 — Angustifolia Nana Pallida. Light-red; a dwarf variety; from South America.	.10
270 — Anneii. Crimson; very ornamental. 3 feet	.20
271 — Aurantica. Orange; lively green foliage; from Brazil. 3 feet	.10
272 — Aurea Vittata. Golden; beautiful; from New Holland. 4 feet	.25
273 — Bicolor of Java. Red and yellow; from Java. 3 feet	.10
274 — Coccinea Vera. Scarlet; very fine; from South America. 2 feet	.05
276 Edulia Dada nom for a from Down of Cat	.10
277 — Gigantea Aurantica. Orange-red; a beautiful large variety. 10 feet	•25
278 — Indica. Red; from Indica. 2 feet	.05
279 — Limbata. Intense scarlet, edged with yellow; very striking; from Brazil. 4 feet	or.

NO.



280	Cann	a Leptophylla. Ruby; handsome foliage; from Laguna. 4 feet	0.25				
281		Muelleri. Scarlet; flowers large and fine. 3 feet	.10				
282		Mutabilis. Changeable; from Brazil. 5 feet	.10				
233		Musæfolia Hybrida. Red foliage, resembling a small banana. 2 feet	.25				
284	-	Napalensis. Clear yellow; large flowers; very pretty; from Nepaul. 3 feet .	.25				
285		Sanguinea Chatei. Deep red, dark foliage, and stems very large. 6 feet	.25				
286		Sellowii. Scarlet; from Africa. 5 feet	CI.				
287	-	Warczewiczii. Brilliant red, with variegated foliage; one of the best for masses;					
		from Central America. 3 feet	.25				
288		Zebrina. Beautiful, zebra-striped foliage. 3 feet	.25				
289		Finest Mixed	.25				
	CARNATION (DIANTHUS). NAT. ORD., Caryophyllacea.  A magnificent class of popular favorites, most of them deliciously fragrant, and with colors						

A magnine class of popular lavorites, most of them deliciously fragrant, and win colors extremely rich and beautiful. The seed we offer may be relied upon as being the finest, all having been selected expressly for us from some of the best collections of prize varieties in Europe, producing mostly all double flowers. Hardy perennial.

.25

290 Carnation Pink. Good; mixed; for border-culture. .IO 291 -- Fine German. A good selection from a named collection . .25 292 - Sardinian. From choice double varieties .

NO.		PRICE
293	Carnation Pink. Choice Bizarres and Flakes. Saved from stage flowers	3;
	extra	\$0.50
294	- Perpetual, or Tree. Fine German; from selected flower. 11/2 feet.	• • 50
295	- Extra Fine. Saved from prize-flowers; splendid	50
	CATANANCHE. NAT. ORD., Compositæ.	
	Exceedingly showy, free-flowering, hardy perennials, succeeding in any garden soil.	
296	Catananche Bicolor. White; violet centre; from south of Europe. 2 feet	05
297	- Cærulea. Blue, with purple centre; from south of Europe. 2 feet	05
298	Lutea. Yellow; hardy annuals. I foot	05
	CATCIIFLY (SILENE). NAT. ORD., Caryophyllacea.	
	A showy, free-flowering plant, for beds, borders, or ribbons; succeeds in any garden so	1.
]	Hardy annual.	
299	Catchfly Lobels. Red; from England. 112 feet	05
300	Alba. White; from England. 11/2 feet	05
301	- Flesh. New; flesh-color; from England. 11/2 feet	05



### CELOSIA AUREA PYRAMIDALIS.

CELOSIA. NAT. ORD., Amarantacea.

Magnificent, free-flowering, graceful-growing plants, producing in the greatest profusion spikes of the most beautiful feathery-looking flowers (see engraving, which represents a

CHÆNESTES. NAT. ORD., Solanaceæ.

A beautiful greenhouse shrub, with handsome foliage and very showy tube-shaped flow-

ers. It does well planted out against a wall in summer.

. 0
NO. PRICE
CHAMÆROPS. NAT. ORD., Palmaceæ.
325 Chamærops Humilis (Fan Palm). A very ornamental palm, from six to ten feet high, and highly effective either for decorating the conservatory in winter, or the lawn in summer. It is so hardy it may be easily wintered in the cellar
CHENOPODIUM. NAT. ORD., Chenopodiacea.
326 Chenopodium Atriplicis. Flowers small, clustered, covered, as well as the young leaves and shoots, with a glittering, purple meal, which renders the plant very ornamental. Hardy annual. 3 feet
CHELONE. NAT. ORD., Scrophulariaceæ.
An elegant summer-flowering, hardy herbaceous plant, adapted for a bed, group, or mass, with erect, slender, attenuated flower-stems rising two or three feet in height, having racemes of a bright-scarlet, Pentstemon-like flower-tubes, from one to two inches in length, forming a beautiful and effective object in borders, pleasure-grounds, &c. Hardy perennial.
327 Chelone Barbata. Scarlet; from Mexico. 3 feet
CHLORA. NAT. ORD., Gentianæ.
A novelty of considerable promise, with glossy, oblong, handsome foliage, and a profusion of bright-yellow flowers. Half-hardy annual.
329 Chlora Grandiflora. A new annual, highly recommended. 14 feet
CHLORIS. NAT. ORD., Gramineæ.
A fine species: singularly elegant perennial grass, nine to twelve inches in height, with flower-scapes or stems, having slender flower-spikes or rachis radiating horizontally from the extremities of each scape like the concentric spokes of a wheel. Half-hardy annual.  330 Chloris Badiata. From East India. I foot
CHRYSURUS. NAT. ORD., Graminea.
Very pretty ornamental grass, suitable for dried bouquets. Hardy annual.  33! Chrysurus Aureus. From Levant. Half foot
CHINESE PRIMROSE (PRIMULA). NAT. ORD., Primulacee.
A charming, profuse-flowering plant, indispensable for winter and spring decoration, and a universal favorite. Our seeds are selected with great care from one of the finest collections in Europe. Greenhouse perennial.
332 Chinese Primrose, Purple. Half foot
333 — White. Half foot
334 — Fringed. Purple; saved from only finest-tringed flowers
336 — Rose-striped. Bright rose-striped
337 — Fringe-striped. White, striped with red
like and crimson, with yellow eye. Half foot
339 — Grandiflora. This is one of the finest; flowers large, various colors, beau-
tifully fringed; saved from prize flowers. Half foot  50  Erecta Superba. A fine, new, erect-growing variety, with bright rose-col-
ored flowers. Three-quarters foot  341 — Macrophy flowers foot with long, massive foliage, and
beautiful large flowers, of great substance, beautiful form, and finely fringed, of a rich purplish-carmine, with pentagonal, large yellow eye, surrounded by a brown
zone; very conspicuous and splendid acquisition; comes true from seed50
342 — Good, Mixed
342½ — Extra, Mixed. All the best varieties mixed
CHOROZEMA. Nat. Ord., Leguminoseæ.
A splendid profuse-flowering genus of shrubs, whose rich-colored blossoms and graceful habits render them remarkably effective objects for conservatory or greenhouse decoration; succeed best in sandy peat and loam. Greenhouse shrubs.  343 Charazema, Mixed. Including several fine varieties
343 Chorozema, Mixed. Including several fine varieties





CHRYSANTHEMUM POMPONE.

### CHRYSANTHEMUM. NAT. ORD., Composita.

The following are the tall, double-flowered annual Chrysanthemums, which, when well grown, are amongst the most showy and effective of summer-flowering border-plants. They are also very effective in large pots for placing about terraces. The dwarf kinds make showy beddeling-plants.

snowy bedding-plants.
345 Chrysanthemum, Double-white. Extra fine hardy annual; from Sicily. 2 feet . \$0.05
346 — — Quilled. Extra fine
347 — Yellow; extra fine hardy annual; from Sicily. 2 feet
348 — Tricolor. Yellow and white; very showy; from Barbary. 1 foot
349 — Burridgeanum. Crimson, with white centre; extra fine hardy annual; from Bar-
bary. I foot
350 — Venustum. White, with crimson centre; fine hardy annual; from Barbary .10
351 — Mixed. The above varieties mixed
The Chrysanthemum Indicum and Indicum Nanum are well-known varieties, so extensively grown for late fall flowers. No garden should be without them. The seed we offer has been saved from the very finest new varieties, and will give a good proportion of double flowers.
352 Chrysanthemum Indicum. Tall, double, extra fine half-hardy perennial; from China.
3 feet
CIMICIFUGA. NAT. ORD., Ranunculacea.
354 Cimicifuga Americana. Fine, hardy herbaceous plant, with elegant tall spikes of white flowers. 5 feet

### CINERARIA. NAT. ORD., Compositæ.

A well-known favorite free-flowering plant, which may be had in splendid bloom through the greater portion of the year, and, from the richness and diversity of its colors, is one of the most valuable of our early spring flowers. Succeeds best in a light, rich, free, and open soil. Half-hardy perennial.

NO.

CINERARIA.

355 Cineraria, Fine-mixed. 1\frac{1}{2} feet
a fine contrast to Perilla nankinensis. 1½ feet
359 Cirsium Pulcherrimum. Yellow, fine border; perennial. 3 feet
CLEMATIS. NAT. ORD., Ranunculaceæ.
A handsome class of climbers, very desirable for growing against a wall or trellis. Seeds of this tribe require some time to germinate. Hardy perennials.
360 Clematis Flammula. White; very fragrant. 25 feet
361 — Paniculata. White. 10 feet
ing itself with large bunches of white sweet-scented flowers. 25 feet
363 — Crispa. Light-blue, well-shaped flowers
CLITORIA. NAT. ORD., Leguminosæ.
Splendid free-flowering greenhouse climbers, with large, elegant pea-shaped flowers, of great beauty, particularly adapted and very effective for training on trellis-work, wire globes, or any of the numerous contrivances on which plants of this character may be grown for greenhouse or conservatory decoration. Though perennials, they bloom the first year.
365 Clitoria Cœlestis. Sky-blue; from East Indies
366 — Gesnatia. Pale-blue, shaded with white; from East Indies
367 — Atro-cœrulea (new). Dark-blue; from East Indies
368 — Ternatea. Blue and white; from East Indies
369 — Alba. White; from East Indies
370 — Grandiflora. New large-flowered white
5

# CLIANTIIUS. NAT. ORD., Leguminosa.

34 NO.

376 ---

A genus of magnificent free-flowering greenhouse shrubs, with elegant foliage and brilliantly colored, singularly shaped flowers, which are produced in clusters, and have a splendid effect. Clianthus Magnificus and Clianthus Puniceus blossom freely out of doors in summer, against a trellis or south wall; Clianthus Dampierii succeeds best planted in the border of a greenhouse, and is one of the most magnificent plants of recent introduction; seeds sown in spring flower the first year; succeeds best in sandy peat or loam. Greenhouse shrubs.

3341 Clianthus Dampierii. Brilliant scarlet, with intense black spot in the centre of the flower. One of the most magnificent flowers in cultivation. Very rare . . . 50 385 - Magnificus (Glory-Pea). A beautiful scarlet-flowering shrub, with elegant foliage;

# CLINTONIA. NAT. ORD., Labeliacea.

A pretty little plant, of neat, compact growth, with flowers resembling the L belia, and exceedingly beautiful; produces a fine effect in rustic baskets, rock-work, vases, boxes, or as an edging; succeeds best in light, rich soil. Half-hardy annual.

386 Clintonia Elegans. Light-blue; from Columbia. Half foot . . . - Pulchella. Blue, yellow, and white; dwarf; and very pretty; from Columbia. Atropurpures Grandiflora. Violet-purple; centre yellow, margined with white;

# COBEA. NAT. ORD., Polem miacea.

330 Cobæa Scandens. A rapid-growing climbing plant, with large purple bell-shaped flowers, finely adapted for bedding out in summer; seeds should be sown early to secure well-established plants by the time the season arrives for planting out. 

### COCKSCOMB. NAT. ORD., Amarantacea.

Highly ornamental, curious-looking flowers, for decoration of the flower-house, drawingroom, and garden; all the varieties are remarkably attractive, producing a fine effect when grown in pots and mixed with other plants, either on the stage of a greenhouse, or planted in some warm situation out of doors. The following sorts have been saved from combs remarkable for their size and symmetry. Half-hardy annuals.


# TO THE FLOWER GARDEN.

NO. PRICE
391 Cockscombs, Mixed Varieties
392 — Dwarf Crimson. Brilliant and large; saved from a prize collection. Three-
quarters foot
394 — New Giant. Very large, brilliant-red rose; beautiful rose-dwarf. Three-quarters
foot
395 — Spicata Rosea. Silvery-white and rose. 1½ feet
COLLINSIA. NAT. ORD., Scrophulariacea.
California annuals of great beauty, remarkably attractive in beds, mixed borders, or ribbons. Hardy annuals.
395 Collinsia Bicolor. Purple and white; beautiful; from Canada. 1 foot
397 — Alba. White; a charming variety. I foot
398 — Atrorubens. Red, purple, and white; pretty; from California. 1 foot
400 — Multicolor. Crimson, lilac, and white. 1 foot
401 — Marmorata. White and rose, marbled. 1 foot
COLLOMIA. NAT. ORD., Polemoniacea.
402 Collomia Scarlet. Flowers in clusters; from Chili. 1½ feet
403 — Grandiflora. Saffron color; from North America. 1½ feet
COMMELINA. NAT. ORD., Commelinacea.
Very pretty free-flowering tuberous-rooted plants, with rich blue flowers, succeeding in
any rich soil. Half-hardy perennial, but flowering the first year.
404 Commelina Cœlestis. Sky-blue; Mexico. 1½ feet
406 — Variegata. Blue and white, striped
CONOCLINIUM. NAT. ORD., Compositæ.
A greenhouse evergreen shrub, with beautiful, large clusters of Ageratum-like flowers;
succeeds in a light, rich soil. Greenhouse shrubs.
407 Conoclinium lanthinum. Pale-blue; very handsome; from Brazil. 2 feet
CONVOLVULUS. NAT. ORD., Convolvulacea.
A beautiful, free-flowering, and remarkably showy class of plants, with exceedingly hand- some, rich-colored flowers, producing in beds and mixed borders an unusually brilliant effect, either in distinct colors, ribboned or mixed beds. Half-hardy annuals.
408 Convolvulus Minor Tricolor. Rich violet-purple, with white centre; trailer
409 — Splendens. Rich violet; white centre
410 — Striped. Blue; beautifully striped with white; trailer
412 — Good Mixed
413 — Flora Pleno. A new double variety; from France
414 — Monstrosus. Deep violet-purple; extremely large and handsome trailer
415 — Subcœruleus. Dove-color; trailer; very pretty; from Levant
in the centre, and are produced in the greatest profusion. It forms a splendid
bedding-plant, and is exceedingly elegant in hanging-baskets
447 — Mauritanicus. A beautiful creeper, with silvery foliage and lovely blue flowers; fine for hanging-baskets and rock-work
418 — Mixed. Good assortment of colors
419 — Extra Mixed. All the finest varieties
CONVOLVULUS (MAJOR). NAT. ORD., Convolvulacea.
(See Morning Glory.)
COLUMBINE. NAT. ORD., Ranunculacea.

Columbine in varieties. (See Aquilegia.)

36 AMATEUR CULTIVATOR'S GUIDE
NO. COSMANTHUS. NAT. ORD., Hydrophyllacea.
A neat little plant, with prettily fringed flowers of a somewhat spreading habit.  420 Cosmanthus Fimbriatus. Lilac and white. Hardy annual; from North America.  1 foot
421 Cosmidium Burridgeanum. An elegant annual; grows about two feet high, with beautiful Coreopsis-like flowers, with remarkable rich crimson, brown centre, and golden-orange, yellow border. Admirably adapted for brilliant-colored groups or marginal lines
COSMEA. NAT. ORD., Composita.
422 Cosmea Grandiflora. A hardy annual, with large lilac flowers of Dahlia form. 2 feet .05 423 — Atropurpurea. Purplish-crimson. 2 feet
COIX. NAT. ORD., Graminaceæ.
424 Coix Lachryma (Job's Tears). A very curious ornamental grass, having seeds which have the appearance of large tears; from East Indies
COWSLIP. NAT. ORD., Primulacea.
Favorite, early, free-flowering plants, which should be extensively grown for filling the beds and borders of spring flower-gardens. Hardy perennial.
425 Cowslip, New Giant. Mixed; very large. Three-quarters foot
CUCUMIS (ORNAMENTAL CUCUMBER). NAT. ORD., Cucurbitacea.
A most interesting tribe of plants, remarkable for luxuriance and rapidity of growth, which, if the soil be rich, is truly marvellous. Treat the same as the cucumber, and train against a wall or trellis, or in any way that may be desired. Cucumis Flexuosus, commonly known as the Snake Cucumber, is most singularly interesting in its fruit. Half-hardy annuals.
427 Cucumis Acutangulus. Curious forms
428 — Aradac. Fruit small, growing in pairs; yellow
429 — Dipsacus. Pale-yellow; Teasle-like; fine
431 — Melochito. Variegated; brown and yellow
432 — Meduliferus. Scarlet and thorny
433 — Mixed. The above mixed
CUCURBITA (ORNAMENTAL GOURDS). NAT. ORD., Cucurbitacea.
The tribe of Cucurbita or Gourds are well known as producing some of the most curiously shaped of all fruits, and being, like the Cucumis, of extremely rapid growth, are very desirable for covering trellis-work of arbors, &c., the varied and fantastic forms of the fruit adding a peculiar charm to the luxuriance of the foliage.
434 Cucurbita Digitata. A rapid grower, with fine-cut foliage marbled with white. The fruits are a beautiful dark-green striped with white. A splendid variety
435 — Leucantha Longissima. A curious variety, from four to six feet long
436 — Melopepo Variegata. A small variety; green and yellow
437 — Maxima. Green and yellow
438 — Powder-horn. Powder-horn-shaped
439 — Mixed. Above varieties mixed
A highly ornamental and exceedingly beautiful genus of profuse-blooming plants, equally valuable for the ornamentation of the flower house, drawing-room, and flower-garden. If sown early, they can be used for bedding-plants the first year.
440 Cuphea Galcottiana. A new species, with flowers nearly black; remarkable 25
441 - Platycentra. Well-known variety; flowers scarlet, black, and white; fine for pot-
culture
442 — Strygulosa (coarse-haired). Scarlet and yellow
444 — Zimapani. A new variety, with large violet-red flowers

NO.  CYCIANTHERA. NAT. ORD., Cucurbitacea.
,
Curious bird-shaped gourds, of a very ornamental character; rapid climbers; thrives in any rich soil in a warm situation. Very desirable for covering arbors, trellis-work, &c. Half-hardy annuals.
445 Cyclanthera Explodens. An elegant new climber, as hardy and as fast a grower as the
Cyclanthera Pedata, with handsome foliage, and pretty oval-shaped fruits, explod-
ing with a loud noise when ripe, and thus distributing their seeds \$0.25
446 — Pedata. Graceful slender-habited climbing-plants, with pendant branches of ele-
gant balloon-like seed-pods; a novel plant, of easy culture. 15 feet 10
CYCLAMEN. NAT. ORD., Primulaceæ.
Few plants present a more gay appearance in the early spring months than the Cyclamen. From November to May, they enliven the greenhouse with their singularly shaped and various-colored flowers, often in such masses as to eclipse many more stately and conspicuous objects; yet, with such decorative qualities, they are but sparingly cultivated. Half-hardy perennial.
447 Cyclamen Africanum (Macrophyllum). White and rose; fine foliage; from Africa.
Three-quarters foot
448 - Hederæfolium. Exceedingly pretty; from Britain. Half foot
449 — Persicum. White and pink; a charming sweet-scented variety; from Cyprus.
Half foot
450 — Vernum. A splendid variety
451 — Mixed
CYTISUS. NAT. ORD., Leguminoseæ.
An extremely useful free-flowering, ornamental tribe of shrubs, equally valuable for the decoration of the conservatory, drawing-room, and flower-garden; succeeding in any ordinary soil. Greenhouse shrubs.
452 Cytisus Attleyanus. A splendid shrub
453 — Ramosissimus Superbus. Beautiful yellow; from Spain
CYPRESS VINE (IPOMEA QUAMOCLIT). NAT. ORD., Convolvulacea.
454 Cypress Vine, Scarlet. A tender, climbing annual, with graceful foliage and scar-
let flowers; seed should not be planted in open ground before the last of May or first of June, 15 feet
APP MALLA TT. 1 C. T.
AFC D T
450 Kose-color



LILIPUTIAN OR BOUQUET DAHLIA. (See next page.)




DATURA WRIGHTII (one-fifth natural size).

# DATURA. NAT. ORD., Solanacea.

A tribe of highly ornamental plants, producing large, sweet-scented, trumpet-shaped flowers of the most attractive character, and succeeding in most any rich soil. The roots may be preserved in and through the winter in a dry cellar. Half-hardy perennials.

NO. PRICE
462 Datura, Wright's, or Meteloides (Datura Wrightii). A beautiful plant, producing
flowers which are of extraordinary size, pure white at the centre, and passing im-
perceptibly to a lilac-blue at the border. The roots can be taken up in the au-
tumn, and preserved through the winter, in the same manner as the Dahlia. 2 to
463 — Carthageniensis. A new variety; comes highly recommended, and described
as having very large flowers; white. 3 feet
464 — Humilis Flore Pleno. Double-yellow
465 — Chlorantha. A magnificent new variety, producing a profusion of deep
golden-yellow flowers, very large, double, and sweet-scented; in bloom a long
time. 2 feet
467 — Violacea. Violet-double. 2 feet
<b>DELPHINIUM.</b> Nat. Ord., Ranunculacea.
A highly ornamental genus of splendid profuse-flowering plants, of an unusually high decorative character. When planted in large beds or groups, their gorgeous spikes of flow-
ers, or almost engless snades, from beart-white to the very richest and deepest blue, render
them the most conspicuous and striking objects in the flower-garden or pleasure-ground.  They delight in a deep, highly enriched soil. With the exception of Delphinium Cardio-
petalum, they are all hardy perennials.
468 Delphinium, Chinese. Finest mixed; one of the most desirable of the tribe. 2½ ft05
469 — Cardiopetalum. Deep-blue; heart-shaped. Hardy annual; from Pyrenees.
470 — Cœlestimum Grandiflorum. Celestial blue; long spakes; very handsome. 3 feet .25
and Tild (D. T. 1. ). The
471 — Elatum (Bee Larkspur). Blue. 3 feet
the first season from seeds; finest of the tribe. 2 feet
473 — Grandiflorum. Dark-blue; fine
474 — Hybridum. Fine mixed. 3 feet
475 — Intermedia. Blue; a fine variety. 3 feet
476 — Iveryanum. Deep-blue; extra. 3 feet
478 — Punicea. Reddish-purple. 3 feet
479 — Wheelerii. Fine-blue. 3 feet
480 — Hendersonii. Splendid, large blue flowers; extra fine. 2½ feet
431 — Atroviolaceum. Dark-violet
DIGITALIS (FOXGLOVE). NAT. ORD., Scrophulariacea.
The Digitalis are too well known to need description. They are all useful and ornamental for general flower-garden purposes, and may be introduced into the shrubbery with fine
The Digitalis are too well known to need description. They are all useful and ornamental for general flower-garden purposes, and may be introduced into the shrubbery with fine effect, as their tall, spire-like spikes, crowned with their large thimble or bell-shaped flowers, will contrast finely with the green foliage of the shrubs. They are all hardy biennials,
from three to four feet high.
482 Digitalis, Good Mixed. A fine assortment of colors
483 — Extra Mixed. All the newest kinds. 3 feet
484 — Grandiflora. Large-flowered; yellow. 3 feet
485 — Purpurea. Common purple variety. 3 feet
487 — Ferruginea. Brown. 2 feet
488 — Aurea. Golden. 3 feet
489 — Lutea. Yellow. 3 feet
490 — Gloxinioides. New and beautiful gloxinia-shaped flowers; extra spotted. 3 feet .10
491 — Cantua. White, tipped with black
492 — Hybrida. Pink; new and fine
DIDYMOCARPUS. NAT. ORD., Cyrtandacea.
Exceedingly pretty greenhouse plant, flowering in bunches; succeeding best in light
peaty soil.
493 Didymocarpus Humboldtianus. Blue; very pretty



DIDISCUS CÆRULEA.

### DIDISCUS. NAT. ORD., Umbellifera.

### DIANTHUS. NAT. ORD., Caryophyllacea.

A magnificent genus, which embraces some of the most popular flowers in cultivation. The Carnation, Picotee, Pink, and Sweet William, all "household words," belong to this genus. The Chinese varieties may be considered the most beautiful and effective of our hardy annuals; the double and single varieties, with their rich and varied colors, in beds or masses, are remarkably attractive; while the recently introduced species, Dianthus Heddewigii and Dianthus Laciniatus, with their large and rich-colored flowers, three to four inches in diameter, close, compact habit, and profusion of bloom, are unsurpassed for effectiveness in beds and mixed borders.

495 Dianthus Carvophyllus. (See Carnation Pink)

495	Diant	thus Caryophyllus. (See Carnation Pink)
496		Barbatus. (See Sweet William)
497		Atrorubens. Dark-red; handsome; hardy biennial; flowers first year from seed.
		1 foot
498		Chinensis (Indian Pink). Mixed biennials of great beauty; blooms the first year
		from seed; perfectly hardy, and flowers strong the second year. The colors are
		exceedingly rich; crimson and darker shades of that color, approaching to black,
		are often combined in the same flower, with edgings of white, pink, and other
		colors; about one foot high, and of the easiest culture
499		- Fine Double, Mixed. Same as above; selected from finest double flowers .10
500		- Alba. Double-white; very fine
501		- Marginata. White and rose-striped
502		- Albus Pictus. White-marbled, with rose; beautifully fringed. Hardy
		annual to
503	-	- Heddewig's. A most beautiful new variety. The whole plant is scarcely
		one foot high, and very bushy; whilst always thirty or forty flowers are at once
		in blossom. The flowers are very large, from two to three inches in diameter, of
		a most beautiful shape, and of a variety and brilliancy of colors quite unsurpassed
		in pinks, from white mottled with rose, and purplish-red with dark centre, to vel-
		vety carmine-crimson, dark blood-red, and mottled and shaded with maroon and
-04		velvety-black. Hardy annual
504		- Heddewig's, New Double. A new variety or this splendid new Pink,
		having beautiful double flowers, instead of the single. Hardy annual





(See Calampelis Scabra.)
EGG-PLANT. NAT. ORD., Solanacea. (See Aubergine.)
ERYSIMUM. NAT. ORD., Crucifera.
Very showy, free-flowering, handsome hardy annuals; very effective in beds, mixed borders, or ribbons; succeed in any light, rich soil. Hardy annuals.  526 Erysimum Arkansanum. Sulphur-yellow; very handsome; from North America.
1½ feet
527 — Barbarianum Variegatum. Yellow foliage; prettily variegated. 1½ feet 10
528 — Peroffskianum. Orange; very showy; from Palestine. 1½ feet
EUCALYPTUS (Gum-Tree). Nat. Ord., Myrtacea.
A tall and handsome fast-growing greenhouse shrub, suitable for conservatory decoration; thrives in peat and sandy loam.  529 Eucalyptus Floribunda. White; from Holland. 10 feet
EPACRIS. NAT. ORD., Epacridacea.
A well-known genus of extremely beautiful and interesting plants, flowering most pro- fusely during the winter. Greenhouse shrub.
530 Epacris, Fine Mixed. Saved from a splendid collection

42	AMATEUR CULTIVATOR'S GUIDE
NO.	PRICE
531	A well-known genus of extremely beautiful and interesting plants, flowering most profusely, and especially effective from their compact, close habit of growth. Both the hardy and greenhouse varieties require a sandy peat.  Ericas, Finest Mixed. A choice selection; from Cape of Good Hope. 2 feet . \$0.25
	ERYTHRINA. NAT. ORD., Leguminosa.
	A magnificent genus of half-hardy shrubs, with fine leaves, and beautiful, brilliant scarlet flowers, borne on spikes from one to one and a half feet long. They may be taken up in the fall, and kept in perfect preservation during the winter in a dry cellar, the roots covered with half dry earth: when taken up, the branches should be well cut back, say to within four inches of the previous year's growth. Plant them out in May, and they will flower beautifully three or four times in the course of the summer.
532	Erythrina Corallodendron (Coral-tree). Scarlet; from West Indies. 10 feet
533 534	
535	Laurifolia. Scarlet; from South America. 4 feet
	ESCHSCHOLTZIA. NAT. ORD., Papaveracea.
	Annual plants, with showy flowers; natives of California; on which account, the first species introduced was called the California Poppy; exceedingly profuse, blossoming from June until frost. Hardy annual.
536	Eschscholtzia California. Bright yellow, with rich orange centre; from California.
537	r foot
538	— Crocea. Deep orange; from California
539	— Alba. White; from California
540	Tenuifolia. Primrose, with orange centre; very compact; from California. Half ft05
	EUCHARIDIUM. NAT. ORD., Onagracea.
	Exceedingly pretty, profuse-flowering, compact-growing plants, very effective for bedding, edging, or ribboning; succeeds in common garden soil. Hardy annuals.
	Eucharidium Grandiflorum. Deep rose-shaded pink. 1 foot
542	- Album. Pure white; beautiful
543	Roseum. Rose; very pretty
	ERAGROSTIS. NAT. ORD., Graminea.
	Ornamental grasses; suitable for winter bouquets.
544	Eragrostis Elegans (Love-grass). From south of Europe
545	— Cylindrifolia. From China
	ERIANTHUS. NAT. ORD., Graminea.
546	Erianthus Ravennæ. This is a bold-looking, reed-like grass, from four to six feet high, with a fine foliage, resembling much in appearance the Pampas grass; rare.
	Half-hardy perennial; from south of Europe
	ELEUSINE. NAT. ORD., Graminea.
	Ornamental grasses; light and graceful.
	Eleusine Coracana. From East Indies
040	
	EUTOCA. NAT. ORD., Hydrophyllaceæ.
	Showy, free-flowering plants, suitable for beds or mixed borders; succeeds in any light, rich soil. Hardy annuals.
549	
550	
55 I 552	Ortgiesiana. Quite new; from Mexico; flower light, and dark-lilac with white25     Wrangeliana. Lilac; pretty
004	
	EUCNIDE. NAT. ORD., Loasacee.
j	A charming golden-blossomed plant; alike effective and showy in mixed borders or grown in pots for conservatory decoration. Succeeds in a light, rich soil. Half-hardy annual.
	Eucnide Bartonoides. Primrose; from Mexico

NO	PRICE
EUPATORIUM. NAT. ORD., Compositæ.	
A pretty class of herbaceous plants, with bunches of showy flowers. Hardy perennial	_
565 Eupatorium Argeratoides: White; fine for border 566 — Fraserii. White; from Carolina. 1½ feet 567 — Corymbosum. Blue; from Europe. 1 foot 568 — Aromatica. White; large heads. 2 feet 569 — Superbum. White; new species; fine. 2 feet	\$0.10 10 10
ETERNAL FLOWERS. NAT. ORD., Compositæ.	
(See Helichrysum and Xeranthemum.)	
EUPHORBIA. Nat. Ord., Euphorbiaceæ,	
571 Euphorbia Variegata. A very pretty variegated foliaged plant. Tender annual .	05
FENZLIA. NAT. ORD., Polemoniaceæ.	
A splendid, profuse-blooming, neat little plant of dwarf growth, very effective in sm beds, vases, or rustic baskets or boxes for conservatory or window decoration; remains flower the whole summer; thrives best in a light, rich soil, and requires to be well suppl with moisture.  572 Fenzlia Dianthiflora. Rosy-lilac, crimson centre, with yellow anthers; hardy annu from California. 1½ feet	
FERNS. NAT. ORD., Polypodiaceæ.	
This graceful and magnificent tribe is too well known and highly appreciated to need scription. From the seeds we offer, the amateur has the certainty of raising many elegand graceful varieties. Delights in peaty, sandy soil.  573 Ferns Adiantums. Fine mixed  — Pteris Argyrea. Beautifully variegated with silver  574 — Golden and Silver. Finest Mixed  576 — Mixed. Choicest greenhouse and stove varieties.	25 25
FABIANA. NAT. ORD., Solanaceæ.	• .25
A handsome Erica-like greenhouse shrub, a profuse bloomer, and of the easiest cultural Thrives best in sandy peat.  577 Fabiania Imbricata. White; from Chili. 2 feet	re.
FEVERFEW (PYRETHRUM). Compositæ.	
Handsome, free-flowering, highly ornamental plants, producing a fine effect in the minflower and shrubbery borders. Succeeds in any rich soil.  578 Feverfew, Double White. A beautiful bedding plant, blooming all the season; hardy. I foot	
FLOS ADONIS. NAT. ORD., Ranunculaceæ.	
580 Flos Adonis. Handsome foliage, with blood-red flowers; very pretty. Hardy annua	105
FORGET-ME-NOT. NAT. ORD., Boraginacæ. (See Myosotis.)	
FRAXINELLA. NAT. ORD., Rutaceæ.	
(See Dictamnus.)	
FOXGLOVE. NAT. ORD., Scrophulariaceæ.	
(See Digitalis.)	
FRENCH HONEYSUCKLE. NAT. ORD., Leguminosæ 584 French Honeysuckle (Hedysarum) Mixed. A fine border-plant; red and white mix	
from Italy. Hardy perennial. 3 feet	05
FUCHSIA. NAT. ORD., Onagraceæ.	
These beautiful plants are natives of South America, and have, until lately, been treat as greenhouse plants; but the greater number are now considered among the more on mental of our hardy exotics; they grow freely in the open ground, and enliven our flow gardens during the whole summer with their beautiful flowers. Half-hardy perennials.	na- er-
585 Fuchsia. From named varieties; superb	50
220 minous andulung many mile varieties	25

44 AMATEUR CULTIVATOR'S GUIDE	
NO. FUNKIA (DAY LILY). NAT. ORD., Liliacea.	E
58# Funkia Cœrulea. Very showy hardy border-plant, with blue flower. 1½ feet . \$0.1 588 — Liliastrum. Lilac-variegated foliage. 1½ feet	010
590 — Sieboldil. Light-blue; fine. 1½ feet	10
Showy and universally admired plants, and among the gayest ornaments of summer flowering annuals; of the easiest culture. Will thrive in almost any garden-soil or situation, and	
COO Alba Manai ata Milita alanda Gan	25
704 0 110 11111 71111 1111 1	10
595 — Richardsonii. Orange, with brown centre; very fine. 1½ feet	10
597 — Mixed. The above varieties mixed	10
GAURA. NAT. ORD., Onagraria.	
A plant of light and graceful habit, with spikes of white and red-tinted flowers; a profuse bloomer. Half-hardy annual.  600 Gaura Lindheimerii. Very pretty. 2 feet	10
GALEGA (GOAT'S RUE). NAT. ORD., Leguminosa.	
Very pretty pea-shaped flower; of easy culture. Hardy perennial.	
001 01 111 111 01	10
	10
	10
GARDOQUIA. NAT. ORD., Labiuta.	
A pretty dwarf-growing plant, continuing in bloom for several months; well worth cultivating on account of its large, showy flowers. Hardy perennial.  604 Gardoquia Betonicoides. Pink; from Mexico. 3 feet.	0.1
GERANIUM (PELARGINIUM). NAT. ORD., Geraniacea.	
There are few plants more easily grown, or that better repay the care of the cultivator, than geraniums, or, as they are more properly called, pelargonums. The seeds we offer are selected with great care from some of the finest collections in Europe, and may be depended upon as being the finest in every respect. Half-hardy perennials.	
	CI
606 — Finest Mixed. Saved from the finest fancy varieties	25
603 — Scarlet. Very fine for bedding and pot-culture	-
610 — Mixed. Saved from a named collection of scarlet, salmon, rose, and white flower-	
ing varieties	5
GESNERA. NAT. ORD., Gesneracea.	
Showy hothouse plants, generally with scarlet flowers: they require a light, rich soil.  Perennial bulbs.  611 Gesnera, Finest Mixed. A fine collection, embracing an assortment of colors	7 5
	- 3
<b>GEUM.</b> NAT. ORD., Rosacea.  Very showy, long-blooming, hardy plants; succeed best in a sandy loam. Harly pe-	
rennial.	
612 Geum Coccineum. Scarlet; from Chili. 2 feet	
614 — Grandiflora. A fine, large-flowered variety	
615 — Macrophyllum. A fine new variety	
GENTIANA. NAT. ORD., Gentianacea.	
Very useful perennials. Gentiana Acaulis, which has large, deep-blue gloxinia-shaped flowers, if grown in deep, rich loam, makes a splendid edging in early summer: all the small kinds make interesting rock-plants.	

# TO THE FLOWER GARDEN.

45

NO.		PRICE
616	Gentiana Acaulis. Beautiful blue; from Wales. One-quarter foot	\$0.05
	- Asclepiadea (swallow-wort). Blue; fine; from Australia. One-quarter foot	
618	- Cruciata. Dark-blue; flowers in cluster	05
61.0	Mixed Above varieties mixed	70



### GAILLARDIA.

### GAZANIA. NAT. ORD., Compositæ.

Amongst the most effective of bedding plants; its brilliantly colored and strikingly marked flowers are produced in great abundance, and are very effective for beds or ribboning; very beautiful. Half-hardy perennial.

# 

# GILIA. NAT. ORD., Polemoniaceæ.

This is a very pleasing family of annuals; may be sown at any time, and will bloom in almost any situation. The flowers are disposed in panicles or clusters; and, from its neat growth, it is admirably adapted for culture either in masses or detached patches. The three-colored variety is the prettiest, and lasts the longest in bloom. Hardy annual.

620½	Gilia	Achillæfolia	. Lilac; fr	om Califo	ornia.	11/2 1	foot					.10
621		Alba.	A very fine	e variety,	with	pure	white	flow	ers			.10
622		California.	Pale-lilac.	11 feet								.05

46 AMATEUR CULTIVATOR'S GUIDE .
NO. PRICE
623 Gilia Capitata. Sky-blue. Three-quarters foot
quarters foot
625 — Tricolor. Yellow eye, surrounded by a purple ring bordered by pale-blue. 1 ft
GLADIOLUS. NAT. ORD., Iridacea.
627 Gladiolus Gandavensis, Mixed. The seeds we offer of this beautiful summer-flowering bulb were saved from an amateur collection of prize varieties, and may be relied upon as being of superior quality. Half-hardy bulbs. We would also call atten-
tion to our list of Gladiolus and summer-flowering bulbs
GLOBE AMARANTHUS. NAT. ORD., Amarantaceæ.
The Globes are well known, and much admired for their ornamental effect in the garden, and are highly prized for their heads of flowers, which, if gathered before they are too far advanced, will retain their beauty for several years. The seeds are rather slow to vegetate in the open ground, the orange in particular, which seldom starts without bottom heat, and then very reluctantly. Tender annual.
628 Globe Amaranthus (Gomphrena). Crimson; fine. 2 feet
631 — White. From India. 2 feet
632 — Orange ( <i>Hoveyii</i> ). From New Mexico. 2 feet
A superb genus of stove-plants, producing in great profusion beautiful flowers of the rich-
est and most beautiful. Thrives best in sandy peat and loam. Hothouse bulbs.
634 Gloxinia Erecta. Saved from a fine collection
636 — Good Mixed
GNAPHALIUM. NAT. ORD., Compositæ.
Fine everlasting flowers, useful for making dry bouquets; will grow in any common garden soil. Half-hardy annual.
637 Gnaphalium Fœtidum. Yellow. 2 feet
GODETIA. NAT. ORD., Onagracea.
All the varieties of Godetia are well worth growing, and indeed no garden can be said to be complete without them: their profuseness of bloom and delicate tints of color have long rendered them universal favorites.
638 Godetia Alba. Pure white. 12 feet
639 — Bifrons. Rose-lilac, blotched with carmine
641 — Insignis. Red lilac-purple blotches
642 - Rubicunda. Rosy-lilac, with ruby centre
643 — Splendens. This is a very fine variety, differing from the preceding: larger, brighter color.
644 — The Bride. Cup-shaped blossom of pure white, with a broad and brilliant
crimson ring at base of corolla
645 — Mixed. The above mixed; choice
GOURDS. NAT. ORD., Cucurbitacea.
The tribe of Gourds is known as producing some of the most curiously shaped of all fruits, and, being of extremely rapid growth, are very desirable for covering the trellis-work of arbors, &c.: the varied and fantastic forms of the fruit adding a peculiar charm to the luxuriance of the foliage. Tender annual.
647 Gourds, Bottle. A very useful variety
648 — Pear-shaped. Two-colored
650 — Egg-shaped. Resembling an egg
651 — Hercules' Club. Club-shaped; curious
652 — Long-fruited. Some very fine ones

TO THE FLOWER GARDEN. 47
NO. PRICE
653 Gourds, Powder-horn
655 — Mixed. The above mixed
A charming, profuse-flowering class of miniature plants, with beautiful star-shaped flowers, delighting in warm, sunny situations, and especially effective in rock-work, rustic-baskets, or edging. Half-hardy annual.
656 Grammanthes Gentianoides. Rich orange-scarlet; from Cape of Good Hope. 1/4 ft25 657 — Cinnabarina. Crimson-scarlet. Quarter foot
GYNERIUM (PAMPAS GRASS). NAT. ORD., Graminaceæ.
Gynerium Argenteum (Pampas Grass). This is, without exception, the most stately growing species of grass known. In stature it rivals the Bamboo, attaining, in its native plains (South America), from ten to fifteen feet in height. Splendid specimens, ro feet high, with ten to twenty spikes of flowers, were exhibited last year at the exhibition of the Massachusetts Horticultural Society. In northern latitudes, it should be protected in winter by removing to the cellar or cold frame. South of Washington it will probably prove hardy. Half-hardy perennial. (See our engraving)
GRANGEA. NAT. ORD., Graminaceæ.
661 Grangea Maderaspatana. A beautiful variety of ornamental grass. 1 foot 10  GYPSOPHILA. NAT. ORD., Caryophyllaceæ.
A pretty, free-flowering, elegant little plant, best adapted for rustic rock-work, and edging; succeeding in any garden soil.  662 Gypsophila Elegant (Gypsophila Elegans). Small, starry, purple and white flowers.
Hardy annual. 1 foot
664 — Muralis. Beautiful dwarf plant, neat and pretty, with small flowers, which completely cover the plant. Hardy annual. Half foot
665 — Paniculata. White, in large panicles. Hardy perennial
666 — Rockyana. Hardy perennial. 1 foot
668 — Steveni. White; in corymbs; fine for bouquets. Hardy perennial. 2 feet 10
HABROTHAMNUS. NAT. ORD., Solanaceæ.
Exceedingly handsome greenhouse shrubs, with beautiful bunches of brilliant-colored flowers of a waxy appearance, especially useful for winter and spring decoration of the conservatory or drawing-room. Half-hardy shrubs.
669 Habrothamnus Elegans. Beautiful carmine; from Mexico. 6 feet
HARDENBERGIA. Nat. Ord., Leguminosæ.
A very pretty and ornamental greenhouse climber, producing a profusion of splendid pea- shaped flowers, especially suited for pillars, rafters, or wire globes. Succeeds best in peat and loam. Greenhouse shrub.
671 Hardenbergia Comptoniana. 20 feet
672 — Lindleyana. Blue; from Swan River. 20 feet
674 — Lucida. Dark-violet. 20 feet
HEARTSEASE. NAT. ORD., Violacea.
(See Pansy.)
HAWKWEED. NAT. ORD., Compositæ.  677 Hawkweed, Golden (Crepis Barbata). An old but beautiful annual, of the easiest cul-
ture; begins to bloom in July, and continues till frosts; covered with flowers, the rays of light yellow finely contrasted with the brilliant purple-brown centre. 1 ft05

.0
48 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
678 Hawkweed, White (Crepis Alba). A variety of the preceding, with white flowers, but
of much less beauty. Hardy annual. 1 foot \$205
680 — Red. From Italy. 1 foot
HIET TOPHIT A New One Considera
HELIOPHILA. NAT. ORD., Cruciferæ.
Very useful, pretty little plants for small beds or edgings, flowering very profusely, and remaining a long time in beauty. Thrives in any light rich soil. Half-hardy annuals.
681 Heliophila Arabiodes. Bright-blue; very pretty for edging. Three-quarters foot
682 — Dissecta. Blue. Three-quarters foot
683 — Trifida. Purple. Half foot
684 — Cœrulea Stricta. Bright. 1 foot
684½ — Mixed
LIET TOTPODITIM New One Pressings
HELIOTROPIUM. NAT. ORD., Boraginacea.
The Heliotrope is almost too well known to need recommendation. Its scent is delightful; well adapted for bedding or pot-culture. Seeds sown in spring make fine plants for
summer decoration. Half-hardy perennial.
685 Heliotropium Anna Turrel. Violet
686 — Corymbosa. Light-blue
687 — Grandiflora. Large trusses; blue
688 — Roi des Noirs. Very dark purple
690 — Peruvianum. Bright-purple
691 — Triomph de Liege. Lavender
692 — Voltairianum. Dark-purple
693 — Fine Mixed
HELIANTHUS (SUNFLOWER). NAT. ORD., Composita.
A splendid genus of the most showy plants, remarkable for their stately growth and the
brilliancy and size of their noble flowers. Hardy annuals.
694 Helianthus Argophyllus. Yellow foliage; silky-white; from South America. 5 feet 10
695 — Striatiflorus, Fl. Pl. Flowers double; yellow, striped with chocolate-
brown; fine; compact in their growth, with beautiful silvery foliage 10  696 — Californicus, Fl, Pl. Very large and double; from California 5 feet 10
COT N. D. C. L. C. L. C.
698 — Green-centred. New; fine yellow; very double, with conspicuous green centre;
one of the finest. 4 feet
700 - Macrophyllus Giganteus (Giant Sunflower). A very large-growing variety,
with only one flower; from Africa. 10 feet
701 — Uniflorus. New; orange-color; said to be very fine
702 — Sulphurens. Sulphur-color
HELICHRYSUM (ETERNAL FLOWERS). NAT. ORD., Composita.
The Helichrysum are very ornamental in the garden, and much admired on account of the beauty of the flower when dried, which, if gathered when they first open, and carefully
dried, will retain their form and color for years. They are highly prized for winter mantle-bouquets and ornaments for vases. Hardy annuals; from New Holland.
703 Helichrysum Atrosanguineum Nanum. A new dwarf variety; deep-crimson; very free-flowering. 1½ feet
704 — Atrococcineum Nanum. Very dwarf; dark-scarlet; very fine. 1\frac{1}{2} feet 10
705 — Borussorum Rex. New; white variety; very free-flowering
706 — Brachyrhynchum. Yellow; fine. 4 feet
707 — Bracteatum. Yellow
708 — — Album. White
709 — Nanum. Yellow dwarf
710 — Compositum Maximum. One of the finest of the class; flowers very double,
and a large variety of colors mixed
711 — Monstrosum Alba, Fl. Pl. White; large and handsome
712 — Brunenun, Fl. Pl. Fine orange-scarlet and dark reddish-brown 10
713 — Luteum, Fl. Pl. Double, yellow
714 — Roseum. Double, rose
715 — Purpureum. Double, purple

TO THE FLOWER GARDEN.	49
NO.	PRICE
716 Helichrysum Monstrosum, Mixed	\$0.10
717 — Nanum. Good mixture	10
718 - Leucocephalum. A pretty white-flowered variety, forming a dwarf bush cover	red
with silvery-white flowers; from Australia	10
720 — Argenteum. A greenhouse variety	25
721 — Maritimum. A greenhouse variety	25
722 — Proliferum. A greenhouse variety	25
	25
HERACLEUM. NAT. ORD., Umbellifera.  724 Heracleum Giganteum. A gigantic-growing biennial plant, with large umbellifer	OHE
flower; adapted for wide border. 8 feet	10
HELIPTERUM. NAT. ORD., Compositæ.	
725 Helipterum Sanfordi. Pretty dwarf-tufted everlasting, with small neat foliage, a	and
large globular clusters of bright golden-yellow flowers. As it grows luxuriantly	y in
the open border, and the flowers are excellent for winter bouquets, it is a v	ery
valuable acquisition; from Australia	10
HEMEROCALLIS (DAY-LILY). NAT. ORD., Liliacea.	
726 Hemerocallis Cœruleus. Blue; a fine border-plant	10
HIBISCUS. NAT. ORD., Malvaceæ.	
One of the most ornamental, beautiful, and showy tribe of plants cultivated. Whet the hardy sorts be planted in mixed or shrubbery border, or the more tender varieties	
the hardy sorts be planted in mixed or shrubbery border, or the more tender varieties grown for in-doors decoration, they are all alike characterized by the size and varied bear ful colors of their flowers.	uti-
ful colors of their flowers.	
727 Hibiscus Africanus. Cream-color; rich-brown centre. Hardy annual. 1½ feet . 728 — Cameronii. Striped rose; from Madagascar. Greenhouse shrub. 4 feet .	. • •05
730 — Coccineus Speciosus. Scarlet; superb. Greenhouse shrub. 3 feet	25
731 — Harrisonii. Yellow. 3 feet	10
732 — Liliflorus. Scarlet; lily-flowered. 3 feet	10
733 — Tricolor. Fine shrubby species; from Japan. 6 feet	10
734 — Trionium. Straw-color; dark-brown centre. Hardy annual. 1 foot	05
735 — Palustris. Hardy perennial, with large pink flowers. 3 feet	10
HONESTY (SATIN-FLOWER). NAT. ORD., Crucifera.	
736 Honesty (Lunaria Biennis). An old plant, but singularly interesting from the transpare	ent.
silvery-like tissue or coats of the seed-vessels in their dry, matured state, throu	
which the fruit is conspicuously seen, and retaining the same picturesque eff	
for any length of time; well adapted, in a cut state, for grouping with everlast	ing
flowers, &c. 2 feet	05
HORDEUM. NAT. ORD., Gramineæ.	
737 Hordeum Jubatum. A fine new ornamental grass	10
HUMEA. NAT. ORD., Compositæ.	
738 Humea Elegans. One of the most beautiful of all plants for decorations in gardens a	
pleasure-grounds; in appearance resembling a light, graceful, drooping pyran of innumerable ruby-red, grass-like florets, rising at first in erect panicles fr	
four to eight feet in height, and gradually assuming its exquisitely beautiful of	
line of growth. Blooms the second season through the summer and autu	
months. Half-hardy biennial	10
HUNNEMANNIA. NAT. ORD., Papaveraceæ.	
An exceedingly beautiful herbaceous plant, with very pretty Tulip-shaped flowers. Gro	ows
in a light, rich soil. Half-hardy perennial.	
739 Hunnemannia Fumariæfolia. Fine yellow; from Mexico. 2 feet	10
HYACINTH-BEANS. NAT. ORD., Leguminosa.	
(See Dolichos.)	
7	



DOUBLE HOLLYHOCK

# HOLLYHOCK. NAT. ORD., Malvacea.

The great improvement that has been made in this fine old flower within a few years has now placed it among the most popular flowers of the day; its stately growth and magnificent spikes of flowers being among the most attractive objects of the garden. It flowers the second and third year after sowing, and then dies, unless it is kept up by cuttings, or divisions of root. Seeds sown in January will produce plants which will flower the same year. Hardy perennial.

year. Trainty perenniar.
740 Hollyhock, Chinese, Annual. Fine double; several beautiful colors; mixed. 21 ft. \$0.10
741 — Mixed (Althea Rosea). Fine varieties. Seventy-five per cent of the plants may
be expected to be double
742 — Extra Fine Mixed. Saved from the finest new English and Scottish named sorts .25
743 — Splendid Collections. See page of assortments.
HYDROLEA. NAT. ORD., Hydrolacea.
An exceedingly handsome greenhouse herbaceous plant, producing its pretty flowers in
bunches; succeeds well in loam and peat.
745 Hydrolea Azurea. Dark-blue; from South America. 1 foot
745 Hydroid Azarea. Dank order, noin South Emerica. 1 1000.
HYPERICUM. NAT. ORD., Hypericacea.
Very interesting and ornamental greenhouse shrubs, requiring only the usual greenhouse
746 Hypericum Involutum. Yellow; from New South Wales, 3 feet
747 — Webbii. A splendid new variety, with beautiful large foliage. 3 feet
INCARVILLEA. NAT. ORD., Bignoniacea.
Elegant free-flowering climbers, of graceful habit; succeeds best in loam and peat
Greenhouse climber.
743 Incarvillea Sinensis. White trumpet-flowers, shaded with rose; from China. 20 feet25
749 — Grandiflora. New. A very distinct and pretty dark-colored species 50
ICE-PLANT. NAT. ORD., Ficoidiacea.
A most singular, trailing plant, with thick fleshy leaves that have the appearance of being
covered with crystals of ice; very ornamental for rock-work, or mixing with other plants in
conservatory or flower-garden.
750 Ice-Plant. From Greece. Half-hardy annual
IMPATIENS. NAT. ORD., Balsaminacea.

Handsome, showy border-plants; succeeds in light, rich soil. Half-hardy annual.
751 Impatiens Glanduligera. Yellow and crimson; from East Indies. . . . .

NO. PRICE



IBERIS TENOREANA.

# IBERIS. NAT. ORD., Crucifera.

Profuse-blooming, pretty little plants, especially adapted for rookeries, old stumps, or rustic baskets. They come into flower amongst our earliest spring plants, and, for a long time, continue a dense mass of beauty; succeed in any garden-soil. Hardy perennials.

continue a dense mass of beauty; succeed in any garden-soil. Hardy perennials.	
752 Iberis Candidissima. New; beautiful; pure white. Half foot \$0.0	5
753 - Semperflorens. Fine, white; from Sicily. Half foot	5
754 — Umbellata. Very fine. Half foot	5
755 — Carnea. Light-pink. Half foot	5
756 — Tenoreana. Blush. Half foot	5
INDIGOFERA. NAT. ORD., Leguminosæ.	
A genus of elegant free-flowering greenhouse shrubs, of easy culture, thriving in sandy loam and peat.	
loan and peat.	
757 Indigofera Australis. Pink; from New South Wales. 3 feet	5
*	-
757 Indigofera Australis. Pink; from New South Wales. 3 feet	5
757 Indigofera Australis. Pink; from New South Wales. 3 feet	5
757 Indigofera Australis. Pink; from New South Wales. 3 feet	5
757 Indigofera Australis. Pink; from New South Wales. 3 feet	5

### IPOMEA (CONVOLVULUS). NAT. ORD., Convolvulaceæ.

A genus of beautiful climbing plants, which, for the adornment of the conservatory and greenhouse, or for warm, sheltered situations out of doors, are pre-eminently beautiful, many of them combining marvellously brilliant colors with pure white margins, and varying in shade from the most intense violet-blue to the most delicate cerulean. All the varieties are splendid, and should be extensively cultivated. The perennial species are invaluable for greenhouse decoration. Tender annual.

NO. ***  KAULFUSSIA. NAT. ORD., Compositæ.
A beautiful little annual, resembling an Aster, the ray florets of which curl curiously back
after it has been expanded a short time. Half-hardy annual.
804 Kaulfussia Amelloides. Blue; from Cape of Good Hope. Half foot \$0.05
806 — Alba. White. Half foot
The detailed in the policies, shortly, include violet colored tartely.
KENNEDYA. NAT. ORD., Leguminosæ.
These climbers are among the most striking of greenhouse ornaments, and deserve more extensive cultivation than has hitherto been extended to them, as few plants are more serviceable for greenhouse decoration. Their bright colors impart a most cheerful appearance during the early part of the season; and, if trained round fanciful wire shapes, a peculiarly interesting effect is produced. Steep the seed in warm water for six hours before sowing. Greenhouse shrub.
807 Kennedya Comptoniana. Blue; from New Holland. 12 feet
808 — Longiracema. Pink and scarlet; from New South Wales. 3 feet
809 — Marryattea. Scarlet; from Australia. 4 feet
811 — Alba. White; from New Holland. 6 feet
812 - Rotundifolia. Scarlet; from New South Wales. 5 feet 25
813 — Mixed
KOLREUTERIA. NAT. ORD., Sapindacea.
A middle-sized deciduous tree; a native of China; very ornamental from its large va-
riously divided foliage, and its conspicuous terminal compound spikes of rich yellow flower.
814 Kolreuteria Paniculata. Yellow. 7 feet
KALMIA. NAT. ORD., Ericacea.
815 Kalmia Latifolia. A beautiful hardy shrub. White and pink. 4 feet
LANTANA. NAT. ORD., Verbenaceæ.
A remarkably handsome free-flowering genus of plants, with brilliantly colored flowers constantly changing in hue; very effective either for pot-culture, or for bedding purposes when planted out, except in dry soil. The plants will bloom more profusely, if retained in their pots, and plunged where intended to flower.
816 Lantanas, Mixed varieties. Saved from a named collection
LARKSPUR (DELPHINUM). NAT. ORD., Ranunculaceæ.
One of the generally cultivated and ornamental genus of plants, combining unusual richness with an endless variety of colors, all of which are extremely beautiful and pleasing. The flowers are produced in the gueatest profusion; and the plants, in beds, masses, or ribbons, are strikingly effective: indeed, few plants are so generally useful and valuable for their decorative qualities, either in the garden or when cut for vases. The great difficulty has hitherto been the procuring of seeds which would yield double flowers. To this object we have given special attention, and now offer seed saved only from such varieties as are really to be depended upon, and worthy of a place in every garden. For the guidance of amateurs, we may simply notice that the stock-flowered Larkspur is of the same habit as the old Dwarf Rocket, but has longer spikes, and much larger and more double flowers; the tall stock-flowered variety is the same style as the branching, but with more compact spikes, and larger and more double flowers. The tall-growing varieties scattered in shrubbery-borders produce a charming effect when backed by green foliage of the shrubs. Hardy annuals.
817 Larkspur Dwarf Rocket. A fine mixture; saved from a fine collection. 1 foot
818 — Tall Rocket. Same as preceding, except being taller. 2½ feet
819 — Hyacinth-flowered. Finest mixed
tion
821 — Tall Stock-flowered. Mixed; very fine
822 - Pyramidal. Mixed; a splendid mixture
823 — New Mauve-color. Very fine
823 — New Mauve-color. Very fine

54	AMATEUR CULTIVATOR'S GUIDE
NO.	PRICE  LATHYRUS (PERENNIAL PEA). NAT. ORD., Leguminosæ.  Showy, free-flowering plants, growing in any common soil; very ornamental on trelliswork, old stumps, or for covering fences or walls. Hardy perennials.
826 827 828	Lathyrus Latifolius. Red; from England. 5 feet
	A genus of plants chiefly cultivated on account of the delicious fragrance of their flowers.  They succeed in any garden soil. Hardy perennial.  Lavendula Spica. Lilac; from Europe. 2 feet
	LAVATERA. NAT. ORD., Malvacea.
831	Very showy, profuse-blooming, handsome plants; exceedingly effective when used as a background to other plants. Hardy annuals.  Lavatera Rosea. Rose-color; fine. 2 feet
832	— Alba. White; fine. 2 feet
	LAGERSTREMIA. NAT. ORD., Lythracea.
	A splendid greenhouse shrub, with exceedingly handsome flowers, sometimes called the Bride of India.
833 834	Lagerstræmia Indica. Lilac; from East Indies. 5 feet
835	
	LEPTOSIPHON. NAT. ORD., Polemoniacea.
	A charming tribe of the most beautiful of our hardy annuals. Nearly allied to the Gilia,
836	and requiring the same treatment.  Leptosiphon Androsaceus. Mixed; from California
837	Aureus. Golden-yellow; from California. Half foot
838 839	Luteus. Primrose; orange centre. Half foot
840	- Alba. White; from California. Half foot
841	<ul> <li>Hybridus. New French Hybrids. This we consider the finest of them all, em- bracing all the colors from dark-maroon, orange, lilac, purple, crimson, violet,</li> </ul>
	golden-yellow, and white; of compact growth. One-third foot
	LIATRIS. NAT. ORD., Composita.
,	A hardy perennial, found in many parts of the United States, growing in meadows and moist places.
842	Liatris Spicata. Flowers bright-purple, on stems from three to five feet
843 844	Scariosa (Gay Feather). A showy variety, with purple flowers  Pumila. Purple; large-flowered
845	- Graminifolia. Pink; in heads
	LILIUM. NAT. ORD., Lilacea.
	The Lily stands pre-eminent among all flowering bulbs. Stately in habit, varied in color, highly fragrant, perfectly hardy, easily cultivated, and blooming from June until frost, they can claim, as they fully deserve, a prominent place in the largest or smallest garden. The seeds often lie dormant several months before vegetating. Succeeds well in a mixture of loam, peat, and silver-sand.
846	Lilium Giganteum. The tallest and most magnificent of the lilies, growing ten feet high, with spikes of white trumpet-shaped flowers, with carmine streaks
847	with spikes of white trumpet-shaped flowers, with carmine streaks
848	- Auratum. The new golden-banded Lily. This superb Lily has flowers twelve
	inches in diameter; pure white, with a yellowish band through the centre of each petal, and covered with brownish dots. It is deliciously fragrant; one stem often
	produces six to ten of its immense blossoms. We have a few well-ripened seeds
	of the above, which we offer. Ten seeds
	Very beautiful, showy, profuse-blooming, dwarf-growing plants: slightly fragrant; par-
1	very beautiful, snowy, profuse-blooming, dwarf-growing plants: signify fragrant; particularly effective and valuable as edgings, succeeding in any soil or situation, but delighting

TO THE FLOWER GARDEN.	55
No. 849 Limnanthes Douglassii. Pale-yellow, bordered with white. Half foot	PRICE \$0.05
850 — Alba. White variety; fine. Half foot	.05
851 — Rosea. Rose-color. Half foot	05
A handsome, free-flowering genus of snapdragon-like plants, remarkable for the beaut and variety of their colors; well adapted for and very effective in beds, or ribbons, rock work, woodland-walks, &c. Succeeding in any garden soil. Hardy annual.  853 Linaria Macroura (Long-horned). Yellow; resembling, when in full bloom, a sma	
compact bush of blossoms. r foot	.05
854 — Purpurea. Purple dwarf. Half foot	.10
856 — Triornithophora. Red, purple, and yellow; one of the finest. I foot.	.05
857 — Speciosa. Very showy; purple flowers. Half foot	.10
858 — Bipartita Splendida. New; rich-purple; beautiful	10
860 — Finest Mixed	.10
LINDHEIMERIA. NAT. ORD., Compositæ.	
861 Lindheimeria Taxana. A very pretty little plant, having a vanilla-like odor. Yellow	:
fine. Hardy annual. 2 feet	, 10
LISIANTHUS. NAT. ORD., Gentianea.	
When well grown, this is a splendid plant for greenhouse or conservatory decoration. It flowers are extremely handsome, and of rich dark-blue, which few greenhouse plants possess Succeeds best in a sandy peat, with a very little loam. Winter in a warm greenhouse, an re-pot in spring.  862 Lisianthus Russellianus. Rich-blue, shaded with purple; from Mexico. 2 feet .	3.
	• • • • • • •
A genus of the most beautiful, free-flowering plants, amongst which stands, distinguisher for its brilliant-colored flowers, Linum Grandiflorum Coccineum, being one of the hand somest, most effective, and showy bedding-plants we have; for, whilst its habit of growth is slender and delicate, it produces a profusion of beautiful, saucer-shaped flowers, of a ric scarlet-crimson, with crimson-black centre. Linum Flavum is a well-known favorite, whil. Linum Luteum Corymbiflorum is distinguished for its bunches of beautiful straw-colore blossoms, and contrasts beautifully with Linum Grandiflorum Coccineum. The whol genus deserves general cultivation. Most of the varieties make nice pot-plants.  863 Linum Grandiflorum Coccineum. Brilliant-scarlet, with crimson centre; from Algiers	d - s h e d d e
I foot	.10
864 — Album. Beautiful white variety. I foot  855 — Purpureum. A new variety, with rich purple flowers, similar to the above	.10
866 — Flavum. Yellow; from Crimea. I foot	.10
867 — Lewisii. Blue and white stripes; from North America. 2 feet	.10
869 — Variegatum. Striped, lilac and white; new. 2 feet	.10
870 — Album. White-flowered. 1½ feet	.05
871 — Candidissimum. White. Hardy perennial	.25
872 — Usitatissimum Grandiflorum. Large, blue. Hardy annual. 2 feet	.05
LOASA. NAT. ORD., Loasacea.	
The Loasa are beautiful, tender, climbing annuals, suitable for covering a trellis or ornamental wire-work.	-
873 Loasa Aurantica. Orange-color. 6 feet	10
874 — Herbertii. Scarlet. 6 feet	10
LOBELIA. NAT. ORD., Lobeliaceæ.	
A most elegant and useful genus of dwarf plants, of easy culture; well adapted for bed ding, edging, pots, or rockeries. Lobelias, in fact, are employed as universally in the gen eral summer-garden as scarlet geraniums, to beds of which they form a neat and effective edging. The varieties of Lobelia Erinus are generally used for this purpose, yet by some th	;- ;-



## LOPHOSPERMUM SCANDENS.

903 Lophospermum Scandens. Purple
LUPINS. NAT. ORD., Leguminosa.
A splendid genus of the most ornamental, beautiful, and free-flowering of garden plants, with long, graceful spikes of bloom; colors, rich and varied. Many of the varieties are of stately, robust growth, which makes them exceedingly valuable for mixed flower and shrubbery borders, while the dwarf varieties make neat, trim bedding-plants. Among the most distinguished, we may mention Lupinus Hartwegii and varieties; Lupinus Hybridus and varieties, L. Menziesii, L. Magnificus, L. Pubescens Elegans, and L. Subcarnosus.
908 Lupins, Garden. Large, blue. 12 feet
909 — Yellow. 1½ feet
910 — Rose-colored
911 — White. 1½ feet
912 — Mixed
913 — Affinis. Blue, white, and purple; very pretty; from California. Hardy annual.
1½ feet
914 — Alba-coccineus. New; rosy-red half way of the spike, from thence to the apex
pure white. Showy
915 — Dunnetti Atroviolacea. A rich party-colored variety; violet, brown, and yellow
916 — Cruickshankii. Blue, white, and yellow; from Peru. 3 feet
918 — — Cœlestinus. Sky-blue. 1½ feet
919 — Rosea. Rose-color. 1½ feet
920 — Hybridus Insignis. Purple, white, and yellow, changing to purple-lilac. Hardy
annual. 2 feet
92! — Superbus. Lilac, white, red, and yellow. Hardy annual
922 — Magnificus. Violet and white; from North America. Hardy perennial. 2½ feet 10
923 — Menziesii. Sulphur-yellow

58 AMATEUR CULTIVATOR'S GUIDE	
NO.	PRICE
924 Lupins Moritzianus. Fine blue. Half foot	\$0.05
925 — Mutabilis Varie-color. Colors various and handsome. Hardy annual	05
926 — Nanus. Dwarf, blue and white; very pretty. Hardy annual. Half foot	05
927 — Albus. Pure white. Half foot	05
928 — Polyphyllus. Blue. Hardy perennial. 21/2 feet	05
929 — Alba. White. Hardy perennial	05
930 — Subcarnosus. Blue and white, the latter changing to crimson; from	
Hardy annual. 1 foot	10
LYCHNIS. NAT. ORD., Caryophyllacea.	
A genus of handsome and highly ornamental plants, of easy culture. Lychnis donica is strikingly effective in mixed flowers and shrubbery borders. Lychnis Splendens and Lychnis Haageana are extremely beautiful. They succeed in an rich soil. Hardy perennials.	Chalce- Viscaria y good
931 Lychnis Chalcedonica. Scarlet; from Russia. 2 feet	05
932 — Alba. White; from Russia. 2 feet	05
933 — Mutabilis. Rose-white; from Russia. 2 feet	05
934 — Flos Jovis (Jove's Flower). Bright-red; from Germany. 1½ feet	05
936 — Haageana. Beautiful bright-scarlet. 1½ feet	05
937 — Sieboldi. White, fine. 1½ feet	10
938 — Presslii Multiflora. New	25
939 — Lapponica. New. Hardy perennial	10
LYTHRUM. NAT. ORD., Lythracea.	** 1
940 Lythrum Roseum Superbum. Deep rose, in long spikes; a fine border-plant. perennial. 2 feet	
MAGYDARIS. NAT. ORD., Umbellifera.	
A beautiful ornamental-foliaged plant, with immense heads of showy yellow flower	
941 Magydaris Tomentosa. Yellow; from Algeria	10
MADARIA. NAT. ORD., Compositæ.  942 Madaria Corymbosa. Pale-yellow; fine for borders; from California. 11/2 feet	05
MALOPE. NAT. ORD., Malvacea.	
Handsome plants of branching habit, producing their large flower in great provery effective in mixed borders.	fusion;
943 Malope Grandiflora. Dark crimson; from Barbary. 2 feet	05
MARIGOLD. NAT. ORD., Compositæ.  All features considered, it is questionable whether any genus of plants amongst a can vie with either the French or African Marigolds in their glowing colors and the gantly lobed leaves, of the richest green tint, and, above all, in their almost unequall sole adaption for summer and late autumn decoration in the flower garden, retaining verdant beauty and gorgeous colors undimmed and undiminished to the very verge etc. No feature in their habit of growth is in excess either in leaf or flower, but adribalanced for effect; neat, compact, and beautiful; of the easiest culture; should alw thinned or transplanted so as to stand single, at least eighteen inches distance from other.	eir ele- ed and g their of win- nirably rays be
945 Marigold African (Tagetes erecta). Lemon-color. 2 feet	
	05
946 — — Orange-color, 2 feet	05
946 — — Orange-color, 2 feet	05
946 — — Orange-color. 2 feet	05
946 — — Orange-color, 2 feet	05
946 — — Orange-color, 2 feet	05
946 — — Orange-color. 2 feet	05 05 10 05
946 — Orange-color, 2 feet	05 05 10 05 05
946 — Orange-color, 2 feet	05 05 10 05 05 05
946 — Orange-color. 2 feet	05 05 10 05 05 05

TO THE PLOWER GARDEN.
NO. · PRICE
MARVEL OF PERU. NAT. ORD., Nyetaginiacea.
957 Marvel of Peru. Splendid varieties mixed, including all the finest sorts; very picturesque and diversified colors, finely contrasted with its dark-green, glossy foliage, and densely branching habit; blooming throughout the summer and autumn months. 2 feet
MALVA OR MALLOWS. NAT. ORD., Malvacea.
Showy free-flowering border-plants; succeeding in any garden-soil. Hardy annuals.  959 Maiva Capensis. Red and white; from Cape of Good Hope. 2 feet
MACHÆRANTHERA TANACETIFOLIA (one-fifth natural size).
MACHÆRANTHERA. NAT. ORD., Compositæ.
A pretty little dwarf free-flowering plant; flowers resembling Michaelmas Daisy. Hard annual.
963 Machæranthera Tanacetifolia. Blush-purple, with golden-yellow centre. 1 foot .
MARTYNIA (UNICORN PLANT). NAT. ORD., Pedaliaceæ.
Handsome tropical annuals, remarkable for the size of their flower compared with thet leaves; requires a light rich soil and a warm situation.  Considered fine for pickling. Tender annual.  964 Martynia Angularis. Purple; from Brazil. 2 feet.
966 — Fragrans (sweet-scented). Purple; from Mexico. 2 feet
967 — Lutea. Yellow; from Brazil. 2 feet
MATRICARIA. NAT. ORD., Compositæ.
A beautiful dwarf-growing plant, well adapted for beds or edging. Half-hardy perennial.
968 Matricaria Eximia. Double, quilled. 14 foot
MAURANDYA. NAT. ORD., Scrophulariacea.
The most graceful and free-flowering of soft-wooded climbers, whether for the ornamenta-

The most graceful and free-flowering of soft-wooded climbers, whether for the ornamentation of the conservatory and greenhouse, or for pillars, trellis-work, and verandas in the flow er-garden. The effect produced by the profusion of elegant and varied-colored flowers is strikingly beautiful. Blooms the first season from seed. Half-hardy perennial.

NO.

PRICE




## MAURANDYA BARCLAYANA.

971 Maurandya Antirrhinum. Pale-violet, 10 feet
972 — Barclayana. Rich violet. 10 feet
973 — — Alba. White. 10 feet
974 — Coccinea. Scarlet. 10 feet
975 — Rosea. Rose. 10 feet
976 — Lilacina. Lilac. 10 feet
977 — Purpurea Grandiflora. Purple. 10 feet
978 — Semperflorens, Alba. White. 10 feet
979 — Rosea. Rose. 10 feet
980 — Mixed. Above mixed
MELAMPODIUM. NAT. ORD., Composita.
982 Melampodium Macranthum. A pretty border-plant. Yellow. 2 feet
MESEMBRYANTHEMUM. NAT. ORD., Ficoidea.
A brilliant and profuse-flowering tribe of extremely pretty dwarf-growing plants; strik-
ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situa-
tions; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual.
loamy soil. Half-hardy annual.
loamy soil. Half-hardy annual.  983 Mesembryanthemum Capitatum. Yellow. 1 foot
loamy soil. Half-hardy annual.  983 Mesembryanthemum Capitatum. Yellow. 1 foot
loamy soil.   Half-hardy annual.     983   Mesembryanthemum Capitatum.   Yellow.   1 foot
loamy soil. Half-hardy annual.   983   Mesembryanthemum Capitatum. Yellow. 1 foot   .05   984   — Crystallium (Ice-plant). White. Half foot   .05   985   — Glabrum. Smooth yellow. Three-quarters foot   .05   986   — Pinnatifidum. Yellow. 1 foot   .05
loamy soil. Half-hardy annual.
loamy soil. Half-hardy annual.   983   Mesembryanthemum Capitatum. Yellow. 1 foot   .05   984   — Crystallium (Ice-plant). White. Half foot   .05   985   — Glabrum. Smooth yellow. Three-quarters foot   .05   986   — Pinnatifidum. Yellow. 1 foot   .05   987   — Pomeridianum. Bright yellow, large-flowered   .05   988   — Tricolor. Rosy-pink, purple centre   .05   989   — Album. White, with purple centre   .10   990   — Mixed. Above, mixed   .10   MIZLALEUCA. NAT. ORD., Myrlaces.   A genus of very desirable greenhouse or conservatory plants, remarkable for the neatness
loamy soil. Half-hardy annual.
loamy soil. Half-hardy annual.  983 Mesembryanthemum Capitatum. Yellow. 1 foot

. .25

.10





MANDEVILLEA SUAVEOLENS (one-fifth natural size).

## MANDEVILLEA. NAT. ORD., Apocynacea.

Well known as a most elegant and beautiful pure white, large, open, highly fragrant, trumpet-shaped flower, freely produced in a profusion of racemes, which renders it extremely attractive either in greenhouse or garden. From Buenos Ayres.

## 993 Mandevillea Suaveolens. White. Greenhouse shrub. 10 feet . . . . . \$0.25

## MELIA. NAT. ORD., Meliaceæ.

A very ornamental tree, continuing in bloom the whole summer; thrives best in peat, loam, and sand.

993½ Melia Azederach. Blue; from Syria. 30 feet

## METROSIDEROS. NAT. ORD., Myrtacea.

A splendid greeehouse shrub, with beautiful bottle brush-like flowers; succeeds in peat and loam.

## 

### MICROPUS. NAT. ORD., Composita.

## MIMOSA (SENSITIVE-PLANT). NAT. ORD., Leguminosa.

## MIMULUS (MONKEY-FLOWER). NAT. ORD., Scrophulariacea.

A genus of extremely handsome, profuse-flowering plants, with singularly shaped and brilliantly colored flowers, which are distinguished by their rich and strikingly beautiful markings. Seeds sown in spring make fine bedding-plants for summer blooming, while seed sown in autumn produces very effective early-flowering greenhouse plants. Half-hardy perennials.

997 Mimulus Cardinalis (Monkey-Flower). Very showy, with brilliant scarlet flowers; blooms readily the first year from seed. Fine for bedding. Three-quarters ft. . . 10

62 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
998 Mimulus Musk (Mimulus Moschatus). The well-known musk-plant . \$0.10 999 — Cupreus. A new species, six or eight inches high, with handsome, glossy foliage, and large, finely-formed, orange-scarlet flowers; very free-flowering. Valuable for borders and beds . 25
1000 — Hybrida Grandiflora. White ground, with crimson spots. Superb. Half ft25 1001 — Yellow ground, crimson blotches
MIGNONETTE. NAT. ORD., Resedacea.
A well-known fragrant favorite, which produces a pleasing contrast to the more showy occupants of the parterne. If well thinned out immediately the plants are large enough, they will grow stronger, and produce larger spikes of bloom. The seeds should be scattered about shrubbery and mixed flower-borders, where it grows readily. Hardy annuals.
1004 Mignonette (Roseda Odorata). The well-known sweet-scented variety. Half foot.
(25 per ounce)
MONKSHOOD. NAT. ORD., Ranunculacea.
(See Aconitum.)
MORNING GLORY, NAT. ORD., Convolvulacea.
1009 Morning Glory, Mixed. The finest varieties. 20 feet
(For other varieties, see Convolvulus.)
MOURNING BRIDE. NAT. ORD., Dipsacea.
(See Scabious.)
MOMORDICA. NAT. ORD., Cucurbitacea.
The Squirting Cucumber: an annual gourd-like plant with woolly leaves and golden-yel- low flowers, the fruit of which resembles a small cucumber, and, when ripe, bursts the moment it is touched, scattering its seeds, and the half-liquid pulpy matter in which they are con- tained, to a considerable distance. Half-hardy annual.
1011 Momordica Balsamina (Balsam Apple). From East Indies. 10 feet
MORNA. NAT. ORD., Compositæ.
1013 Morna Elegans. An everlasting flower; fine for dry bouquets; from Swan River.
1½ feet
MYOSOTIS (FORGET-ME-NOT). NAT. ORD., Boraginacea.
These beautiful little flowers are too well known to need recommendation; will grow around fountains, over damp rock-work, or in any moist situation. Hardy perennial.
1014 Myosotis Alpestris. A variety with blue flowers. Half foot
1015 — Alba. White. Half foot
all summer; blooms the first year from seed. Half foot
foot
, , , , , , , , , , , , , , , , , , , ,
MUSK-PLANT. NAT. ORD., Scrophulariacea.
(See Mimulus Moschatus.)

NO.  NASTURTIUM (TROPÆOLUM MAJUS). NAT. ORD., Tropæolaceæ.
This is a well-known ornamental annual, of easy cultivation. It flowers best in a light soil. It looks well, trained to a trellis or over a wall. The flowers are rich orange, shaded with crimson and various colors. The variety with crimson or blood-colored flowers makes a fine contrast with orange. The seeds are used as a substitute for capers, and the flowers sometimes eaten as salads. Half-hardy annuals.
1020 Nasturtium Carneum. Flesh-color, 10 feet
1021 — Majus. Bright-orange. 10 feet
1022 — Atrosanguineum. Dark-crimson. 10 feet
1023 — Shillingii. Spotted-yellow, with dark spots on each petal. 10 feet
1024 — Schenermanni. Straw-color, striped with brown; fine
(The above are all tall varieties.)
NASTURTIUM (TROPÆOLUM MINOR). NAT. ORD., Tropæolaceæ.
The dwarf-improved varieties of the Nasturtium are among the most useful and beautiful of garden favorites for bedding, massing, or ribboning, and rank with the Geranium, Verbena, and Calceolaria. Their close compact growth, rich-colored flowers, and the freedom with which they bloom, all combine to place them in the category of first-class bedding-plants. The Tom Thumb varieties are distinguished favorites, as are also the old crimson and the new Crystal-palace Gem. Half-hardy annuals.
1025 Nasturtium Dwarf Crimson. Very fine for groups. 1 foot
1026 — Scarlet. Brilliant. 1 foot
1027 — Spotted. Yellow, with dark spots. 1 foot
1028 — Tom Thumb, Scarlet. A beautiful variety, dwarf and compact; quite as rich
in color and as effective as the Tom Thumb Geraniums; fine for pots or vases.
1 foot
Total and the same
ers, I foot
1030 — — Beauty. Yellow, blotched with crimson; fine. 1½ feet
1031 — Crystal-palace Gem. A new sulphur-color, spotted with maroon;
a splendid bedding variety. 1 foot
1032 — — Pearl. Creamy-white; a fine variety
beautifully blotched and marbled
NEMESIA. NAT. ORD., Scrophulariaceæ.
Exceedingly pretty and profuse-blooming plants. Nemesia Compacta and Alba should
be grown in every garden. Half-hardy annual.
1034 Nemesia Floribunda. White and yellow; sweet-scented
1035 — Versicolor Compacta. Blue and white. 3 feet
1036 — — Alba. Pure white. Three-quarters foot
1037 — Insignis. New; light-blue. Three-quarters foot
1038 — La Superbe. Light-rose; fine. Three-quarters foot
NERIUM (OLEANDER). NAT. ORD., Apocynaceæ.
A class of splendid double-flowering evergreen shrubs, of a highly ornamental character; fine for conservatory decoration, or placing on lawns and terraces during the summer; growing in any light, rich soil. Half-hardy shrubs.
1039 Nerium Oleander. Rosy-pink; double; from Italy. 6 feet
1040 - Variegata. Scarlet and white; from Italy. 6 feet
NICOTIANA (TOBACCO-PLANT). NAT. ORD., Solanaceæ.
These are strong-growing, fine-foliaged plants. They are very effective for large shrub- bery borders, and the leaves of some varieties are valuable for fumigating purposes. Tender annuals.
1041 Nicotiana Glauca. Yellow; native of America
1042 — Glutinosa. Scarlet; from Peru. 3 feet
1043 — Vincæffora. White; very pretty; from South America. 2 feet
**** The state of
NIGELLA (LOVE-IN-A-MIST). NAT. ORD., Ranunculaceæ.
A genus of very interesting, compact-growing, free-flowering plants, with curious-looking
flowers and seed-pods. From the extraordinary motion manifested by the stamens, this

NO.	PRICE
genus has received the above singular names. Grows freely in any garden soil. Spain. Hardy annual.	From
1044 Nigella Damascena. Blue; fine	. \$0.05
1045 - Nana. A dwarf variety; flowers blue and white; double	05
1046 — Hispanica. Blue; very showy	05
1047 — Alba, Pure white,	05



NEMOPHILA MACULATA

### NEMOPHILA. NAT. ORD., Hydrophyllacea.

This is, perhaps, the most charming and generally useful genus of dwarf-growing hardy annuals. All the varieties have a neat, compact, and uniform habit of growth, with shades and colors the most strikingly beautiful, so that ribboned, sown in circles, or arranged in any style which the fancy may suggest, the effect is pleasing and very striking. They are also very useful for pot-culture. Hardy annual.

1048	Nem	ophila Ato	maria.	White, w	ith blue	spots.	I foot							.05
1049		Oc	ulata. I	ight-blue	blotche	d with	black;	fine.	r foot					.IO
1050		Discoidal	is. Blac	k, with w	hite edge									.05
1051		Ma	rmorata.	Black-	narbled,	with v	vhite.	r foot						.05
1052		Insignis.	Bright-b	olue .							4		٠	.05
1053		- Alb	a. Whi	te. I foot								٠		.05
		Ma												.05
		- Gra												.05
1056	_	- Str	iata. Bl	ue and wl	nite. 1 f	oot								.05
1057	_	Maculata	. White	; large pt	irple spo	ts. I	foot .						٠	.05
1058		- Var	iegata.	White,	reined w	ith lila	ic, and	blotch	ed wit	h vie	olet;	folia	ge	
		finely va	riegated;	very effe	ctive. 1	foot						4		.10
1059		- Go	od Mixe	d.									٠	.05





GROUP OF PANSIES. See page 17.

NO. NIEREMBERGIA. NAT. ORD., Solanaceæ.
Profuse-blooming, elegant, and charming little plants, exceedingly valuable for small beds, edging and rustic baskets or vases. Half-hardy perennials.
1060 Nierembergia Gracilis. White, veined with lilac; from Uraguay. Half-foot . \$0.25 1061 — Intermedia. Deep-crimson. Half foot
NOLANA. NAT. ORD., Nolanaceæ.
Very pretty trailing-plants, after the character of the Convolvulus Minor; fine for rockwork, hanging-baskets, old stumps, &c. succeeds best in a light rich soil. Hardy annuals.
1062 Nolana Atriplicifolia. Blue, violet, and yellow; from Peru. Half foot
1064 — Subcerulea. A fine variety, with mauve-colored flowers
NYMPHÆA. NAT. ORD., Nymphaceæ.
Beautiful hardy aquatics, thriving in rich loamy soil at the bottom of ponds or lakes.
1066 Nymphæa Alba. White; a magnificent variety; from England. 3 feet
NYCTERINIA. NAT. ORD., Scrophulariaceæ.
Neat compact little plants, covered with pretty, sweet-scented, star-shaped flowers; valuable for edgings, rock-work, stumps, or small beds; succeeds in a light rich soil. From Cape of Good Hope. Half-hardy perennials.
1067 Nycterinia Capensis. White; yellow centre. Half foot
1068 — Selaginoides. Pink; yellow centre. Half foot
1069 — Alba. Pure white
OBELISCARIA. NAT. ORD., Composita.
Bold, showy plants, with rich-colored flowers and curious acorn-like centres; succeeds in any common garden-soil. From Texas. Half-hardy perennial.
1070 Obeliscaria Pulcherrima. Rich velvety-crimson, edged and tipped with yellow.
Half-foot
ENOTHERA. NAT. ORD., Onagraceæ.
A magnificent genus; one of the most useful and beautiful either for beds, borders, edgings, or rock-work. All the varieties are free-flowering, and most of them perennials. The most remarkable of the perennial kinds are Œnothera Grandiflora Lamarckiana, with superb spikes of large flowers; Œnothera Macrocarpa, splendid for beds or edging, flowers six inches in diameter; Œnothera Acaulis, flowers silvery-white; and Œnothera Missouriensis. Of the annual varieties, Œnothera Drummondii Nana and Œnothera Bistorta Veitchii suc-
Of the annual varieties, Œnothera Drummondii Nana and Œnothera Bistorta Veitchii succeed in any good soil.
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual.
ceed in any good soil.  1072 Œnothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual.  2 feet
ceed in any good soil.  1072 Œnothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual.  2 feet
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Œnothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Œnothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili 1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili 1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili 1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili . 10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet
ceed in any good soil.  1072 Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .10  1073 — Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual. 2 feet

NO.

PRICE




## CENOTHERA LAMARCKIA (one-tenth natural size).

1084 Enothera Undulata. Primrose; from Peru. Hardy perennial. 11 feet \$0.05
1085 — Fruticosa. A very fine perennial species; rich yellow flowers; numerous; open
in sunshine (diurnal). 2 feet
1086 — Glauca. Flowers deep, rich yellow; very free-flowering. Hardy perennial 10
awanawa wa a
ONOPORDON. NAT. ORD., Composita.
1087 Onopordon Tauricum. A noble thistle-like plant, of very ornamental character;
thrives well in any soil; flower purple. Hardy perennial. 6 feet
OXALIS. NAT. ORD., Oxalidacea.
Elegant flowering-plants, particularly adapted for the greenhouse or parlor, where they bloom in mid-winter.
1089 Oxalis Rosea. A very neat, erect-growing plant, six to nine or twelve inches high, with
small, medium-sized leaves, and numerous conspicuous clusters of bright rose-
colored, salver-shaped flowers
1090 - Tropæoloides. Yellow. Tender annual. Quarter foot
OATS (AVENA SENSITIVA). NAT. ORD., Graminea.
A very curious genus of ornamental grasses; fine for dried bouquets; suitable for mixed borders. Hardy annual.

1091 Oats Animated. Curious. 2 feet . .

NO. OXYURA. NAT. ORD., Compositæ.



ENGLISH PANSIES. - PRIZE VARIETIES.

## PANSY (HEARTSEASE OR VIOLA TRICOLOR). NAT. ORD., Violacea.

The Pansy, or Heartsease, is a general favorite and old acquaintance with every one who has any thing to do with a flower-garden. It begins to open its modest but lively flowers as soon as the snow clears off in the spring, and continues to enliven the garden till snow comes again. The flowers are in the greatest perfection in May and June: the burning sun of summer is unfavorable for their greatest beauty, but in autumn they are fine again. The Pansy is properly a biennial, but can be perpetuated by cuttings or division of the roots. Seeds sown in August, in the open borders, will come up readily in a few weeks. The seeds should be slightly covered with fine soil, if covered at all, as half the seeds sown rot in the ground from being covered too deep. As soon as they expand the second set of leaves, they should be planted out into beds; if planted in the spring, they should not be allowed to flower until late in the fall; the buds should be picked off during the summer, which will make the plants bushy and compact. They require to be covered during the winter with evergreen boughs or a cold frame. The following seeds were selected by some of the most celebrated European florists from prize collections, and we can recommend them as first class in every respect.

68	AMATEUR CULTIVATOR'S GUIDE	
NO.	PRICE	2
1096	Pansy, Extra German. These were selected by a celebrated German florist, and may	
1097	be depended upon as very fine \$0.29  New. Large-flowered, margined; fancy	-
1098	New. Large-flowered, margined; fancy	-
1099	- Atropurpurea. Pure, dark, velvety-crimson	
1100	<ul> <li>Marginata Alba. Velvety-crimson, with white eye, and margined</li> <li>Aurea. Velvety-crimson, with golden ground, and margined</li> <li>22</li> </ul>	_
1102	Pelargonæflora. Each petal having a large maroon blotch on white ground;	)
4 400	yellow eye	
1103	Picturata. Dark-maroon, marbled with bronze     Mixed. Above six varieties mixed. These varieties form a new class of FANCY	5
	Pansies, with unusually large flowers, conspicuous by their brilliancy and novelty	
	of colors. They have the valuable property of resisting almost the greatest	
	summer heat, and flowering most profusely. We offer the above as a superior strain obtained by careful selection	0
11 05	Pure White. Constant and fine	
11 06	— Golden-Yellow. Constant and fine	
11 08	— Dark-Blue. Constant and fine	
11 09	Bronze-colored. Constant and fine	
1110	Fancy Striped. Constant and fine	-
1112	Rose Marbled. Constant and fine	_
111 3	— Mixed. Above varieties mixed	5
1114	- Faust, or King of the Blacks. Flower, black; fine bedding variety	0
	PAMPAS-GRASS. NAT. ORD., Graminacea.	
	(See Gynerium.)  PAPAVER (PBRENNIAL POPPY). NAT. ORD., Papaveracea.	
iv	A highly ornamental and strikingly effective genus of plants, with brilliant colored flowers an immense size, which, in select plantation and shrubbery borders, are unusually effecte.  Papaver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work lardy perennial.	
	Papaver Bracteatum. Bright orange-crimson; large and handsome. 2 feet	5
1117	Involucratum Maximum. Brilliant orange-scarlet; from Levant. 3 feet	
111 9	<ul> <li>Nudicaule. Bright-yellow: from Siberia. 1 foot</li></ul>	
	PASSION-FLOWER. NAT. ORD., Passifloracea,	
Co	A splendid class of climbers, with curious flowers produced in great profusion; fine for onservatory, or will answer for the garden. flowering freely during the autumn months.	
1120	Passiflora Cœrulea. Light-blue; fine	
1121		
	PANCRATIUM. NAT. ORD., Amaryllidacea.	
	An exceedingly ornamental genus of hardy bulbs, producing splendid spikes of handsome owers; succeeds best in light sandy loam mixed with vegetable mould. Greenhouse ulbs.	
1123	Pancratium Illyricum. White; from south of Europe. 1 foot	
	PAULOWNIA. NAT. ORD., Scrophulariacea.	
	A noble, hardy tree, bearing panicles of dark-lilac flowers, resembling those of the Glox-	
	nia. Thrives in any good soil  Paulownia Imperialis. Blue; from Japan. 20 feet	0
	PEAS. NAT. ORD., Leguminosa.	
, s	The Sweet Peas are among the most popular annuals which errich the flower-garden. Chey may be planted and trained on sticks the same as common peas; or they may be owed along the sides of fences, forming a highly ornamental covering: in any situation, hey are always admired.	

TO THE FLOWER GARDEN. 69
NO. PRICE
1126 Sweet Peas, Black. From Ceylon. 6 feet
1127 — White. From Ceylon. 6 feet
1i28 — Purple. From Ceylon. 6 feet
1129 — Painted Lady. From Ceylon. 6 feet
1130 — — Scarlet. From Ceylon, 6 feet
1131 — Scarlet Striped. From Ceylon. 6 feet
1132 — Mixed. The above mixed
1133 — Everlasting. (See Lathyrus)
1135 — Tangier. Scarlet; from Barbary
PELARGONIUM. NAT. ORD., Geraniacea.
A genus of indispensable and beautiful greenhouse plants: whether for the adornment of the conservatory or the drawing-room, they stand unrivalled. Greenhouse perennial.
1136 Pelargonium. Finest mixed. From named prize flowers
(For other varieties, see Geranium.)
PENSTEMON. NAT. ORD., Scrophulariaceæ.
A genus of well-known and highly ornamental hardy herbaceous plants, with long, graceful spikes of fine-shaped and richly-colored flowers. One of the most effective and free-flowering of border and bedding plants; succeeds in any light soil.
1137 Penstemon Cordifolius. Fine; scarlet; from Mexico. 2 feet
1138 — Gentianoides. Purple and white; from Mexico. 2 feet
1140 — Coccineus. Scarlet and white; from Mexico
1141 — Jeffreyanus. Sky-blue; fine
1142 — Lobbianus. Beautiful yellow, of good habit; fragrant. 2 feet
1144 — Digitalis. White, striped with red. 2 feet
1145 — Finest Mixed
PERILLA. NAT. ORD., Labiatæ.
Among the recent introductions of ornamental-foliaged plants for flower-garden decoration, the Perilla deserves a more than ordinary share of attention. Its habit of growth is neat and shrubby, whilst its foliage is a deep mulberry or blackish purple, and forms a fine contrast to the silvery foliage of Cineraria Maritima, or the lively green of other plants. Half-hardy annual.
1146 Perilla Nankinensis. Leaves, a deep mulberry or purplish-black; from China. 2 feet .05
PETUNIA. NAT. ORD., Solanaceæ.
A highly ornamental and profuse-flowering, easily cultivated garden favorite, equally effective and beautiful whether grown in pots for the decoration of the greenhouse and sitting-room window, or planted out in beds or mixed borders. The brilliancy and variety of its colors, combined with the duration of its blooming period, render it invaluable. Seeds sown in spring make fine bedding-plants for summer and autumn display; succeeds in any rich soil. Half-hardy perennials.
1147 Petunia Phœnicia (the original variety). Flowers small; deep purple
1148 — Grandiflora Hybrida. Mixed; saved from named flowers
1149 — Marginata. Green-bordered; a fine variety
1150 — Buchanan's Hybrids. Beautifully blotched and marbled; a fine variety25  1151 — Inimitable. Red-margined and blotched, with pure white; fine25
1152 — Countess of Ellesmere. Deep rose, with white throat
1153 — Striatifolia. A beautiful striped variety
1154 — Flore Pleno. These are fecundated with great care, and are sure to produce a
large percentage of double flowers
1155 — Large-flowered Alba. White; fine
1157 — — Rosea, Rose-colored
1158 — — Violet. Violet
1159 — — Good Mixed
1160 — — Finest Mixed

70 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
PHASEOLUS (SCARLET-RUNNER BEANS). NAT. ORD., Leguminosa.
This is a popular climbing annual, with spikes of showy scarlet flowers, and a variety with white flowers. They are extensively grown to cover arbors, walls, or to form screens, for which purpose they are admirably adapted on account of their vigorous and rapid growth. Hardy annuals.
1161 Phaseolus Coccinea. Brilliant scarlet
1162 — Painted Lady. A beautiful variety
PHLOX DRUMMONDII. NAT. ORD., Polemoniacea.
This magnificent genus of plants is unrivalled for richness and brilliancy of colors, profusion and duration of blooming. They are unsurpassed for bedding or pot culture, and produce a splendid effect in mixed borders. No garden should be without these beautiful plants. Succeeds best in light rich soil. Hardy annuals.
1164 Phlox Drummondii Alba. White
1166 — Marmorata. Marbled
1167 — — Louis Napoleon. Dark-crimson
1168 — Leopoldii, Purple; white eye
1169 — Queen Victoria. Violet; white eye
1170 — Purpurea. Deep purple
1171 — Chamois Rose. Delicate rose
1172 — — Coccinea. Pure deep scarlet
1174 — Radowitsky. Deep rose, striped with white
1175 — Variabilis. Light-blue marbled
1176 — — Good Mixed ,
1177 — Finest Mixed. Including all the best varieties
1178 — Perennial Mixed. Saved from a collection of upwards of one hundred
varieties, embracing all those splendid new varieties introduced during the last five years by the French and English florists, of which the produce may be ex-
pected to be fully equal or superior to the original
THE TYPE W. O. C. A. II
A well-known and highly valued plant, remarkable as well for its great beauty and delightful fragrance as for its easy culture and accommodating habit, growing freely and flowering profitsely either in pots. in the greating iss, or in the combination is according test in a rich loamy soil. Hardy perennial.
1180 Pinks (Florist or Paisley). Finest mixed. From a named collection
1181 — Pheasant-eye. White or pink, with dark eye. The flowers are deeply fringed or feathered; very fragrant
(For other varieties, see Dianthus.)
PICOTEE PINK. NAT. ORD., Caryophyllacea.
Favorite and well-known plants of great beauty, combining with the most perfect form the richest and the most beautiful colors. They have a delicate perfume, are easily cultivated, and bloom profusely, growing freely in any light rich soil. The seed we offer has been saved from flowers possessing all the requisite characteristics which constitute a first-class flower. Hardy perennial.
1182 Picotee Pink. Good mixed
PITTOSPORUM. NAT. ORD., Pittosporacea.
A handsome genus of exceedingly ornamental shrubs; thrives in peat and loam. Orera-
house shrubs.  1184 Pittosporum Undulatum. White and yellow; from New South Wales. 3 feet
1185 — Pendulum. From New South Wales. 3 feet
PODOLEPIS. NAT. ORD., Composita.
A genus of pretty, graceful, free-flowering plants, succeeding best in a light, rich soil, and producing a fine effect in beds or mixed borders. Half-hardy annuals.
1186 Podolepis Chrysantha. Yellow; from New South Wales. 1 foot

### TO THE FLOWER GARDEN.

71

NO.				PRICE
1187	Podolepis Gracilis. Pink; from New South Wales. 1 foot .			\$0.05
1188	- Alba. White; from New South Wales. 1 foot .			05
11001	Affinia Vallows now variates the largest flowering bin	3		4





CAMPANULA GRANDIS (see page 26).

PHYGELIA CAPENSIS.

## PHYGELIUS. NAT. ORD., Scrophulariacea.

A handsome free-flowering plant, with large, richly-marked, tubular blossoms; succeeds in light rich soil. Half-hardy perennial.

# AMATEUR CULTIVATOR'S GUIDE 72 NO. PRICE POINCIANA. NAT. ORD., Leguminosea. A very elegant and ornamental genus of greenhouse shrubs, requiring a good rich soil. 1190 Poinciana Gilliesii. Yellow; from South America. 10 feet . . . . . \$0.10 1192 - Regia. Crimson; from Madagascar. 10 feet . . . . . . .25 POLYGALA. NAT. ORD., Polygalacea. A very handsome genus of greenhouse evergreen shrubs, which may be grown out of doors in summer; thrives best in peat and loam. 1193 Polygala Speciosa. Purple; from Cape of Good Hope. 6 feet . . .25 1196 - Myrtifolia. Purple; from Cape of Good Hope. 3 feet . . . . . .25 DOUBLE PORTULACA. PORTULACA. NAT. ORD., Portulacea. In praise of these charming flowers it is impossible to speak too highly: and it may be safely affirmed that a garden without them is devoid of its brightest ornaments; for the Portulacas are unsurpassed for brilliancy and richness of color. They are adapted for beds, clumps, edgings, pots, vases, or rock-work. The plants should stand at least eight inches distant from each other. Easily transplanted.

1197 P	ortulaca Splendens. Rich crimson; showy. Half foot	05
1193 -	- Thellusonii. Splendid scarlet. Half foot	05
1199 -	- Aurea. Yellow. Half foot	05
1200 -	- Alba. A pure white; fine. Half foot	05
1201 -	- Thorburnii. Deep orange. Half foot	05
1202 -	- Rosea. Fine rose. Half foot	05
1203 -	- Caryophylloides, Carnation-striped; white and crimson; superb. Half foot .	10
1204 -	- Striata. Light yellow; gold-striped; fine	10

NO. PRICE
1205 Portulaca Grandiflora Flore Pleno. Saved from double-flowering plants, reproducing a large proportion of double, in white, blood-red, purple, &c., resembling roses;
one of the finest new plants introduced for a long time; rare. (See illustration) \$0.25
1206 — Blensonii. Vermilion; fine
POLYANTHUS. NAT. ORD., Primulaceæ.
This gay and profuse-flowering hardy plant is too well known to need description. The seeds which we offer may be expected to produce the richest and most varied color. Hardy perennial.
1207 Polyanthus (Primula elatior). Good mixed
1208 — Extra Mixed. Saved from named flowers
POTENTILLA. NAT. ORD., Rosaceæ.
These are very handsome herbaceous plants, and from their hardiness and showy character are exceedingly useful and ornamental. They may be employed to advantage in filling up vacant nooks and corners. Even in single plants, and in all situations, their neatness of foliage and long duration in bloom render them objects of much beauty. Hardy perennials.
1209 Potentilla Atrosanguinea. Dark red; from Nepaul. 12 feet
1210 — Hopwoodiana. Rose. 1½ feet
1211 — Aurea. Orange-color; from the Alps. Half foot
1213 — Pedata. Fine yellow. I foot
1214 — Macrantha. White; from Switzerland. 1 foot
1215 — Mixed. Finest mixed
POPPY. NAT. ORD., Papaveracea.
A tribe of remarkably showy, free-flowering plants, producing a rich and effective display in large mixed borders, in shrubberies, or select plantations; grows freely in any soil. Hardy annuals.
1216 Poppy, Carnation (Papaver somniferum). Finest mixed; double. 2 feet
1217 — French. Finest dwarf-mixed; double. 1 foot
1218 — German. Finest mixed; double
1220 — Ranunculus. Double mixed
PRIONIUM. NAT. ORD., Graminea.
The rare Silver Grass-Tree, in appearance, and habit of growth, like a Pandanus.
1991 Part - Part
Ornamental plants, with elegant plumes of rich-colored flowers; succeeds well in any good garden soil. Hardy annuals.
1222 Prince's Feather (Amaranthus). Large-flowered; crimson; from Nepaul. 2 feet05
PRIMULA. NAT. ORD., Primulaceæ.
A very beautiful greenhouse plant, of various colors. All these are particularly valuable as forming neat little plants, and flowering all winter. Greenhouse perennials.
(See Chinese Primrose.)
PUNICA. NAT. ORD., Myrtaceæ.
Certainly amongst the handsomest of shrubs. Under the shelter of a south wall, they flower profusely throughout the summer. Succeeds best in strong rich loam. Half-hardy shrubs.
1224 Punica Granatum (Pomegranate). Waxy scarlet; from south of Europe25
PYRETHRUM. NAT. ORD., Composita.
Handsome, free-flowering, highly ornamental plants, producing a fine effect in the mixed flower and shrubbery borders. Hardy perennial.
1225       Pyrethrum Delehayi.       New; crimson; fine. $1\frac{1}{2}$ feet
10

## AMATEUR CULTIVATOR'S GUIDE

74

NO.		PRICE
	Pyrethrum Themistori. Reddish rose; orange centre. 12 feet	
1229	- Album. Double white. 12 feet	 25
1230	- Finest Mixed	 25



RHODANTHE MACULATA. (For full-sized flower, see engraving on page 75.)

### RHODANTHE. NAT. ORD., Compositæ.

Charming everlasting flowers, of great beauty, equally valuable for the decoration of the conservatory and flower-garden. Its neat, compact growth makes it a suitable plant for bedding or ribboning, while its bright-colored flowers, elegant style of growth, and profuse blooming, render it an object of universal admiration. The flowers, if gathered when young, make valuable winter bouquets. Succeeds best in a light rich soil, and a warm, sheltered situation. Half-hardy annuals.

1231 Rhodanthe Manglesii. One of the prettiest of all the everlasting flowers; neat, unique, and beautiful; small, erect branching plant, with numerous semi-double, daisy-like flowers, of rich rose-color, suffused with white, retaining their transparency and beauty for a considerable period. I foot

PRICE

NO.

RHODANTHE MACULATA (full size of flower).

1232 Rhodanthe Maculata. This splendid novelty is larger in all its parts than Rhodanthe Manglesii; about two feet high, very robust, and more hardy; fine, glossy, heart-shaped foliage, of graceful bearing, with flowers from one and a half
to two inches in diameter, of a bright, deep, rosy carmine, rendered more brilliant by a broad, velvety, blackish, purple-crimson belt, surrounding the bright-yellow disk; in brilliancy of color, and graceful habit, far surpassing Acroclinium
Roseum. From Australia \$0.10
1234 — Alba. Pure, silvery-white variety, of same size of flower as Rhodanthe Maculata. This is one of the finest everlasting flowers introduced for a long time. When cut in the bud, and placed under a glass, it makes a beautiful orna-
ment
RHODODENDRON. NAT. ORD., Ericacea.
A well-known and magnificent genus of free-flowering evergreen shrubs; should occupy a prominent place in every garden; thrives best in peaty soil. Hardy shrubs.  1235 Rhododendron. Finest mixed varieties, from choice named flowers
RIVINA. NAT. ORD., Phytolaceæ.
An exceedingly ornamental shrub when fruiting. The berries of this genus form the principal portion of the food of the American nightingale. Grows freely in any light soil, Greenhouse shrub.
1236 Rivina Humilis. White fruit, in bunches; from West Indies. 2 feet
RICINUS (CASTOR-OIL BEAN). Euphorbiaceæ.  A magnificent and highly ornamental genus. The picturesque foliage and stately growth,
combined with brilliant-colored fruit, of the new varieties, impart to select plantations, shrubberies, and mixed-flower borders, quite an Oriental aspect. In the gardens round Paris, they form one of the principal features of attraction; and if planted out and grown as single specimens on our lawns and pleasure-grounds, as an ornamental foliaged plant, they would form a new and striking feature. Half-hardy annuals.
1237 Ricinus Africanus Hybridus. Rose-colored hybrid; very handsome; new. 7 feet25
1238 — Giganteus. Plant and leaves of enormous size; new. 12 feet
1240 — Major (Castor-oil Bean). Very ornamental foliage. 6 to 8 feet
1241 - Sanguineus. A very stately growing plant, seven feet high, with large and
highly ornamental foliage of Oriental aspect, with clusters of red fruit. 6 feet10

76	AMATEUR CULTIVATOR'S GUIDE	
NO.	PRI	ICE
1242	Ricinus Sanguineus Tricolor. This effective species has its stems and leaves colored	
		.10
1243		.10
1244	Obermannii. Deep red; fine; from Africa. 8 feet	.IO
	ROSE CAMPION. NAT. ORD., Caryophyllacea.	
re fr 1245 1246	and the same of th	.05
1247	Agr. 1	.05
	ROSE, AFRICAN. NAT. ORD., Papaveracea.	
1248	Rose African, Mixed (Papaver rheas). A beautiful annual, of the easiest culture,	
12-40	producing double, semi-double, and single flowers, all handsome, sporting in a	
	thousand different varieties of scarlet, crimson, purple, pink, white, variegated,	
		.05
	ROSE. NAT. ORD., Rosaceæ.	
1249	Rose Seed. Saved from a large collection of hybrid Perpetual, Tea, Bourbons, &c	.25
.= +0		. 23
	ROCKET (HESPERIS). NAT. ORD., Crucifera.	
**	A well-known free-flowering spring plant, very fragrant; growing in any soil. Hardy pennial. From Europe.	
1250		.05
1251		.05
1252	***	.05
	RUDBECKIA. NAT. ORD., Composita.	
	Fine large flowers, with broad streaks of fine yellow, marked with a lively stripe of pur-	
	e at the base; a prominent disk of deep brown. Very showy, and of the easiest culture.	
1253		.05
1254		.05
1256		.05
1257		.05
	SABBATIA. NAT. ORD., Gentianea.	
1258	Sabbatia Campestris. A very pretty tender annual, with rose-colored flowers, yellow	
		.25
	SALPIGLOSSIS. NAT. ORD., Scrophulariacea.	
lo y	The Salpiglossis are beautiful annuals, with very picturesque and richly colored, erect- bed, funnel-shaped blossoms; colors beautifully marbled, purple, scarlet, crimson, clear gllow, and buff, with elegant shades of blue. The new dwarf varieties form a very desira- le section of this pleasing flower. Half-hardy annual.	
1259		. IC
1260	THE PARTY OF THE P	.10
1261	The state of the s	.IC
1263		.10
1264	outpitation outpitation agreement ag	. IC
1265	- Nana Alba. Dwarf white. I foot	.10
1266	- Attoputputed. Turple. Tious.	.IC
1267		.IC
1268		. IC
1269	Timest trived, 22bove divant varieties	.10
	Wilked	. 30
1270		
1271	SAXIFRAGA. NAT. ORD., Saxifragea. Saxifrag, Mixed Species. Fine border perennials	. 2

	RICE
SALVIA. NAT. ORD., Labiata.	
Strikingly ornamental plants for conservatory and out-door decoration, growing freely in any light rich soil, and producing a magnificent effect in beds, ribbons, or edgings, where their beautiful spikes of bloom are produced in the greatest profusion. They all bloom the first season from seed. Half-hardy annual.	
1272 Salvia Coccinea. Small, bright scarlet flowers, very pretty for beds; from South Ameri-	
ca. 2 feet	0.10
1274 — Pumila. A dwarf dark-red variety; forming a dwarf, compact, handsome bush;	.10
fine for bedding. 1½ feet	.TO
1275 — Romeriana. Deep crimson; fine. 2 feet	.10
The following varieties are very fine for the conservatory or autumn flowering; remarkable for their spikes of rich-colored flowers. Half-hardy perennials.	
1276 - Amabilis. Lavender-blue; from South America. 2 feet	.10
1277 - Argentea. Fine large silvery foliage, of great substance; from Crete. 2 feet .	.10
1278 — Aurea. Yellow; from Cape of Good Hope	.10
1279 — Patens. Splendid deep blue; from Mexico. 3 feet	.25
1280 — Splendens. Beautiful scarlet. 3 feet	.25
1282 — Lilleana. Blue and white; very fine. 3 feet	.25
1283 — Tenorii. Blue. Hardy perennial	.05
1284 — — Rosea	.05
SAPONARIA. NAT. ORD., Caryophyllacea.	
One of the best and longest blooming of all dwarf annuals, producing masses of minute cross-shaped blossoms; admirable for bedding.	
1285 Saponaria Calabrica. Bright rosy-pink; from Calabria. Half foot	.ro
1287 — Rosea. Rose-colored. Half foot	.10
1288 — Alba. Pure white. Half foot	.10
SCABIOUS (Mourning Bride). Nat. Ord., Dipsacea.	
"The Scabious blooms in sad array, A mourner in her spring."	
A hardy ornamental plant, suitable for borders. It may be sown at any time in May, and will produce its flowers from July to October. There is a great variety in the flowers of different plants: some of them are almost black, others a dark puce-purple, and vari-	
ous shades, down to lilac; they are produced in heads. Hardy annuals.	
1289 Scabiosa Atropurpurea. A mixture of the finest dark colors. 2 feet	.05
1290 — New Dwarf. Mixed; very fine. 1 foot	.05
1291 — Dwarf, Scarlet. Very fine. 1 foot	.05
1293 — Candidissima. Pure white; very desirable. 1 foot	.05
1294 - Starry. The blooms of this, if picked early, are well adapted for winter bouquets	.25
1295 Ochroleuca. Light-yellow. Hardy perennial	.10
1296 — Tartarica. Blue. Hardy perennial	.10
SCHINUS. NAT. ORD., Teribinthacea.	
An elegant, ornamental, and highly fragrant greenhouse shrub, with beautiful bunches of waxy, currant-like fruit. The plant forms a desirable drawing-room ornament, and is easily cultivated; seeds sown in spring make handsome autumn plants. It succeeds out of doors in summer.	
1297 Schinus Molle (Pepper Shrub). From Peru. 6 feet	.25
SCOTANTHUS. NAT. ORD., Leguminosæ.	
A beautiful fast-growing annual climber, with elegant foliage, covered with pure white flowers, imitating those of Mandevillea suaveolens, and splendid oblong scarlet fruits.	
1298 Scotanthus Tubiflorus. A magnificent novelty	.25
SCHIZANTHUS. NAT. ORD., Scrophulariacea.	
Elegant slender-branched annuals, with very conspicuous lobed or cut-petaled flowers of white, lilac, purple, and rich red, orange, and violet-crimson spots and marks, very picturesquely blended; well adapted for either garden or pot-culture. For winter flowering,	
they should be sown in August, and grown in pots. Half-hardy annuals.	

78 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
1299 Schizanthus Grahamii. Lilac and orange; very fine. 12 feet \$0.05
1300 — Gracilis. Lilac and spotted; a very graceful variety
1301 - Grandiflorus Occulatus. Various shades, with blue centre; fine new variety.
1½ feet
1302 — Humilis. Lilac and crimson. Three-quarters
1303 — Pinnatus. Pinnate-leave, rosy-purple, and yellow spotted; very pretty. 1 ft
1304 — Priestii. Pure white. 1 foot
1306 — Alba. White, crimson tip; superb. 1½ feet
1307 — Good Mixed
1308 — Finest Mixed. Including all best varieties
SEDUM (STONE-CROP). NAT. ORD., Crassulacea.
A useful and exceedingly interesting genus of pretty little plants, growing freely on rock or rustic work, also on ornamental mounds, old walls, &c., where, during summer, they expand their brilllant star-shaped flowers in the greatest profusion. Hardy perennial.
1309 Sedum Cœruleum. Blue; from Africa. One-quarter foot
1310 — Kamtschatkense. Orange; from Kamtschatka. Half foot
1311 — Mixed
SIDA. NAT. ORD., Malvacea.
Handsome, free-flowering, easily cultivated greenhouse plants. Succeed well in any rich soil.
13 12 Sida Angustifolia. Yellow; from Bourbon. 4 feet
1313 — Behriana. From India. 4 feet
1314 — Indica. Yellow, centre dark-red; from India. 4 feet
SCHIZOPETALON. NAT. ORD., Cruciserea.
1316 Schizopetalon Walkerii. White, fragrant; pretty for pots or edging. Hardy annual.  Half foot
SILENE, or CATCHFLY. NAT. ORD., Caryophyllacea.
Among the tribe of Silenes will be found some of the brightest ornaments of the flower-garden, either in respect to brilliancy of color, or length of duration in bloom; fine for beds, borders, or ribbons. Hardy annuals.
1317 Silene Compacta. Beautiful pink, growing in clusters; from Caucasus. 11 feet05
1318 — Pendula. Rosy-purple; a favorite species; from Sicily. 13 feet
1319 — Alba. White; fine; 1/2 feet
1320 — Pseudo Atocion. Rosy-pink flower, with white centre; very free-blooming
1321 — Rubella. Red; from Portugal. 1 foot
1323 — Schafta. Rosy-lilac; from Russia. Hardy perennial
1324 — Saxifraga. Pink. Hardy perennial. Half foot
SNAPDRAGON (ANTIRRHINUM). NAT. ORD., Scrophulariacea.
The Snapdragon, or Antirrhinum, is one of our most showy and useful border-plants. Amongst the more recently improved varieties of this valuable genus are large, fixely shaped flowers, of the most brilliant colors, with beautifully marked throats will bloom the first season from seed, and are very effective in beds or mixed borders. Half-hardy perennials.
(See Antirrhinum.)
SOLANUM. NAT. ORD., Solanaceæ.
A genus of most beautiful ornamental fruit-bearing plants, some of them among the most interesting of greenhouse shrubs. Others are the most valuable of ornamental climbers.
1326 Solanum Atropurpureum. Dark purple. 13 feet
1327 — Capsicastrum. Miniature orange-tree, covered with a profusion of scarlet fruit
all winter; fine for parlor or conservatory. Half-hardy perennial
1328 — Giganteum. Scarlet fruit

NO. PRICE
1329 Solanum Heteroganum. Large; black-fruited; from East Indies. 11/2 feet . \$0.10
1330 — Laciniatum Elegans. A beautiful shrub, producing a large quantity of blue
flowers, with bunches of orange-colored fruit; fine. Half-hardy
1331 — Jasiminoides. Flower white, in clusters; fine. Greenhouse climber. 30 feet25
1332 — Cabiliense Argenteum. Yellow fruit, with silvery three-lobed fruit. Shrub25
1333 — Texanum. Waxy scarlet fruit, of great beauty; from Texas. 2 feet
SPERGULA. NAT. ORD., Caryophyllaceæ.
Extremely neat, moss-like plants, of a beautiful, lively green, largely used as a substitute for grass on lawns, which they quickly cover, and require no further attention than rolling and keeping free from weeds: are found to thrive best on a stiff soil.
1334 Spergula Pilifera. From Corsica. One-eighth foot
SPHENOGYNE. NAT. ORD., Compositæ.
A very showy, free-flowering plant; very effective for beds, mixed borders, edging, or ribbons. Hardy annual.
ribbons. Hardy annual.
1335 Sphenogyne Speciosa. Bright yellow; black centre; from South America. 1 foot05
SPRAGUEA. NAT. ORD., Portulacea.
A charming plant, resembling the Calandrina, with Amaranthus-like flowers; extremely graceful and beautiful; very effective as an edging, and valuable for rock-work; delighting in a rish loamy soil. Half-hardy annual.
1336 Spraguea Umbellata. New; white, shaded and spotted with purple; from California.
Three-quarters foot
STATICE. Nat. Ord., Plumbaginaceæ.
A magnificent genus of beautiful greenhouse and out-door plants, remarkable alike for variety of their foliage and the brilliancy and beauty of their flowers. The hardy kinds are splendid for rock-work and the flower-borders, while the half-hardy make fine conservatory plants. Half-hardy perennial.
1337 Statici Armeria. Suitable for edging. Half foot
1338 — Bonduellii. Deep golden-yellow; from Levant. 12 feet
1339 — Formosa. Rose-color; fine. 1 foot
1340 — Fortunii. White and yellow; from China. 1 foot
1341 — Pseudo Armeria. Very ornamental and effective; rose-color. 2 feet 10
1342 — Alba. White; from China
1343 — Rosea Superba. Bright rose; fine
1344 — Halfordii. A beautiful greenhouse variety. 2 feet
1345 — Texana. Red. Hardy annual
1346 — Latifolia. Blue
STOCKS (GERMAN, FRENCH, AND ENGLISH). NAT. ORD., Crucifera.
The Stock Gillyflower is one of the most popular, beautiful, and important of our garden
favorites; and whether for bedding, massing, edging, or ribboning, it is unsurpassed, either for brilliancy and diversity of color, or profusion and duration of bloom.
for brilliancy and diversity of color, or profusion and duration of bloom.  The Ten-week Stock is the most universally cultivated, and usually blooms ten to twelve
weeks after being sown. They grow from six to fifteen inches high, and when cultivated in
rich soil, and occasionally watered with weak guano water, throw out an immense quantity of lateral spikes of bloom, so that each plant forms a perfect bouquet; and it would, indeed, be difficult to surpass the grand effect produced in beds or ribbons by these exquisite gems.
be difficult to surpass the grand effect produced in beds or ribbons by these exquisite gems.
1347 Stocks, Ten-week. Large-flowered, comprising only the finest and most distinct colors,
yielding fifty per cent of double flowers; mixed
1343 — Dwarf. One of the most popular varieties; several splendid colors mixed .10
1349 — New Large-flowered Pyramidal. The most popular stock in cultivation;
very choice; received from one of the most celebrated florists in Germany.
Twenty brightest and most distinct colors mixed
1350 — Good Mixed. A great variety of colors
1351 — Pure White
1352 — — Scarlet
1353 — Purple
1354 — — Carmine
1355 — Wallflower-leaved. Mixed

NO. 1356 Stocks, Ten-week, New Hybrid. Mixed between the rough and smooth-leave varieties; very fine	
varieties; very fine	PRICE
	ed
19FT Day C O	\$0.10
1357 — Dwarf German (saved from pot-plants). This is one of the fines	st.
Fifteen colors mixed	10
1358 — Miniature. A dwarf variety, growing four inches high; fine for edings; finest mixed.	-
1359 — Semperflorens, or Perpetual. A fine variety, remaining in flower a lor	
time; finest mixed	25
1360 — Giant, or Tree. A very valuable acquisition, by its large flowers being	
from one and a half to two inches in diameter; height of plants two to tw and a half feet; unsurpassed for bedding purposes; finest mixed	vo 25
The Intermediate or autumn-flowering varieties, if sown early in spring, will bloom it same autumn. For winter-flowering, they should be sown in June. They are also valuab for early spring-blooming, for which purpose they should be sown the last of July or in Aigust, and kept from hard frost during winter. Plants treated in this way, and planted of in beds in May, make a rich display during the early summer months.  The Emperor, or perpetual-flowering. This magnificent class of Stocks may be treated in the same manner as the Intermediate, and used for the same purposes. They frequent last several years, if protected from frost; hence its name, — Perpetual.	
1367 Intermediate, or Autumn-flowering Stock. Finest (twelve distinct colors) mixed	10
1368 Perpetual, or Emperor Stocks. Finest mixed	10
1369 — New Large-flowering, Finest mixed; superb.  1370 Hybrid Giant Cape, or Cocardean Stocks. Finest (five distinct colors) mixed	25
The Brompton and Giant Cape are generally called Winter Stocks on account of the	• •25
not flowering the first year. The former is robust and branching. The latter possesses the characteristics so much esteemed by some; viz., immense pyramidal spikes of bloom.	he
1371 Brompton, or Winter Stocks. Finest mixed	10
1372 — — Crimson. Dwarf; beautiful	10
1374 — — Dark Blue. Dwarf; beautiful	10
1375 - New Large and Early-flowering. A splendid acquisition, to	
habit of which is extremely robust; foliage is exceedingly strong-growing, and	
a most striking green, by which the lively colors produce the greatest effectinest mixed	25
(For splendid assortments of Stock, see Collections.)	
STIPA. NAT. ORD., Graminacea.	
1377 Stipa Gigantea. Fine ornamental grass	10
1379 — Capitata, Ornamental grass	05
STEVIA. NAT. ORD., Composita.	
Mexican perennials, with tufts of very pretty white or pinkish flowers, which should I grown in sandy peat; fine for pots or borders. Tender perennials.	be
1380 Stevia Purpurea. Purple. 2 feet	05
1381 — Serrata. White; the variety usually grown for cutting. a feet	05
SUTHERLANDIA. NAT. ORD., Leguminosa.	
An exceedingly beautiful little greenhouse shrub, with handsome Clianthus-like flower succeeds best in peat and loam.	s;
1382 Sutherlandia Frutescens. Scarlet; from Cape of Good Hope. 3 feet  1383 — Speciosa Coccinea. A splendid new flowering shrub, with racemes of dark-reflowers, much like Clianthus.	25 ed
SULTAN. NAT. ORD., Composita.	
Handsome border annual, of easy culture; native of Persia, with fragrant flowers fro July to September.	m
1384 Sultan Sweet. White. 2 feet	05
1385 — Purpurea. 2 feet	05
1386 — Yellow. Fine. 2 feet	05

PRICE

NO.

## SUNFLOWER. NAT. ORD., Composita.

(See Helianthus.)

### SWEET WILLIAMS. NAT. ORD., Caryophyllacea.

A useful and well-known tribe of plants, perfectly hardy, and easily raised from seed; a bed of fine varieties presenting a rich sight; it sports into endless varieties; viz., pink, purple, crimson, scarlet, white, variously edged, eyed, and spotted. Our seeds were saved from the finest-named varieties, together with Hunt's (a celebrated English amateur), which we can confidently recommend as superior to any thing ever before offered in this country. Hardy perennials.

## SWEET ALYSSUM. NAT. ORD., Crucifera.

(See Alyssum.)



TAGETES SIGNATA PUMILA (full size of the flower).


#### TAGETES. NAT. ORD., Composita.

Elegant free-flowering plants, with pretty foliage; very effective in mixed borders; succeeds best in a light rich soil. Half-hardy annuals.

1392 Tagetes Signata Pumila. (See cut.) An elegant new dwarf variety, about one foot high; and, when full grown, the plant will measure two feet in diameter, forming a beautiful compact bush, completely covered with flowers, and continuing in bloom until hard frost sets in. Recommended as one of the most showy plants for borders and dwarf beds yet introduced; of the easiest culture. Plants should stand at least two and a half feet apart.


11





TAGETES SIGNATA PUMILA (full-grown plant, reduced to one-tenth of its natural size).
1394 Tagetes Lucida. Deep yellow; from South America. r foot \$0.10
1395 — Signata. Orange, streaked with brown; from Peru. 2 feet
TACSONIA. NAT. ORD., Passiflorea.
1396 Tacsonia Ignea. This is a splendid orange-scarlet-colored "Passion-flower," like con-
servatory climbing shrub; showing the unequalled vermilion tint of the Genesera Cinnabarinna, each blossom being relieved by contrast with a circle or band of purple filaments in the centre
THALICTRUM. NAT. ORD., Ranunculaçea.
1397 Thalictrum Aquilegiafolium. Light purple. Hardy perennial
1398 — Flavum. Orange. Hardy perennial
1399 — Floribundum. Yellow. Hardy perennial
THALIA. NAT. ORD., Marantacea.
A curious and interesting aquatic plant, which should be planted in light rich soil, about two feet beneath the surface of the water.
1400 Thalia Dealbata. Black and white; from South Carolina
TOURNEFORTIA. NAT. ORD., Boraginea,
A very pretty plant, flowers of which resemble the Heliotrope, but without its fragrance; fine either for pot or garden culture. Half-hardy annual.
1401 Tournefortia Heliotropoides. Lilac; trailer; from Buenos Ayres. Half foot
TRIFOLIUM. NAT. ORD., Leguminosa.
Remarkably showy plant, with large handsome flowers; grows freely in any soil. Hardy annual.
1402 Trifolium Atropurpureum. Dark purple. 1 foot
TRACHELIUM (THROATWORT). NAT. ORD., Campanulacea.  1404 Trachelium Cœruleum. Blue; pretty Campanula-like plants; from Italy. Hardy
biennials. 2 feet
TRITOMA. NAT. ORD., Hemerocallidacea.
Splendid half-hardy, evergreen, herbaceous plants, forming large, robust, stemless leaf crowns, from the centre of which their tall flower-stems, three to five feet in height, are produced in summer and autumn, with large dense-flowered terminal racemes of rich pendant orange-red and scarlet tubulous flowers, each raceme a foot or more in length.  They are admirably adapted for bedding out; and the numerous terminal flame-colored blossoms form a stately distant or mediate effect. They thrive in any rich light garden soil. On approach of winter, they should be taken up and placed in the greenhouse or cellar, for replanting out again in spring.
1405 Tritoma Uvaria. Finest mixed

PRICE







THUNBERGIA ALATA.

## THUNBERGIA. NAT. ORD., Acanthacea.

Extremely ornamental climbers; much admired; very free bloomers; good for trellis, stems of trees, and in the greenhouse, or out of doors in summer in a warm situation. Tender annuals.

Tender annuals.
1406 Thunbergia Alata. Winged, buff, with dark eye. 4 to 6 feet \$0.05
1407 — Alba. White, with dark eye. 4 to 6 feet
1408 — Aurantiaca. Bright orange; dark eye. 4 to 6 feet
1409 — Bakerii. Fine; white. 4 to 6 feet
1410 — Sulphurea. Pale yellow. 4 to 6 feet
1411 — Americana. Clear buff. 4 to 6 feet
1412 — Mixed. All the above mixed
TIGRIDIA. NAT. ORD., Tridacea.
14:3 Tigridia Pavonia (Tiger Flower). Red and yellow, spotted with dark crimson-purple.
Tender bulbs
1414 — Conchiffora. Bright yellow, spotted with crimson
TROPÆOLUM. NAT. ORD., Tropæoleæ,
The following varieties, as hybrids from Tropæolum Lobbianum, are unsurpassed by any
collection ever offered. They are all of the easiest culture, and flower profusely the first
year. Though not in all cases perpetuating their respective kinds true from seed, they never-
theless often produce still more beautiful ones, and among them varieties of the perpetual-
flowering, which are invaluable for decoration in the greenhouse or conservatory, and for bouquets in winter.
In the greenhouse or conservatory they may be had in bloom the greater part of the year;
and in favored situations in the open air, for edgings, covering trellis-work, or handles of
rustic baskets, or trailing from vases, their elegance of form and brilliancy of color render them peculiarly valuable.
1415 Tropæolum Lobbianum. Orange. 4 feet
1416 — Caroline Schmidt. Deep scarlet. 6 feet.
1417 — Duc de Malakoff. Straw color; edged rose, spotted with red. 6 feet25
1419 — Schultzi. Deep carmine; foliage dark green; fine. 4 feet 10
1420 — Flamula Grandiflora. Yellow; beautifully streaked with carmine; very
CHOICE. O leet
1421 — Geant des Batailles. Brilliant crimson. 6 feet
1422 — Garibaldii. Fine orange, shaded with scarlet. 6 feet


NO. FRICE



## TROPÆOLUM LOBBIANUM.

1424	Tropæolum Lobbianum Duc de Luynes. Dark crimson \$0.25
1425	- Masiliense. Deep carmine
1426	Monsieur Turuell. Orange-yellow, striped with vermilion; flower very
	fine form. 6 feet
1427	- Monsieur Calmet. Lemon, spotted with crimson; very beautiful
1428	- Napoleon III. Orange yellow, striped with vermilion. 6 feet
1429	Peraguanum. Scarlet, with black spots; very fine. 6 feet
1430	- Roi des Noirs. Nearly black. 4 feet
1431	- Tricolor Grandiflora. Carmine; spotted. 4 feet
	- Triomphe de Gand. Fine orange-scarlet. 4 feet
1433	Du Prado. Yellow-scarlet flamed. 4 feet
1434	- Versicolor. Orange-striped. 4 feet
1435	Victor Emmanuel. Brilliant carmine and gold. 4 feet
	Zanderii. Vivid scarlet; one of the strongest growing varieties. 4 feet25
1437	- Lillie Schmidt. Scarlet. 6 feet
1438	- Von Humboldt. Fine orange-shaded. 6 feet
1439	— Mixed. Finest varieties
	The following are beautiful tuberous varieties for the greenhouse:
1440	Tropæolum Brachyceras. Yellow and red; fine foliage; splendid trailer
1441	Pentaphyllum. Scarlet and green; delicate foliage; fine for open borders
	Jarattii. Scarlet and yellow
	Tricolorum. Scarlet, yellow, and black

NO. PRICE
TYDÆA. NAT. ORD., Gesneraceæ.
A stove plant of great beauty. Greenhouse perennial.
1444 Tydæa Hybrida. Very fine \$0.25
VALERIAN. NAT. ORD., Valeriancea.
Perennial plants; mostly natives of Europe; will grow in almost any soil. The dwarf species are very suitable for rock-work.
1445 Valeriana Rubra. Red. 1½ feet
An exceedingly showy plant, with large handsome flower, having a very gay appearance in beds or mixed borders; thrives best in turfy loam. Half-hardy annual.
1447 Venidium Calendulaceum. Deep orange; rich brown centre; from Cape of Good Hope. I foot
VENUS'S LOOKING-GLASS. NAT. ORD., Campanulaceæ.
A free-flowering, pretty little plant, of nice habit of growth, especially adapted for beds, ribbons, or edgings; grows well in any garden soil. Hardy annual.
1448 Venus's Looking-Glass (Campanula). Finest mixed; from south of Europe. Half foot, .05
VALLOTA. NAT. ORD., Amaryllidaceæ.
A splendid bulbous-rooted plant, allied to the Amaryllis and Lily. It blooms in August, throwing up its strong stems about one foot high, with from five to eight brilliant scarlet lily-like flowers; very ornamental for bedding out in summer or for culture in pots.
1449 Vallota Purpurea Superba. Fine
VENUS'S NAVELWORT. NAT. ORD., Boraginacea.
A very pretty little plant, useful for ribbons, and forms a neat edging to shrubbery bor-
ders, &c. grows freely in every soil. Hardy annual.  1450 Venus's Navelwort (Cynoglossum Linifolius). White; from Portugal. 1½ feet
VERONICA. NAT. ORD., Scrophulariaceæ.
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion.
1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet10
1452 — Devoniana. Red and white. Half-hardy shrub. 21 feet
Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work.
Half-hardy annual. Half foot  1454 — Alba. White variety of preceding
1455 — Andersonii. Lilac and white; greenhouse shrub. 2 feet
1456 — Austriaca. Blue. Hardy perennial
1457 — Imperialis. Blue. Greenhouse shrub.
1458 — Lindleyana, Lilac. Greenhouse shrub
1459 — Virginica. Rose-color. Hardy perennial
VERBENA. NAT. ORD., Verbenacea.
A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy annuals to have them bloom during the summer; for winter deco-
ration they are invaluable. Half-hardy perennial.  1460 Verbena Aubletia. Reddish-purple; from North America. Half foot
1460 Verbena Aubletia. Reddish-purple; from North America. Half foot
1462 — Pulcherrima. Violet; fine. Half foot
1463 — Teucroides Odorata. Fine white; from Germany
1464 — Venosa. Rich purple; free-bloomer; trailer. From Buenos Ayres
1465 — Fine Mixed
1466 — Hybrida. From finest named sorts; extra mixed
rieties; fine mixed
1468 — New Italian Striped. One of last season's novelties; brilliant colors of
carnation-like, striped with rose, lilac, purple, on various colored ground



### BASKET OF VERBENAS.

1469 Verbena Hybrida Auriculæflora. A splendid novelty, large and well formed; blooms in	
various shades, with a distinct eye of white or rose, and properly called Auricu-	
læflora, as the disk comes near the Polyanthus and Auricula. Extra fine mixed, \$0.	50
	25
1471 — Cœrulea. Deep-blue; fine	25
VIOLA TRICOLOR. NAT. ORD., Violacea.	
(See Pansy or Heartsease.)	
VINCA. NAT. ORD., A pocynacea.	
A genus of the most beautiful greenhouse plants; succeeding out of doors in warm, sheltered situations. Seed sown early in spring will bloom the same season.	
	10
1474 — Alba. White, with crimson eye	10
1475 — Alba Nova. A new variety; pure white	25
VICTORIA REGIA. NAT. ORD., Nymphacea.	
One of the most beautiful of all the aquatic plants, which requires a house for its special	
use. To succeed in growing them from seed, keep the pot immersed in water until the seed	
vegetates, when it should be repotted in a large pot, and sunk in a pond or fountain about one foot below the surface of the water. From the River Amazon.	
1476 Victoria Regia. The most magnificent of all lilies. Per seed	00
•	
VISCARIA. NAT. ORD., Caryophyllacea.	
A genus of remarkably pretty profuse-flowering plants, producing a striking effect in beds, ribbons, or mixed borders: growing freely in any good garden-soil. Hardy annual.	
Admin 541 1 ES 11 11 98711 1 3 C -	05
1478 — Cœli Rosea (Rose of Heaven). Bright rose, with white centre; from Levant.	2
10.	05
AND AND THE CO.	05
1400 N D C 1 1 1	10
1481 - Oculata. Pink, with rich crimson eye. From Algiers	05
1482 — Dunnetti. White, with dark eye	10
	10
	25
1485 — Finest Mixed	10
1486 — Good Mixed	05
VIMINARIA. NAT. ORD., Leguminosa.	
Exceedingly curious plants, with leafless stems, which very much resemble a bundle of	
twigs; these are covered with handsome flowers, giving the plant a very striking and re-	
markable appearance. Greenhouse shrubs.  1487 Viminaria Pressii. Yellow; from New South Wales. 3 feet	
1487 Viminaria Pressii. Yellow; from New South Wales. 3 feet	2

TO THE FLOWER GARDEN.	87
NO	PRICE
WALLFLOWER. NAT. ORD., Crucifera.	
A useful and ornamental class of plants; very fragrant. Half-hardy perennial.	
1488 Wallflower. Good mixed  1489 — Dwarf. Large-flowering; mixed	\$0.05
1490 — Double. Finest German; mixed	10
(For separate colors, see Collections.)	
	1
	專
	_
De la companya della companya della companya de la companya della	
	7
	_{
The state of the s	-6
	Mint.
	57
TO AT THE SECOND	
WIGANDIA CARACASANA,	
WIGANDIA. NAT. ORD., Hydroleaceæ.	
1491 Wigandia Caracasana. Greenhouse perennial	25
WHITLAVIA. NAT. ORD., Hydrophyllaceæ.	
A very handsome free-flowering plant, suitable for beds and borders; from Califo Hardy annual.	rnia.
1492 Whitlavia Grandiflora. Violet-blue, 1 foot.	05
XERANTHEMUM. NAT. ORD., Compositæ.	
A fine everlasting flower, good for winter bouquets. Hardy annual.	
1493 Xeranthemum Double. Purple. 2 feet	10

## ZINNIA. NAT. ORD., Composita.

A grand genus of autumn-flowering plants, combining the greatest richness and diversity

of color with unequalled profusion and duration of bloom.

Among the novelties of recent introduction, the New Double Zinnia has proved a most important acquisition. Its splendid double flowers rival, in beauty, size, and form, moderate size dahlias.

1499 Zinnia Elegans. Mixed. 2 feet . 1500 — Double. Mixed (see engraving). No new annual has excited so much attention as this. First introduced by Messrs. Vilmorin, Andriex, & Co., Paris, 1860; and since that time has been much improved in size, form, and color. The seed we offer was saved only from the finest double flowers, and will produce a large per-

centage of double-flowering plants. Finest mixed . . . . .



### MEXICAN ZINNIA.

Α	Zinni	ia Dou	ıble A	urea.	Splendid double;	golden	-yellow;	rich .				<b>≸</b> 0.10
В			Cocc	inea.	Double; scarlet	S	W. 1 . 4	****				10
C			Carm	ine.	Beautiful light rose	or car	nine; full	double				10
D			Viola	cea.	Very dark crimson	-purple	; full dou	ble .				10
1501		Mexi	cana.	This	proves to be a ne	w and	desirable	species.	It is	a ne	at dv	varf
		plan	nt of co	ompact	habit, scarcely on	e foot l	igh, much	branch	ed, w	ith n	ımer	ous
		flov	ver-hea	ds, ab	out two inches acr	oss, th	e ray flore	ets being	g of	a full	ora	nge
		colo	or in th	e cent	re, and paler at the	margin	s. It is	offered in	n son	ne list	s un	der
		the	name (	of Zin	nia Haageana, and	ılso Au	rea and Sa	nvitalia	Mexi	cana		10
					For separate colors	see Co	llections.)					

# SPLENDID ASSORTMENTS

OF

# FRENCH AND GERMAN FLOWER-SEEDS.

We invite the attention of our numerous customers to the following list of assortments of flower-seeds. They have all been selected expressly for us, by our special correspondents in France and Germany, from the various noted flower-seed growers, whose well-known reputation is a sure guaranty of their superior excellence, both as regards distinctness of color, and freshness of seed. We have no hesitation in recommending them as equal, if not superior, to any to be obtained in Europe. Our Asters are, many of them, of our own growth; and the best guaranty we can give of their extra quality is the award of the highest premium of the Massachusetts Horticultural Society for the best thirty flowers exhibited in 1865, and EVERY YEAR DUT FOUR for the previous twenty years; and this, too, in competition with the choicest French seeds.

	ASTERS.
NO.	PRICE
150 13	Truffaut's Peony Flowered Aster. Sixteen splendid varieties; distinct colors . \$1.50
1502	Truffaut's Peony Pyramid Flowered. Twelve splendid varieties, of the most beau-
	tiful colors
15023	Eight splendid varieties; distinct colors
1503	— Six splendid varieties, of the most beautiful colors
	- Perfection. Twelve splendid varieties, of the most beautiful colors . 1.50
1505	Six splendid varieties, of the most beautiful colors
1506	Dwarf Large-flowering Peony. Six superb varieties, of the most beautiful colors . 1.00
1506	Dwarf Large-flowering Peony. Six superb varieties, of the most beautiful colors 1.00 Imbricated Pompone. Twelve splendid varieties 1.50
1507	Truffaut's Imbrigue Pompone. Ten splendid varieties, of the most beautiful colors, 1.00
1508	
	New Giant Emperor. Ten splendid varieties, of the most beautiful colors 1.50
1509	New Giant Emperor. Ten splendid varieties, of the most beautiful colors . 1.50
15 10	New Cocardeau, or Crown-flowered. Six beautiful varieties, of the most splendid
	Globe-flowered Pyramidal. Twelve superb varieties, of the most beautiful colors . 1.00
1511	Globe-Howered Pyramidal. Twelve superb varieties, of the most beautiful colors . 1.00
1512	Double Globe Quilled. Twelve splendid varieties, of the most beautiful colors . 1.00
151 3	Ranunculus-flowered. Eight superb varieties, of the most beautiful colors
151 5	Reid's Improved Quilled. Eight splendid varieties, of the most beautiful colors . 1.00
151 6	Double Dwarf Aster. Twelve splendid varieties, of the most beautiful colors
131.0	Double Dwarf Bouquet Pyramid. Twelve splendid varieties, of the most beautiful
1517	Boltze's New Miniature Bouquet Pyramid. Five superb varieties, of the most beau-
1317	
1518	New Peony Globe. Seven superb varieties, of the most beautiful colors
1519	New Rose-flowered. Twelve superb varieties, of the most beautiful colors 1.50
1520	Porcupine, or Hedgehog. Nine superb varieties, of the most beautiful colors
	To the superior of the superior tables, or the most contact to the
	BALSAMS.
1521	Double Camellia-flowered Balsams. Ten splendid varieties, of the most beautiful
	colors
1522	Double Dwarf Balsams. Ten splendid varieties, of the most beautiful colors
1523	Double Spotted Rose-flowered Balsams. Twelve splendid varieties, of the most
	beautiful colors Improved Double Rose-flowered Balsams. Ten splendid varieties, unsurpassable
1524	Improved Double Rose Howered Balsams. Ten splendid vaneties, unsurpassable
15243	in quality. Twenty-five seeds of each
15244	New Rose-flowered. Eight splendid varieties
	GERMAN STOCKS.
1525	Dwarf Early Flowering. Sixteen varieties
	Dwarf Early-flowered Ten-weeks Stocks. Twelve splendid varieties, of the most
.0203	beautiful colors
1526	beautiful colors  Large-flowered Improved Dwarf Ten-weeks Stocks. Six splendid varieties, of the
	most beautiful colors
1527	New Large-flowered Pyramidal Ten-weeks Stocks. Twelve splendid varieties, of
	the most beautiful colors
15271	New Large-flowered Pyramidal. Eight varieties

NO.	PRICE
1528	Dwarf Pyramidal Ten-weeks Stocks. Twelve splendid varieties, of the most beautiful colors
1529	Miniature, or Lilliputian Ten-weeks Stocks. Six splendid varieties, of the most
1530	Dwarf Bouquet Ten-weeks Stocks. Six splendid varieties, of the most beautiful colors
1531	Giant, or Tree Ten-weeks Stocks. Ten splendid varieties, of the most beautiful colors
1532	New Early Autumn-flowering Stocks. Eight splendid varieties, of the most beautiful colors
1533 1534 1535	Giant Cape Stocks. Five splendid varieties, of the most beautiful colors 50 Brompton Stocks. Twelve splendid varieties, of the most beautiful colors 1.00 New Early Large-flowered Brompton Stocks. Eight splendid varieties, of the
1536	most beautiful colors
1537 1538	Semperflorens, or Perpetual. Eight splendid varieties, of the most beautiful colors, 1.00 New Hybrid. Hybrid between the Wall-flower and the rough leaves. Six splendid
1539	varieties, of the most beautiful colors  New Robust. A beautiful acquisition. Six splendid varieties, of the most beautiful
1000	colors
	LARKSPURS.
1540	Double Dwarf Rocket Larkspur. Ten splendid varieties, of the most beautiful
1541 1542	colors
1543	Double Hyacinth-flowered Larkspur. Ten splendid varieties, of the most beautiful colors
	VARIOUS COLLECTIONS.
1545	Antirrhinum Majus (Snapdragon). Twelve splendid varieties, of the most beautiful
1546	colors
1547 1548	Acacia. Twenty-five splendid varieties, of the most beautiful colors 3.00  — Twelve splendid varieties, of the most beautiful colors 1.50
1549	Canna. Twenty-five splendid varieties, of the most beautiful colors
1550	Twelve splendid varieties of the most beautiful colors
155 1 1552	Capsicum. Six splendid varieties, of the most beautiful colors 1.00 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 50 Coxcomb. Twelve splendid varieties, of the most beautiful colors 1.00 Everlasting Flower. Twenty-four varieties 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.00 Cladiating Six and the most deautiful colors 1.00
1553	Coxcomb. Twelve splendid varieties, of the most beautiful colors
1553½ 1554	Everlasting Flower. Twenty-four varieties
1555	diadiolus. Six spiendid varieties, of the most beautiful colors
1556	Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50
1557 1558	Twelve splendid varieties, of the most beautiful colors
1559	Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50
1559½ 1560	
1561	Heartsease, or Pansies. Eight splendid varieties, of the most beautiful colors
1562	Phlox, Drummondii. Twelve splendid varieties, of the most beautiful colors 1.00
1563 1564	Poppies. Twelve splendid varieties, of the most beautiful colors
1565	— Double. Four splendid varieties, of the most beautiful colors
1566	Salpiglossis. Eight splendid varieties, of the most beautiful colors
1567 1568	Sweet Peas. Eight splendid varieties, of the most beautiful colors Scabiosa. Eight splendid varieties, of the most beautiful colors
1569	Solanum. Twelve splendid varieties, of the most beautiful colors 1.50
1570	lpomea. Half-hardy and tender. Twelve splendid varieties, of the most beautiful colors
1571	Jacobea. Eight splendid varieties, of the most beautiful colors
1572	— Dwarf. Eight splendid varieties, of the most beautiful colors  Kennedya. Twelve splendid varieties, of the most beautiful colors  2.00
1573 1574	Kennedya. Twelve splendid varieties, of the most beautiful colors  Six splendid varieties, of the most beautiful colors  1.00
1575	Marvel of Peru. Eight splendid varieties, of the most beautiful colors
1576 1577	Marygold, African and French. Eight splendid varieties, of the most beautiful colors .50 Ornamental Grasses. Twenty-five splendid varieties, of the most beautiful colors . 1.25
1578	Twelve splendid varieties, of the most beautiful colors
1579	Penstemon. Six splendid varieties, of the most beautiful colors
1580 1581	Ornamental Fruits. Twelve splendid varieties, of the most beautiful sorts
1582	Wallflower (from pot-plants). Ten splendid varieties, of the most beautiful colors . 1.50
1583 1584	Six splendid varieties, of the most beautiful colors
1585	Zinnia Elegans. Eight splendid varieties, of the most beautiful colors

# NOVELTIES OF 1866-7,

AND OTHER

## CHOICE AND RARE FLOWERS.

NO.	PR	ICE
1586	Arbronia Fragrans. This beautiful plant is a native of the Rocky-Mountain country, and can hardly be surpassed for beauty and elegance. It is a hardly perennial, of trailing habit, sending up immense numbers of flowers of a pure white color, in clusters resembling the Snowball. It opens its flowers towards evening, which pos-	
1587		.25
1588 1589	D 111 10 1 37 11	.25
1590 1591		.25
1592	- Floribundus. Very free flowering	.25
1593 1594	— Longiflora Magnifica. Superb	.25
1595 1596	0 4 1 111 25 11 11 11 11 11 11 11 11 11 11 11 11 11	.25
1597	Adonis Vernalis Grandiflora Superba. A beautiful variety, with larger flowers	.25



AGROSTEMMA CŒLI ROSA, DWARF-FRINGED.

1598	Agrostemma Cœli Rosa, Dwarf-fringed. A fine variety of Agrostemma Cœli Rosa,	
	of dwarf, compact growth (eight to ten inches high), thickly branched, vigorous, and	
	free-blooming; flowers a fresh and lively rose-color, with a very white centre. The	
	borders of the petals are finely fringed, giving to the whole plant a delicate and	
		,IO
1599	- Cœli Rosa Hybrida Flore Pleno. A new double variety of this very pretty	
	plant, producing a profusion of densely-double flowers. A great acquisition	.25
1600	Ageratum Coruleum Multiflorum. Very free, flowering, blue, half-hardy annual.	
	3 feet	.10
1601	Anthemis Purpurea. Dwarf bushy species, with very numerous flower-heads; ray	
	flowers, yellow above and brown underneath	.25



BOCCONIA JAPONICA. See page 94.



NO.	PR	ICE
1602	silver green foliage	.25
1603	- Formosum. A new perennial grass from India, said to exceed in dimensions any ornamental grass at present in cultivation, and producing a majestic effect	.25
1604	Antirrhinum Majus Pumilum Quadricolor. A most beautiful Liliput variety, bril-	.25
1605	liant crimson, scarlet, white, and yellow  Majus Tom Thumb. A very handsome dwarf Antirrhinum or Snapdragon, of	
1606	of the subalpine regions of the Pontic Mountains	.50
1607	Japonica, Honorine Jobert. A vigorous, beautiful, and effective hardy perennial, with splendid large pure white flowers	.25
1608	Aplopappus Rubiginosus. A showy autumn-flowering annual, about three feet high, with lanceolate incised foliage, producing, in September, large terminal corymbs of yellow flowers, each nearly two inches in diameter.  Aquilegia Siberica Reddish Violet. A fine variety, with upright double flower, of a	.25
1609	pretty reddish-purple tinge: plant compact, and a profuse ploomer	.25
1610	— Glandulosa. A splendid and newly-introduced species from Siberia. The plant is more dwarfish in its habits than the common Columbine. The flowers are large and rich sky blue, the inside and margin of the corolla pure white; about one foot	5
1611	high. (See cut.)  — Hybrida Lucida. A beautiful hybrid; remarkably free flowering, with handsome foliage; flowers large, brilliant bronze scarlet, yellow margined. Perennial	.10
1612	foliage; flowers large, brilliant bronze scarlet, yellow margined. Perennial  Spectabilis. A new species, with large flowers of a bright blue, shaded red, with	.25
1613	green-bordered sepals and golden-yellow margined corolla. Perennial	.25
1614	reddish-violet tinge; plant compact, and a profuse bloomer. Hardy perennial	.25
	erect, double, rich, reddish-violet flowers. Perennial  Vulgaris Fl. Albo Pleno. Pure white double Columbine  Arundo Donax Fol. Variegatis. A very ornamental reed-like plant, growing six feet	.25
1615	Arundo Donax Fol. Variegatis. A very ornamental reed-like plant, growing six feet high, with broad lance-shaped foliage of the deepest green, beautifully striped with	5
1616	white .  Asters. The continued effort and rivalry among the French and German growers of	.25
1010	Asters has resulted in great improvements in this beautiful and popular tribe of	
	annual flowers: more than forty different classes or styles of this flower are now described in their catalogues, an indication of its great and increasing popularity. In habit of plant, form of flower, variety and brilliancy of colors, they now far excel	
	those in cultivation a few years since.	
	The following includes the newest and most desirable, among which, it will be noticed, are many entirely novel in style and color: —  New Victoria Carmine Rose. Flower as large as the Emperor Asters, with ten	
1617	to twenty flowers; brilliant carmine, fine form	.25
1618	- New Victoria Snow White, one foot in height; flowers three to four inches in	.25
1619	diameter, very double and of the purest white  New Large-flowered Dwarf Bouquet. A beautiful class, growing in bouquet form, with full and perfect double flowers, of a great variety of exceedingly brilliant	
(220	colors, and lasting unusually long in bloom; handsome branching habit, and finely adapted for edgings or dwarf-groups, beds, &c. Twelve varieties mixed	.25
1620	<ul> <li>New White-centred Pæony-Rowered Dwarf Pyramidal Bouquet of pyramidal nosegay form; very striking and beautiful colors, carmine, crimson, violet, rose, &amp;c., all having white centres. Eight varieties mixed</li> </ul>	
1621	ose, &c., all having white centres. Eight varieties mixed  — Brilliant Deep Blood-red, with pure white centre  New Pæony Perfection, of vigorous upright growth, with very large full double	.25
1622	<ul> <li>New Paony Perfection, of vigorous upright growth, with very large full double flowers four inches or more in diameter, of the most perfect form, not showing an open centre to the last stage of blooming. Twelve varieties mixed</li> </ul>	
1623	- New Dwarf Globe-flowered Imbricated Pompon. A real gemamong Asters;	.25
	dwarf, bushy habit, not over fifteen inches high, closely set with beautiful globular flowers of most brilliant colors; the earliest flowering class, and extremely showy.	
1624	Six varieties mixed	.25
	petals in the centre, surrounded by lavender, rose, violet, or carmine, producing a	
1625 1626	Mixed  New White Centre, Globe flowered. Very showy, of spreading habit, with	.75 .25
1627	fine double flowers, the following varieties separate:—  Crimson. With white centre	
1628 1629	— Dark Violet. With white centre	.25
1630	Rose. With white centre	.25
1631	- Boltze's New Bouquet. These novel and pretty varieties grow about eight inches high, are very double, rich, and free flowering, very fine for pots, beds, or	
1632	groups. The two following separate: —  Carmine. With white, new and very fine	.25
1633 1634	New Hedge-hog or Crown:-	.25
1635		.25

ł			
İ	NO.	. • PF	RICE
1	1661	Celosia Pyramidalis Versicolor Var Hybrida Foliis Atrobruneis. A variety believed	
ı		to be a hybrid of C. Versicolor and C. Nana Aurantica. It is distinct from the former	
1		by its darker colored leaves, and its flower-trusses, which have a tinge of orange. A	
1	1662	pretty foliaged plant, which will produce a great effect in beds  Cedronella Cana. A fragrant foliaged plant, with long spikes of deep purple flowers,	.25
ı	1002	Cedronella Cana. A fragrant foliaged plant, with long spikes of deep purple flowers, retaining the purple hue of the calyxes for a long time after the flowers have fallen;	
ı		allied to Gardoquia Betonicoides; flowering abundantly the first season if sown early.	
١	1663	Hardy perennial Cerastium Biebersteini. Handsomer than Cerastium Tomentosum, more compact in	.25
ı	1003	habit, with larger leaves, of a dazzling, snowy whiteness. Six inches high. Peren-	
1		nial	.25
1	1664	Chamæpeuce diacantha. A beautiful, silvery, spiny, herbaceous plant, of magnificent	
Ì		effect as single specimens on the lawn. Was much admired during the past summer at the Sub-tropical Gardens, at Battersea Park. Half-hardy perennial	<b>#</b> 0
١	1665	Chrysanthemum, Dunnetti, New Double Golden. A seedling from the annual Chrysanthemum tricolor, with flowers as double as Truffaut's Pæony Aster; color bright golden yellow, similar in habit and bloom to the C. Dunnetti; double white; introduced in 1864. Annual Per nacket	.50
		Chrysanthemum tricolor, with flowers as double as Truffaut's Pæony Aster; color	
l		introduced in 1865. Annual. Per packet	10
l	1666	- Carinatum annulatum. A remarkably fine new variety of this popular annual;	.50
1		flowers orange, bordered with a broad scarlet ring; a beautiful design	.25
l	1667	Louise Honoraty. Charming miniature, raised from the Pompon tribe; but so	
l		widely different that we consider it a forerunner to an entirely different class of summer-flowering Chrysanthemums. This plant forms perfectly round tufts, from ten to twelve inches high, by fifteen to eighteen through. The small flowers, of purplish	
١		twelve inches high, by fifteen to eighteen through. The small flowers, of purplish	
ı		rose, shading off to white towards the centre, are produced in such quantity that the	
l	1668	whole plant forms a single bouquet  Japonicum, flore pleno. New double Japanese fancy varieties. This new	.50
		tribe of Chrysanthemum is particularly recommended, as, from its sportive character,	
		we feel convinced that the plants raised from seeds will always vary in the shape and	
1	1669	<ul> <li>color of their flowers, constantly producing new varieties</li> <li>Carinatum Atrococcineum. Blooming in the most various shades, from light scarlet to dark blood-red. Very beautiful. Hardy annual</li> </ul>	.50
1		scarlet to dark blood-red. Very beautiful. Hardy annual	.10
	1670	Carinatum Furpureum. Beautiful crimson and purple-violet flowers; very fine.	
	1671	Hardy annual — Tricolor Dunnetti Flore Pleno. The flowers are of snowy whiteness, and its	.25
		great charm consists in being as perfectly double as the Truffaut's Pæony Aster.	
	1673	Hardy annual  Cineraria Argentea Vera. A handsome, silvery, shrubby species  Ruggi With year handsome leaves and flowers	.IO
	167 <b>2</b> 167 <b>3</b>	Burgæi. With very handsome leaves and flowers	.50
	1704	Papyracea. A new and beautiful large-leaved species, with flower-stems four	.50
	1675	feet high  Clianthus Dampieri Alba. A new and remarkable variety, with large white flowers,	.50
	10/3	1.1:	.50
	1676	Clarkia Pulchella Alba Tom Thumb. A very compact and beautiful variety	.25
	16761	Integripetala Alba Tom Thumb. A new and exceedingly dwarf and com-	
		snow-white flowers, which are exceedingly showy, and of the highest decorative	
		effect, either for bedding, edging, and ribboning. This variety has been selected with great care, and will be found very constant in its character. Height, eight	
		with great care, and will be found very constant in its character. Height, eight inches	
	16763	- Integripetala Fl. Albo Pleno. A new double variety, highly recommended	.25
		by the raisers of this new acquisition	.25
	1677	- Integripetala Flore Pleno. A magnificent double variety. The blossoms are very large, of a rich magenta color, and are produced in the greatest profusion.	
		Hardy annual	.10
	16771	Clematis Erecta. White: one of the best hardy perennials. Three feet	.05
	1678 1679	Florida. White; hardy climber; fragrant; hardy. Ten feet	.10
	1073	plants a foot high, with neat linear follage, and intense-yellow flowers	.10
	1680	Coreopsis Philadelphica. Hardy perennial, which flowers the first year. Its large	
	1681		.25
	1632	— Tenuifolia. Beautiful cut foliage and yellow flowers; hardy perennial. One	.10
		foot	, 10
	1683 1684	Coccinea Indica. Highly ornamental, with scarlet fruit. One foot	.25
	1004	Very rapid grower, with fine foliage, and beautiful, marbled, glossy green, and silvery-	
	4005	white striped fruit	.15
	1685 1686	Melo-pepo-capensis. A variety of gourd, producing extraordinary large fruit.	.25
	1000	- Argyrosperma. A new Mexican gourd, with fruit of a depressed spherical form, having large, handsome, white seeds; eatable, with the flavor of a hazel-nut; an	
			.00
	1687	Cucumeropsis Mackenni. A handsome cucurbitaceous plant, with green fruit of the	-
	1688		.00
	1689	Dahlia Imperialis. A splendid foliaged species, with white bell-shaped flowers, borne	
		gracefully on large terminal pyramids	.00

NO.	PRICE
1690	Datura Huberiana fl. pl. New varieties, mixed. A beautiful species; of robust
	habit, with very large, double flowers, in many new colors: white, violet, carmine,
1691	lilac, rose, &c. also one of the finest foliaged plants.  — Ceratocauli. Very large blush flowers. 3 feet
1692	- Humilis Alba Plena. A new double white variety of D. humilis fl. pl. with very
1693	large trumpet-shaped flowers  Delphinium Chinensis Pumilum, Dark Blue. A new color of this valuable acquisi-
1033	sition sent out last season. Early from seed the first year; about one foot high, with
	large, rich, blue flowers, abundantly produced. Hardy perennial
1694	perennial. I foot
1695	Cœlestis. Beautiful; light blue; hardy perennial. \$ foot 10
1696	- Formosa Coelestinum. New; light blue; hardy perennial. 2 feet
1697 1698	Hendersonii. Fine; blue; very large flowers and spikes; hardy perennial. 2 ft10
	<ul> <li>Azureus. A hardy perennial variety, growing two to three feet high, with spikes of delicate white flowers, tinged with pale blue. Native of Western Iowa and</li> </ul>
1600	Nebraska. Seeds per packet
1699	— Menziesii. A very fine variety, growing one to two feet high, with dense spikes of flowers of the deepest blue. Perfectly hardy. Native of Nebraska. Seeds per
	packet
1700	Desmanthus Brachylobus. A hardy perennial, with beautiful fern-like foliage, and
	white globular clusters of flowers of considerable beauty. New and rare. Seeds per packet
1701	Dianthus Chinensis Coronatus fl. pl. A most beautiful new double Chinese annual
1702	Pink, with white flowers striped with lilac and crimson
	broad crimson stripes, very striking and beautiful.  Imperialis Plenissimus Pictus. A new and splendid variety. White ground,
1703	
1705	and each petal marked with a dark spot, like a Paisley Pink
	commendable on account of its compact and bushy habit, and the abundance of its
	commendable on account of its compact and bushy habit, and the abundance of its double flowers, variously colored. The flower-stems are pretty nearly equal in height (about twelve to fifteen inches), and stand close to each other, making the
	whole plant look like a bunch of flowers
1706	- Dentosus Hybrid Very pretty but exceedingly sportive: new species: new
	varieties are found every year in the seedlings; flowers single, semi-double, or double; plants blooming very freely and perpetually through the whole summer and autum; the finest are easily preserved by propagating from cutting  Heddewigii Nanus Flore Albo Pleno (Benary). This is a new, double, white
	autumn; the finest are easily preserved by propagating from cutting 50
1707	Heddewigii Nanus Flore Albo Pleno (Benary). This is a new, double, white
	variety of the beautiful Heddewigii Pink. It is of quite compact, dwarfish habit, resembling Dianthus Heddewigii fl. pl.; and nearly, without exception, constant
	from seed, which it produces very sparingly — Cincinnatus. A new species from Japan, of the size of Dianthus Heddewigii, and with deeply-fringed petals. Superb
1708	Cincinnatus. A new species from Japan, of the size of Dianthus Heddewigii,
1709	Digitalis Tomentosa. Herbaceous plant, very distinct from D. purpurea; its flowers
4=40	are more erect, of dark purple color, spotted with bright carmine
1710	Egg Plant. Giant White. A new variety. Fruit, three times larger than those of the
****	old white variety. Half-hardy annual, and very ornamental
1712	old white variety. Half-hardy annual, and very ornamental.  Giant Striped. The fruits of this are equally of extraordinary size, and their variegation very constant. Like the foregoing, it will be more effective when planted as a single specimen than in masses, as it is desirable that the curious fruits of these two varieties are well exposed to view.
	ed as a single specimen than in masses, as it is desirable that the curious fruits of
	these two varieties are well exposed to view. It inging ornamental, han hardy
1713	Embothrium Coccineum. A magnificent greenhouse climber, with brilliant scarlet
	flowers; clusters like Bignonia Venusta
1714	Erianthus Ravennæ Violescens. A new and beautiful variety of this perfectly hardy
	grass, rivalling the Pampas, growing twelve feet high. The violescens is a new and superb variety
1715	Frythraea Ramosissima. Fine rose-flowered Gentianeze forming dwarf compact
1716	bushy plants, suitable for edgings and dwarf beds.  Geranium Scarlet Tom Thumb. A very fine dwarf; habited, compact-growing variety.
1710	attaining only to the height of six or eight inches, and very desirable and admirable
	Contains adding and hadden assessed
1717	Agregata. A hardy biennial of great beauty, growing two to three feet high:
17 10	Gilia Achillæfolia fl. rosea. A new rose-colored variety of this well-known annual .25  — Agregata. A hardy biennial of great beauty, growing two to three feet high; flowers, scarlet, dotted with marcon. Very desirable; from Utah Territory. Seeds per packet
1710	
1719 1720	Gloriosa Plantii. Greenhouse plant, with red flowers. 3 feet
1721	- Miniatum. Small fruit. 10 feet
1722	— Ostrich Egg. 10 feet
1723 1724	— Siphon. 10 feet
1725	Godetia Reptans. New dwarf carmine rose, with purple spots, very profuse, blooming
1726	and pretty  — Reptans Alba. A charming variety, of dwarf habit, blooming in profusion; flowers
** = 0	pure white, with crimson blotch at the base of each petal






NICOTIANA MACROPHYLLA GIGANTEA, See p. 98.

NO.	PRICE	
1727	- Lindlevana Flore Pleno. A startling novelty in this much-admired tribe of	
1728	<ul> <li>Lindleyana Flore Pleno. A startling novelty in this much-admired tribe of annual plants, the first double variety which has been produced. Rich rosy purple.</li> <li>Amæna Alba. White; very fine; hardy annual. 1 foot</li> <li>Rosea Alba Tom Thumb. New dwarf rose; hardy annual. 2 foot</li> <li>10 Grevillea Thelemanni Splendens. A splendid species, with flowers fine blood-red.</li> </ul>	
1729	— Amæna Alba. White; very fine; hardy annual. 1 foot	
1730 1731	Grevillea Thelemanni Splendens. A splendid species, with flowers fine blood-red50 Gunneri Scabra. Large, ornamental foliage: greenish-white; half-hardy perennial.	
	2 feet	
1732	Gynerium Argentium Kermesinum. A new and superb variety of the magnificent Pampas Grass, the tall, silvery flower-spikes tinted with rosy crimson	
1733	Gypsophilla Saxifraga. A lovely miniature species, with delicate branches, covered	
1734	Gypsophilla Saxifraga. A lovely miniature species, with delicate branches, covered with white flowers; very pretty for edgings and dwarf beds	
1735	silvery leaves, and white, star-like blossoms in corymbs. Hardy annual 50 Hibiscus Cannabinus. A biennial species, growing five feet high, with finely-cut	
17 33	foliage, and an elegant addition to the flower-border; flowering the first year from	
1736	seed; white, with purple throat	
	— Macrophyllus. A gigantic, shrubby species, with large, cordate, glossy leaves, and light-yellow, fragrant flowers; elegant for planting out in summer. Five seeds 1.00	
1737	Iberis Linifolia. A fine autumn-flowered annual species, with delicate rose-colored umbels of flowers.	
1738	Imperiata Sacchariflora. A magnificent, hardy grass, quite recently introduced from	
	Amoor, with graceful curved foliage, forming a fine bush about three feet high, throwing out numerous flower-spikes about five feet in height, bearing glittering, silvery	
	plumes of flowers; extremely pretty. The leaves are lively green, with a broad,	
	plumes of flowers; extremely pretty. The leaves are lively green, with a broad, silvery line down the middle; and the habit and bearing of the plant are quite as handsome as Gynerium Argenteum, while it has the superiority of flowering very	
1739	freely, and standing any degree of frost without the slightest protection	
	striped red on a white ground	
1740	Minima Spectabile. A pretty, hardy, annual species; with small, heart-shaped leaves and rosy-carmine flowers, remaining the whole day expanded. A lovely,	
1741	extremely-full-blooming climber	
	with white, standing well in bouquets	
1742	Iris Kæmpferi. A magnificent new species; from Japan; received the Certificate of Merit from the Massachusetts Horticultural Society, 1865; hardy perennial. 2 ft25	
1743 1744	Gracilis. Light blue; hardy perennial. 2 feet	
	Lagenaria Sphærica. New Ornamental Gourd. Flowers large, snowy white, with	
	bright yellow stamens; fruit, the size of an orange, smooth, of a dark-green color, marbled all over with white. Per packet	
1746	Lathyrus Mauritanicus. A new and pretty perennial and climbing species, with crim-	
1747	son flowers	
1748	Linum Macrayi. A plant newly introduced from Chili; dwarf habit; with large, orange-	
1749	Lilium Colchichum. A very beautiful and attractive Lily; flowers, fine primrose-	
1750	yellow; in form, resembling those of the favorite Lilium Longistorum. 10 seeds 50  — Aurantiacum. Fine yellow. 3 feet	
1751	Eximium. Beautiful white; large trumpet-shaped flowers. 2 teet  Auratum, Golden Striped Lily. This new and magnificent species of Lily, lately introduced from Japan; spoken of by Dr. Lindley as follows: "If ever a flower merited the name of glorious, it is this, which stands far above all other Lilies,	
1752	introduced from Japan; spoken of by Dr. Lindley as follows: "If ever a flower	
	merited the name of glorious, it is this, which stands far above all other Lilies, whether we regard its size, sweetness, or its exquisite arrangement of color. Imagine	
	upon the end of a purple stem, not thicker than a ramrod, and not above two feet	
	high, a saucer-shaped flower, at least ten inches in diameter, composed of six spreading, somewhat crisp parts, rolled back at their points, and having an ivory-white	
	ing, somewhat crisp parts, rolled back at their points, and having an ivory-white skin, thinly strewn with purple points or studs, and oval or roundish, prominent purple stains. To this add, in the middle cf each of the six parts, a broad stripe of	
	light satin-yellow, losing itself gradually in the ivory skin. Place the flower in a situation where side-light is cut off, and no direct light can reach it, except from	
	above, when the stripes acquire the appearance of gentle streamlets of Australian	
	gold, and the reader who has not seen it may form some feeble notion of what it is.	
	It should be sown in pots, and placed under a shaded glass in gentle heat, using very light loam, covering one-fourth inch deep; requires a number of months to	
1753	vegetate. (See cut.)  Lobelia "Snow-flake." This variety is a pure white-flowered form of the well-known	
.,,,,,	Lobelia Ramosa, being similar in its style of growth, and large-sized bloom, forming	
	a very elegant and effective plant for pot-culture, and also for groups in the flower-borders	
1754	- Erinus Compacta Alba. Pretty variety; of compact, low habit of growth; a pro-	
	fuse and continuous bloomer; flowers, pure white; finely adapted for pot-culture, small groups, or edgings	
1755	- Erinus Grandiflora Stellatus. New; brilliant blue, with white eye; hardy annual. ½ foot	
1756	— Siphilitica. Blue; hardy annual. 2 feet	


NO.	PRICE
	Lupinus Mutabilis Roseus. A most beautiful variety, of a bright, rosy-carmine color,
.,,,,	both buds and flowers; whereas the old kind is white in bud, changing into lilac red
1758	going out of flower. A most beautiful showy variety
	handsome spikes of bloom; color, bright crimson scarlet, with white tip
1759	presenting various shades of color on the same spike; at first of a lovely blue, tinged
	with white, and yellow in the centre, afterwards changing to purple; very ornamen-
1760	tal for groups or for cut flowers  — Cruikshankii Variegated. Hardy annual. 2 feet
1761	Pubescens Elegans. Violet rose; hardy annual. 2 teet
1762	Lychnis Haageana, Hybrida Mixed. A beautiful perennial, with large flowers of sparkling color; the color ranging from the brightest scarlet to blood-red, purple,
4=00	orange, white, or flesh-color
1763	Grandiflora Gigantea. New; with flowers of double the size of the beautiful Lychnis Haageana, in all the colors of white, chamois, rose, scarlet, &c 50
1764	Machæranthera Giabra. A neat, hardy perennial, diffusely branched, and covered
	Machæranthera Giabra. A neat, hardy perennial, diffusely branched, and covered with Aster-like, violet flowers, with a yellow centre more than an inch in diameter, and standing out in corymbs. Sown early, it flowers the first year. One and a half
	to two feet high
1765	Mairia Crenata. A herbaceous composite, with large, rose-colored flowers, yellow in the centre; a native of the Cape of Good Hope. Per packet
1766	Malva Californica. A beautiful shrubby species, with handsome foliage, and flowers
	like Malope Grandiflora. Flowers abundantly the first season, in the open ground, and blooms in the greenhouse all winter. A valuable acquisition
1767	- Lateritia. A trailing perennial, with dark-green leaves, the whole plant covered
	with rosy Nankin flowers. Half-hardy, blooming abundantly the second year. Elegant for rock-work
1768	Marigold Dwarf. Dark velvet; double; fine; rich colored
1769	Maurandya Emeryana. Bright pink; half-hardy annual. 10 feet
	black, on coming to maturity; fine for trellises; the fruit makes fine pickles
1771	- Cucumerina. A species of Cucurbitacea, from China, with smooth feriage and yellow flowers; fruit very smooth, of the thickness of the finger, and about one and
1777	a half inches long; can be pickled like Gherkins
1772	Mimulus, New Double Spotted. This beautiful variety is a fine acquisition for culture in pots, and remarkable for its double flowers, which are brilliant yellow, spotted, striped,
1773	and mottled with crimson; and remain in bloom much longer than the single sorts
1//3	by the florists of Prussia, having all the variety of colors of the single, and come so
	true from seed that there is but a small percentage of single flowers. These are quite equal to any of the English varieties, and are now for the first time offered as
	the most beautiful yet produced
1774	<ul> <li>Quinquevulnerus Robustus. A beautiful novelty of very vigorous growth, about a foot high, with large leaves of a brilliant green, blotched with black. The large,</li> </ul>
	handsome flowers are curiously mottled, and marked in all the rich coloring peculiar
1775	to this tribe of plants  Cupreus Hybridus. Of the great variety of Mimulus, none can surpass this for
	richness and diversity of color, and free blooming. The plants are dwarf, bushy,
	and vigorous; with large, fine-shaped flowers, spotted, stained, marbled, speckled, and blotched in the most striking manner
1776	Mirabilis Jalapa Foliis Variegatis Tricolor. Dwarf; tricolored variety; very beautiful .25
1777	Mukia Scabrella. Another pretty climber, with lobed, heart-shaped, small leaves, and small scarlet berries
1778	Myosotidium Nobile. The rare New-Zealand Forget-me-not, with broad, ovate-cordate,
	thick, fleshy leaves; subglobose racemes of deep azure; purple-eyed flowers, measuring five inches across. A magnificent acquisition
1779	Nasturtium, Tom Thumb Rose. An entirely new color in Nasturtiums; habits similar to scarlet Tom Thumb Nasturtium; color, the exact counterpart of Trentham Rose
	Geranium
1780	Nemophila Oculata Grandiflora. A seedling from the popular Maculata. The flowers are of the circumference of a crown-piece. Very showy
1781	- Discoidalis Elegans. Maroon, bordered with white; half-hardy annual
1782 1783	— Vittata. Chocolate; broad, white margin; hardy annual
33	Botanical Garden of Bordeaux. A hardy, small, shrub-like perennial; it forms a very graceful, rounded bush, its straight and upright stems branching at the top in every
	graceful, rounded bush, its straight and upright stems branching at the top in every direction, and throwing out a profusion of thread-like, drooping branchlets, covered
	from May to October with an immense quantity of very pretty white and purple
	flowers, larger than those of N. Gracilis. It is nearly hardy, and deserves to become a general favorite, both for the open garden in summer, and greenhouse in winter 50
1784	a general favorite, both for the open garden in summer, and greenhouse in winter50 Nicotiana Macrophylla Var. Gigantea. Purple-Flowered. The most remarkable of all the Nicotianas now cultivated. Its leaves are much larger than those of any other variety; it grows six to eight feet high; and the plants are crowned with im-
	other variety; it grows six to eight feet high; and the plants are crowned with im-
	mense bunches or corymbs of large purple flowers. The general habit of the plant,
	its huge foliage, and stately aspect, give it the advantage over most other ornamental- leaved plants, for lawns or groups in the flower-garden. (See engraving.)

	PRICE
NO.	
1785 1786	Nymphia Cærulea. Elegant blue lily; greenhouse plant Nolana Lasciniatus. New; large blue flowers; from Chili; hardy annual. 1 foot
1787	Onothera Drummondi Nana Alba. Similar in habit and flower to the Œ. Drummon-
1788	dii Nana, but with beautiful pearly-white blossoms. Exceedingly fine
1789	Odorata. Sweet-scented, yellow flowers; hardy annual. 1 foot
1790	
1791	Onopordum Arabicum. An immense ornamental-foliaged biennial, attaining ten feet in height, and thirty feet in circumference at the base. The glaucous cottony leaves
	are large and spiny, rendering the plant striking and attractive. Of magnificent
1792	aspect on the lawn  Orobus Niger. Dark purple; hardy perennial. 1 foot
1793	- Verna. A fine early-flowering variety, with rare flowers; hardy perennial. 1 ft10
1794 1795	— Alba. The same, with white flowers; hardy perennial. I foot
1796	Papaver Croceum. Beautiful orange; hardy perennial. 1 foot
1797 1798	Pardanthus Sinensis. With beautiful, spotted, lily-like flowers; hardy perennial. 2 ft10  Passiflora Acerifalia A new perennial Passion-flower with heautiful maple leaves
	and sman bruish-white nowers
1799	Palafoxia Hookeriana. This new Texas plant is one of the finest of recent acquisitions. It is much dwarfer and more branching than Palafoxia Texana, and the flowers—
	which have very much broader florets—are larger, and of a bright rosy-crimson
	color, with a dark centre. It is an annual, and will flourish finely in light and dry
	which have very much broader florets—are larger, and of a bright rosy-crimson color, with a dark centre. It is an annual, and will flourish finely in light and dry soils, and blooms throughout the summer. Messrs. Hovey & Co. were awarded the CERTIFICATE OF MERIT of the Massachusetts Horticultural Society, for the exhibi-
1800	uon of superb specimens in 1805
1801	Pea, Scarlet Invincible. A beautiful new variety; flowers intense scarlet, very free
1802	Penststemon Hartwegii Coccinea. Scarlet; half-hardy perennial. 3 feet
1803	- Pubescens. Light purple; hardy perennial. 1½ feet
1805	Wrightii With spikes of flame-colored flowers 2 feet
1896	two to three feet high, blooms in June and July, and is a decided acquisition to our
	<ul> <li>Grandiflorus. This is the finest of the genus, and is perfectly hardy. It grows two to three feet high, blooms in June and July, and is a decided acquisition to our hardy perennials. It is a native of the Platte Valley, Nebraska. Seeds per packet .25</li> <li>Cobæi. A new and hardy variety from the Rocky Mountains. Grows two feet</li> </ul>
1807	high, with flowers of a delicate purple; throat dotted with maroon. One of the
	unest of the genus. Seeds per backet
1808	— Barbatus. A fine variety, with scarlet flowers, blooming in succession all the season. Grows two to three feet high, and is perfectly hardy. Seeds per packet25
1809	retail stemon violacum. Grows two to three teet high; howers in dense spikes of a
	rich violet-purple color. In bloom most of the season. Native of Iowa and Nebraska. Seeds per packet
1310	— Candidum. This is precisely like the above, except in color of its flowers, which
1811	are pure white. Seeds per packet
1011	with large broad leaves; spikes, or panicles, long, almost cylindrical, large and compact, containing thousands of flowers, which are succeeded by white flowery
	grains, useful as food for poultry. Beautiful plant for growing in isolated tufts25
1812	Pectis Angustitolia. A new dwarf annual, of a dense-leafed habit, forming bushes a
	foot across, with opposite linear foliage; remarkable for its strong, citron-like fra-
	grance. The flowers are nearly half an inch in diameter, of a bright yellow, so abundant as to completely cover the surface of the plant. This fine acquisition received a certificate from the Floral Committee of the Royal Horticultural Society
1813	Petunia Multiflora. A small-flowered variety; red, with dark centre; flowering most
1815	abundantly. Constant from seed, and fine for bedding
	white a heautiful variety
1816	Hybrida Coronata. A most magnificent dwarf, compact variety; with beautiful, regularly-formed flowers of great substance, of a brilliant, velvety purplish crimson,
	with five broad, pure white stripes
1817	— Inimitable Marmorata. A beautiful variety; flowers marbled and blotched50
1818	Phycella Corusca. A magnificent, free-flowering amaryllidaceous plant, with lily-like crimson-scarlet flowers, standing in many-flowered umbels. It may be grown in pots,
	or planted in the spring in the open ground, like Amaryllis Formosissima. Per
1819	Phlox Drummondii Isabellina. A very fine new variety, producing constant, pale-yel-
	low flowers, entirely new and distinct in color
1820	Phlomis Abasicus. A new and fine hardy herbaceous species, with golden-yellow flowers in spikes, much resembling the Salvia in form
1821	Pink, Sarah Howard. A new white monthly Pink, with slender foliage and stems;
	two feet high; loaded with flowers the whole autumn. The flowers are medium size,
1822	double, pure white, and very beautiful  Potentilla Hybrida, Double. These are improved and beautiful varieties of this well-
	known hardy perennial; flowers, Ranunculus-formed, and of brilliant and various
	colors

NO.	
	PRICE
1823 1824	Polemonium Cæruleum. Blue; handsome; hardy perennial. 1 foot
1825	Portulaca Grandiflora. A magnificent collection, saved by one of the best German growers; all from the most beautiful double flowers; in six distinct colors, —alba, alba striata, aurantiaca, splendens, Thellusoni, Thorburni. Each separate
	growers; all from the most beautiful double flowers; in six distinct colors, — alba, alba striata, aurantiaca, splendens, Thellusoni, Thorburni. Each separate
1826	- Mixed. The six varieties mixed
1827	Primula Sinensis Flore Pleno. Double Prize Varieties. We have the pleasure of offering to amateurs the choicest varieties of Chinese Primrose, unequalled by any
	vet produced comprising a proportion of double flowers. These coeds were re-
	ceived directly from the celebrated London growers, who received one special and
	lowing is a description of these flowers, taken from the Gardener's Chronicle:—
	ceived directly from the celebrated London growers, who received one special and three first-class certificates in 1866, from the Royal Horticultural Society. The following is a description of these flowers, taken from the Gardener's Chronicle:—  "This strain of Primula is a remarkable one. The flowers are large, full, and
	frilled; and in color, vary from white, through shades of pale flesh-color, to blush of deepest hue; and from that again to the carmine-rose of Mr. Benary's Carmi-
	nata; and on, through the ordinary rose-tint, to a very dark purple rose; the pale
	ones especially are also remarkable for a large, yellow, star-like eye, sometimes measuring fully five-eighths of an inch across, the flowers themselves being about
	two inches. Some others are splashed and flaked with rose, on a white ground;
	two inches. Some others are splashed and flaked with rose, on a white ground; and both pure white, and flesh-tinted white, as well as rose, and rosy purple, full, double flowers were amongst those sent for inspection."
	Our collection comprises five distinct colors, viz., white, deep blash, purple,
	lilac, striped, and deep carmine rose, and their intermediate shades, beautifully fringed; large, and producing immense trusses of flowers, thrown well up above the
	foliage. Another valuable property of them is, that, from each bloom being spe-
	cially hybridized, a proportion of beautiful double flowers may be expected. Sealed
1828	packets  Chinensis Fimibriata Punctata. Splendid variety; with large bouquets of
1020	flowers, finely fringed; brilliant crimson, spotted with white  Polyantha. The tall English Oalip, in various colors; very pretty and interesting:
1029	spring flowering; hardy perennial
1830	Ranunculus Asiaticus Superbissimus. It is with great pleasure that we bring before our amateurs and lovers of beautiful plants this rare class of garden Ranunculus as
	one of the greatest acquisitions; supplying the place of the Person tales as a set,  — so elegant, but so difficult to grow. This is grown as a biennial, flowering freely
	-so elegant, but so difficult to grow. This is grown as a biennial, flowering freely the second year; producing unusually large double varieties, of an unsurpassed but
	liancy of colors, of all shades, of white, yellow, rose, crimson, blood red, scattet,
	purple, &c. The plants are very vigorous in growth, and very profese bloomers, and have claimed universal admiration. Good seeds are now offered, which will
	produce but a small percentage of single flowers.
1832	Reseda Crystallina. A very interesting species; similar in habit to Reseda Odorata (Mignonette), but with larger capsules, or seed-pods, which are covered with trans-
	parent granulations or crystals, in the manner of the lee-plant
1833	Rumex Vesicarius Roseus. An ornamen'al. annual species; with triangular leaves
1834	Rhyncocarpa Dissecta. A fine, hardy climber; with handsomely divided foliage, and
1025	bearing small, conical brilliant, orange-colored fruits
1835	Welwitschi. One of the Gourd family; very ornamental, with thick, five-lobed foliage, and acorn-like scarlet fruit. Ten seeds
1836	Sanvitalia Procumbens Fl. Pl. New Double Sanvitalia. A novelty of last year, which has proved to be one of the most beautiful acquisitions. We cultivated it
	extensively last year, and the dense masses of perfectly double flowers, like Pompon
	Chrysanthemums attracted unusual attention. It is without doubt the only dwarf,
	compact plant of a yellow color, suited to beds and masses of low growth. The seeds are saved from the finest flowers, and will give from 80 to 90 per cent of
1027	double blossoms. (See engraving.)
1837	Salvia Splendens Compacta. Dwarf flowered Splendid Salvia. A new French variety, distinguished from the old Splendens by its more tufted and compact habit,
	its dwarfer growth, and by the spikes of flowers, which are more numerous, bloom
	earlier, and more dense on the stems. Its brilliant color and abundance of flowers render it one of the most attractive and effective plants for the summer garden25
1838	- Graciliflora. Annual, one foot in height, habit of S. Roemeriana; flowers fine
1839	violet red, and very abundant and showy
1040	flowers. Very ornamental
1840	Splendens Compacta. A new, dwarf, compact-growing variety, of the old beautiful species
1841	- Gracitiflora. A new species, with long flowers of a rosy-lilac color. Very delicate25
1842	Chionantha. A hardy perennial, with large white flowers on pyramidal spikes, about two feet in height
1843	Salpiglossis Hybrida Grandiflora. (Vilmerin.) These fine annuals have been greatly
	improved by careful selection and cultivation, and their flowers are unparalleled for size, shape, and color
1844	size, shape, and color .  Saxifraga Cymballaria. A miniature perennial species, with handsomely crenated, roundish, giossy leaves, above which rise the pretty light-yellow flowers in great
	profusion: extremely pretty
1845	Hypnoides. Grows in moss-like tufts; hardy perennial. 1/2 foot



BALSAM SOLFERINO. See page 146.





SANVITALIA PROCUMBENS.

See page 100.




See page 97.



NO.	PI	RICE
184	6 Saxifraga Umbrosa (London Pride). Pink; beautiful; hardy perennial. 1 foot	.10
184	6 Saxifraga Umbrosa (London Pride). Pink; beautiful; hardy perennial. 1 foot. 7 — Rotundifolia. White; hardy perennial. 1 foot. 8 Scabiosa Nana Fl. Pl. Varieties (Benary). New, double, dwarf Scabious. This beautiful novelty will be found a valuable improvement of the well-known Dwarf	.10
184	B Scabiosa Nana Fl. Pl. Varieties (Benary). New, double, dwarf Scabious. This heaviful nevalty will be found a valuable improvement of the well-known Dwarf	
	Scabious. The flowers, which have all the beautiful varieties of colors of this	
	tribe, are perfectly double, and form round, globular heads; the petals are shorter,	
	so that the stamens become almost invisible, making the flower resemble a double Pompon Chrysanthemum. It is of a dwarfer and more compact habit than the old	
	varieties, and will prove a most valuable acquisition	.25
1849	9 Schizanthus Oculatus Atropurpureus. A seedling of the S. Grandiflorus Oculatus,	.23
	with large handsome blooms of a rich crimson purple, with black eye	.25
1850	<ul> <li>Grandiflorus Atous. A very showy and beautiful variety, with large, pure-white flowers, with sulphur eye</li> </ul>	24
1856		.25
	hardy annual, forming a compact well-branched plant, with a profusion of rich red	
1852	blossoms. A very effective plant for pot-culture and conservatory decoration.  Schizostylis Coccinea. A new African plant, which appears to be a rival to the Gladio-	.25
1034	lus, resembling it, not only in general habit, but in the brilliancy of its long spikes	
	of broad open flowers, varying from deep rosy crimson to vivid scarlet, and measur-	
	ing two inches across. It appears quite hardy, and blooms in the autumn, remaining	
	long in flower. It is easily cultivated, and will be very valuable for the open garden or for greenhouse decoration. The flowers are striking and brilliant	.50
1853	Sedum Denticulata. Rose: fine: hardy perennial. \(\frac{1}{2}\) foot	.10
1854 1855	Silene Alpestris. White; hardy perennial. \(\frac{1}{2}\) foot \(\frac{1}{2}\) \(\frac{1}2\) \(\frac{1}2\) \(\frac{1}2\) \(\fr	.05
1000	<ul> <li>Pendula Ruberrima. A very remarkable variety, worthy of general cultivation, as vigorous and free-flowering as Silene Pendula; but its flowers are of a deeper</li> </ul>	
	crimson tinge, and its stems, leaves, and petals of a brownish-purple color, which	
	extends also to the calix, and imparts to the whole plant a very peculiar and striking	
1856	aspect .  Saxifraga. Charming little miniature species, very fine for borders or rock-works.	.25
	Its foliage, of a shining green, resembles a fine, short grass, and is dotted with numer-	
1055	ous pretty, white flowers; grows two to four inches in height	.25
1857	cut foliage, and spinous fruits of the size of a walnut	.25
1858	B — Reclinatum. Similar to Lasciniatum, with large azure-blue flowers	.25
₩859	Sonchus Macranthus. A splendid foliaged plant, with leaves above eighteen inches in length, throwing out its flower-spikes more than six feet in height, set with double	
	flowers two inches in diameter. Highly valuable and ornamental	.50
1860	Pinntus. A beautiful foliaged plant, with thin glossy leaves very finely cut .	.05
1860	2 Silybum Eburneum. A fine variety of the Thistle; native of Algeria; leaves broad,	
	dark, green, and glossy, beautifully spotted with white; very showy for groups or scattered on grass-plats; biennial, flowering second year, from seeds	.25
1861	Stock Large-Howered Canary. Yellow; splendid new variety; hardy annual 1 ft	,25
1862 1863	Aurora-Colored. Yellow, tinted with rose; hardy annual. 1 ft  New Rose-flowered Autumnal. Rose-shaped, double flowers; fine for pot-	.10
1000	culture. I foot	.25
1864		-
	without doubt, the most perfect stock ever produced, and, well-grown, forms a compact and giant plant. Its immense truss, and long duration of flowering, make it a most	
	useful variety, either for the garden or bouquet	.50
1865	<b>Statice I houinii.</b> A splendid novelty of 1867; of dwarf, bushy habit, with spreading	
	neads of nowers, the corollas of which are white, with porcelain-blue calyces: very	.25
1866		.23
	high; with silvery, feathered flower-stalks; beautiful for bouquets. Perennial;	
1867	flowering the first year from seed  Trachelium Cæruleum Carmine. A beautiful pink variety of this old but greatly ad-	.50
	mired plant: of a dwarfer and more compact growth	.25
1868	3 Tropæoleum, King Theodore. A new variety, selected from King of Tom Thumb,	
	having the same bluish-green foliage, and novel blossoms of an intense black; forms a fine contrast with the scarlet	.25
1869	<ul> <li>Lobbi Crown Prince of Prussia. A splendid acquisition of strong habit;</li> </ul>	_
1070	flowers, brilliant scarlet; said to surpass all others	.50
1870 1871		.25
	trasting vividly with the intense scarlet of the blossoms, produces an unequalled blaze of brilliance, and the plant must become a universal favorite	
(07)	blaze of brilliance, and the plant must become a universal favorite	.25
1872	2 Tritoma Uvaria Grandiflora. One of the finest summer and late-autumn flowering herbaceous plants known, forming magnificent groups in flower-gardens, borders, &c.,	
	herbaceous plants known, forming magnificent groups in flower-gardens, borders, &c., and admirably adapted for single specimens. The very brilliant orange-red and	
	name-colored, sceptre-like nower-heads, three to four feet high, elevated above the	
	foliage, are unequalled for effect in masses or for border decorations. The plants should be lifted, and placed in a frame or cellar during winter. Per packet	<b>FO</b>
1873	3 Tricyrtis Hirtus Nigra. A new and distinct Japan plant; growing about three feet	.50
	3 Tricyrtis Hirtus Nigra. A new and distinct Japan plant; growing about three feet high; foliage, resembling Lilium Lancifolium; flowers, nearly black, and lily- shaped; new, curious, and beautiful.	
	shaped; new, curious, and beautiful	.50
	,	

No.	PRICE
1874	Verbena Montana. This is another gem, truly: it has the habit of the common Verbena, but is perfectly hardy, and blooms more profusely. The plant literally covers itself with its bright, rose-colored flowers, from early in May until winter sets in. A
	itself with its bright, rose-colored flowers, from early in May until winter sets in. A
	native of the gold regions of Colorado Territory Seeds per nacket
18/5	Veronica Perfoliata. A fine greenhouse plant, two feet high, with glaucous-green leaves and purple blossoms; free blooming Viscaria Cardinalis. A seedling Viscaria, of an exceedingly brilliant and showy character; color brilliant magenta (a new color in Viscarias); the foliage, a bright lively
1876	Viscaria Cardinatis. A seedling Viscaria, of an exceedingly brilliant and showy char-
	green, contrasts effectively with the very brilliant bloom, of which there is a pro-
	fusion. In its way, this Viscaria is quite as important an introduction as was the
1877	Linum, to which it is a suitable companion
1878	— Splendens. Rosy red; beautiful; hardy annual. 1 foot
1879	Violet. The Czar. A new, very large, and beautiful variety of the Violet. The leaves are large; and the flowers, which are of the deepest blue violet, are borne on very
	long foot-stalks (five to six inches in length), and are nearly twice as large and much sweeter than the old Russian Violet. It is so hardy that it commences blooming in
	September, and continues flowering until May, even during the frost and under the snow. "The Gardener's Chronicle" says that, "in point of size and vigor, it
	snow. "The Gardener's Chronicle" says that, "in point of size and vigor, it eclipses all that have preceded it." Mr. Graham, the originator of the variety, writes
	us that "it is in great demand among the flower-dealers in Covent Garden Market, and that he has made heaps of morey with it." It has been awarded numerous
	and that he has made heaps of money with it." It has been awarded numerous first-class certificates. Our plants have been in flower since last September, and the
	few seeds we now offer were raised from the original plants obtained of Mr. Graham50
1880	Viola Cornuta. One of the finest of all known Violets for summer and autumn decoration. A neat, compact, perennial, herbaceous plant. Six to nine inches high, with
	small heart-shaped leaves; and yielding a succession of conspicuous, delicate, light-mauve-blue flowers as large as the leaves, in succession, from April to Oct her. A
	beautiful plant for clumps or edgings, forming a rich, compact mass of green foliage,
	set off by the profusion of deep purple, mauve-color, and violet blossoms. The seed
	vegetates best if sown early in a cold frame, and the young plants removed to the border where they are to bloom
1881	Wallflower, Brown's Early. This variety is commendable, and deserves to be preferred
	to the old variety, its spikes of flowers being longer and thicker, the flowers larger, more numerous, and blooming more regularly; at the same time, very good either
1882	for cut flowers or for bedding out
1002	Waitzia Corymbosa. Another very fine annual species of Everlasting of bushy, compact habit, growing about one foot high, and as much in diameter, each branch
	terminating in clusters of elegant flowers of a deep amaranth color, with small yellow disk; succeeds well in light soil in the open ground, blooming from August
	to October Also fine for not-culture
1883	— Acuminata Citrina. A fine Australian Everlasting, of bushy, compact growth, twelve inches high, with narrow foliage, bearing numerous terminal corymbs of flowers, each flower an inch across, and in all the various shades of yellow.
4004	ers, each flower an inch across, and in all the various shades of yellow
1884	- Albo Purpurea. A variety of the former, with amaranth-colored flowers, in the various shades from crimson to purplish-red, with a yellow disk. Both are suited
1885	to pot-culture, and, if planted in the open ground, require a light sandy soil50  — Corymbosa Sulphurea. A beautiful yellow variety of the amaranth-colored
1003	species sent out last year, but much more showy
1886	species sent out last year, but much more showy  Grandiflora. Resembling the W. Aurea, but more robust in habit, and with larger flowers. A very fine Everlasting, which received a first-class certificate from the Penn Hestingham Science of Leading and Marian.
	the Royal Horneutural Society of London
1887	Whitlavia Gloxincides. An elegant revelty of the same habit as W. Grandifora, and produces a multitude of Gloxinia-like flowers; the tube of the corolla being pure
	white, and the limb of upper portion a delicate light blue
1888	Caracasana in beauty. Leaves much larger, of a lovely green, glaucous undermeath.
1000	Seeds of easy growth
1889	striking variety of this well-known Everlasting; the densely challe flowers are white and pink-like, striped and sprinkled rose, red, crimsen, and purple. This new
	white and pink-like, striped and sprinkled rose, red, crimson, and purple. It is new
	variety will prove an invaluable acquisition for dried boucusts, as the colors remain unaltered. It is strongly recommended for bedding and grouping, as it is very double, and just as profuse blooming as the other varieties of this Everlasting; of a
	double, and just as profuse blooming as the other varieties of this Everlasting; of a regular, compact habit, and quite constant in character
1890	Zea. The new striped Japanese Maize. One of the most valuable acquisitions.
	Among ornamental-foliaged plants of rapid growth and immediate effect, the new Striped Japanese Maize holds the most conspicuous place. It is a native of Japan.
	Striped Japanese Maize holds the most conspicuous place. It is a native of Japan- It appears to be a variety of Maize, but differs in many respects from our common  Indian Corn. It grows from five to six feet high, and has alternate foliage is about four feet long, and two to three inches wide. The variety of the stripe of the fourth or fifth left, it then begins to choose the show itself, until the fourth or fifth left, it then begins to choose its two begins to choose or show itself.
	is about four feet long, and two to three inches wide. The variegation does not show
	itself with the lower of man lear, it then begins to show its true character of
	great white stripes, and in a short time the long wavy and gracefully recurved leaves become evenly and perfectly striped or ribboned with alternate colors of clear
	white and the brightest green, occasionally showing faint tinges of rose-color at the edges. In general appearance, it approaches the beautiful Arundo Donax Variegata.
	r or groups on the lawn, or for a back row in the nower-border, nothing can be more
	imposing, effective, and grand





THEORN'S TOMATO. See page 135.

## AMATEUR CULTIVATOR'S GUIDE

## TO THE VEGETABLE GARDEN.

In again presenting our Catalogue of Vegetable Seeds, we embrace the opportunity to add that our stock, as heretofore, has been selected with a view to secure only the freshest and most reliable seeds. Most of the staple seeds are raised expressly for us by experienced growers; and such as are imported are purchased from the most reliable seedsmen in Europe, with whom we have long dealt, and from whom we have received only such as we could with perfect confidence recommend. It is our invariable rule to test all our seeds ourselves, and never to send out any thing but what we are certain will vegetate freely, and prove true to name. Nothing causes greater disappointment than poor seeds; for not only is the season lost if they fail to grow, but an inferior crop will not pay for the trouble of planting. American-grown seeds always have our preference; but some kinds it is impossible to obtain in sufficient quantity to fill our orders, and those are obtained only from reliable dealers abroad.

Our prices are affixed by the ounce, quart, and packet; but no quantity is sold less than the ounce or quart at these prices: when less is ordered, they will be supplied in packets at that rate, All the kinds can be supplied by the pound or bushel at the lowest market rate for prime seeds.

Prices of seeds vary, to some extent, from the time of harvesting to the time of planting, and we do not feel bound by these prices unless orders are sent in early. We can only advise our customers to give their orders in good season to secure the most favorable terms.

## VEGETABLE SEEDS.

Artichoke (CYNARA SCOLYMUS).

German, Artischoke. - French, Artichaut. - Spanish, Alcachofa.

The Artichoke is a native of the south of Europe, and is principally cultivated in the gardens of the French, by whom it is considered more as a luxury than as a profitable esculent. There are two varieties, the Globe and the Green. The former is so called from its globular head, of a dull purplish tint. The scales are turned in at the top more than the other varieties, and it is preferred; as the scales or edible parts are thicker, and possess more flavor. The Green is more hardy and prolific, the scales are more open, and the plant better adapted for culture in cold climates, than the former. The heads, in their immature state, and before their blue thistle-like flowers open, are cut, and boiled in salt and water. The edible part is merely the fleshy substance on the bottom of the scales, which, to make palatable, has to be dipped in a nicely prepared sauce of butter and spices. They are frequently eaten as salad in a raw state.

CULTURE. — The Artichoke may be grown from seed or offset suckers, separated early in spring. The best way to obtain a supply from seed is to sow the seeds in April in a bed of good rich earth, or it may be planted in drills one inch deep and about twelve inches apart. It should be transplanted the following spring to a permanent place. Either in beds or drills, plants should stand two feet apart each way, requiring a deep, rich, moist loam; also should be protected with leaves or straw during winter.

Large Globe. A very large sort, much esteemed, and most generally cultivated. Heads or buds very large, nearly round, and with a dusky-purplish tint. Per pkt., 10 . 50

Green, or Common. Heads large, of a conical or oval form; scales deep green, thick, and fleshy; pointed at the tips, and turned outwards. Per pkt., 10 . 50

per lb.

Jerusalem. Produces tubers resembling potato. Cultivated by planting tubers as early as the ground will admit

#### Asparagus (Asparagus Officinalis).

German, Spargel. - French, Asperge. - Spanish, Esparrago.

This universal vegetable is supposed to be a native of Great Britain, where it is found on the banks of sandy soil contiguous to the sea, growing luxuriantly under the salt breezes: There are, it is said, several varieties of Asparagus; but the difference mainly arises from the nature of the soil.

CULTURE. — Sow the seed early in spring one inch deep, and three or four inches apart, in rows one foot apart. When two years old, they may be transplanted into permanent beds, the plants placed a foot apart in each direction, and at least four inches beneath the surface.

To make it "Giant," be particular to select for the bed warm rich soil. Trench it at least eighteen inches deep, working in six inches or more depth of well-rotted manure. Every fall cover the bed with manure, and in spring dig it in lightly, care being taken not to disturb the roots.  Fine Asparagus beds may be formed by sowing the seed where it is to remain. With this end in view, sow the seed in beds prepared as directed above. Sow the seed in rows lengthwise, twelve inches apart. When a year old, thin out the plants to one foot apart.
Giant Purple Top. Sprout white; top, as it breaks ground, purple; grows to a good size; excellent. Per pkt., 5  Green Top. When grown under same treatment as Giant Purple Top, it is generally smaller or more slender. Per pkt., 5
English Bean (FABA VULGARIS).
German, Gartenbohne French, Feve de Marais Spanish, Haba.
The following varieties are much grown in England, but find little favor in this country.
CULTURE. — Sow as early as the ground will admit, in rows two feet apart, and three inches apart in the rows. They will come sooner into bearing if the tops of the plants are pinched off as soon as they are in full bloom.  Succeed best in a deep, strong, loamy soil.  By Mail, 8 cents a pint cxtra.  per qt.
Early Mazagan. This variety, though originally from Mazagan, on the coast of Africa, is one of the hardiest sort now in cultivation. Stems from two to three feet high;
rather slender
Broad Windsor. This familiar sort is much esteemed and extensively cultivated, remaining fit for use longer than any other variety. A sure bearer
Beans, Dwarf or Bush (Phaseolus Vulgaris).
German, Bohne French, Haricot Spanish, Frijolenano.
The plants of this class vary from a foot to two feet in height. They require no stake or pole for
their support.
CULTURE. — Drop the beans two or three inches apart, in rows two and a half feet apart; plant in light rich soil; hoe often, never when the vines are wet, or they will rust. All varieties of beans
are very sensitive to frost and cold, and should not be planted before the middle of spring. As they
are very sensitive to frost and cold, and should not be planted before the middle of spring. As they require but about six weeks to make green pods, they can all be sown as late as July.  By Mail, 8 cents a pint extra.  Per qt.
Early Yellow Six Weeks. Excellent for string or shell; one of the earliest 40
Early Turtle Soup. Much esteemed, when dry, for cooking Early Valentine. Long tender pod; an excellent string-bean
Early Mohawk. Early, productive, and very hardy
Early Half-moon. Large and productive
Early Marrowfat. White; an excellent shell-bean; valuable, when dry, for baking
Refugee, or Thousand to One. A favorite string with many; very productive 40
White Kidney, or Royal Dwarf. Late and productive
Beans, Pole, or Running (Phaseolus Vulgaris).
German, Stanger Bohne. — French, Haricots a rames. — Spanish, Judias.
As a class, these are less hardy than the dwarfs, and are not usually planted so early in the season. The common practice is to plant in hills three feet or three and a half apart, with a stake or pole to run upon.  By Mail, 8 cents a pint extra.
London Horticultural. or Speckled Cranberry. Sometimes called Wren's Egg; an excellent variety; may be used as a snap, or, when more advanced, shelled, as the
Lima; very productive  Red Cranberry. This is one of the oldest and most familiar of garden beans; excellent as a
string or snap bean
White Case Knife is the most prolitic of the running varieties. As a shelled bean, it is of excellent quality in its green state, and, when ripe, farinaceous and well-flavored
in whatever form prepared.  Indian Chief, or Wax. One of the best varieties for general cultivation, either for snaps or
shelled; remarkable for its fine, tender, succulent, and richly colored pods, which are produced in great abundance, continuing a long time fit for use
Beans, Flowering-Runners (Phaseolus Mulfiflorus).
German, Grosse Bunte Bohne French, Haricot d'Espagne Spanish,
Judia Vastago d'Espana.
Scarlet-Runner. A very prolific variety; fine for covering arbors, trained over pales, up
the walls of cottages, which they enliven by the brightness of their blossoms, at
the same time yielding a supply of wholesome and nutritious food 50

with D. A. C. C. C. L. D. W. D. L. L. L. L. D.	er qt.
White-Runners. A variety of the Scarlet-Runner. The plants are less vigorous, and the	
flower and seeds pure white. As a shell-bean, either green or ripe, they are considered superior to the scarlet, and often seen in our markets under the name of Lima,	
from which they may be distinguished by their greater thickness, and more rounded	
form	50
Painted Lady. A sub-variety of the Scarlet-Runner, with variegated flowers; the upper	
petals being scarlet, the lower white	60
Beans, Lima (Phaseolus Lunatus).	
German, Bohne von Lima French, Haricot de Lima Spanish, Haba Vastago de Lin	
Large Lima. This is one of the latest, as well as the most tender, of all garden beans. Little	er qt.
Large Lima. This is one of the latest, as well as the most tender, of all garden beans. Little will be gained by very early planting, as the seeds are not only liable to decay	
before vegetating but the plants suffer greatly from cold damp weather: the best	
time being from the first to the middle of May. In planting, be sure to place the eye downwards, or otherwise it might not come up.  Small Lima, Carolina, Sewee, Sieva, or Saba. This is one of the most productive of all varieties. The beans, in their green or ripe state, are similar to the Lima, and the property and ripe flavored. It is form true to three weeks earlier than	
eye downwards, or otherwise it might not come up	75
Small Lima, Carolina, Sewee, Sieva, or Saba. This is one of the most productive of	
are nearly as delicate and rich flavored. It is from two to three weeks earlier than	
the large Limas	75
	15
Beet (Beta Vulgaris).	
German, Runkle Rube French, Betterave Spanish, Bettaraga.	
CHI THE - Rest are always raised from seeds. For early use sowings are sometimes	made
in November; but the general practice is to sow the seed in April, as soon as the first is out of ground, or as soon as the soil can be worked. For use in autumn, the seed should be sown about middle or twentieth of May; and for the winter-supply, from the first to the middle of Lay out the ground in beds five or six feet in width, and of a length proportionate to the six required; spade or fork the soil deeply and thoroughly over; rake the surface smooth	of the
ground, or as soon as the soil can be worked. For use in autumn, the seed should be sown about	at the
middle or twentieth of May; and for the winter-supply, from the first to the middle of	June.
Lay out the ground in beds five or six feet in width, and of a length proportionate to the si	upply
required; spade or fork the soil deeply and thoroughly over; rake the surface smooth even; and draw the drills across the beds fourteen inches apart, and about an inch and a h	and alf in
depth. Sow the seeds thickly enough to secure a plant for every two or three inches, and	
to the depth of the drills. Should the weather be warm and wet, the young plants will appear in	eight
or ten days. When they are two inches in height, they should be thinned to five cr six in	nches
or ten days. When they are two inches in height, they should be thinned to five cr six in apart. The surplus plants will be found an excellent substitute for Spinach, if cooked and s in a like manner. The after-culture consists simply in keeping the plants free from weeds, an	erved
in a like manner. The after-culture consists simply in keeping the plants free from weeds, an	d the
earth in the spaces between the rows loose and open by frequent hoeing.	02 07
Early Flat Bassano. An Italian variety; generally considered the earliest of garden beets,	er oz.
being from seven to ten days earlier than the Early Turnin Blood. Flesh	
white, circled or zoned with bright pink; very tender and juicy; not suited for	
white, circled or zoned with bright pink; very tender and juicy; not suited for winter use unless sown quite late. Per pkt., 5  Early Turnip Blood. One of the best varieties for general use. Flesh deep blood-red, sometimes circled and rayed with paler red; remarkably sweet and tender. Per	20
Early Turnip Blood. One of the best varieties for general use. Flesh deep blood-red,	
sometimes circled and layed with paiet led; remarkably sweet and tender. Fer	75
Early Vellow Turnip, or Orange. A sub-variety of the Blood Turnip, differing princi-	15
pally in color, and to some extent in form, which is less compress. Flesh yellow,	
comparatively close grained, sweet and tender. Per pkt., 5	15
Long Blood Red. One of the most popular of winter beets. The seed should not be sown before the middle of June, as the roots, when large, are frequently tough and	
before the middle of June, as the roots, when large, are frequently tough and	
fibrous. Per pkt., 5 Long Smooth Dark Blood. This is an improved variety of the common Long Blood.	15
Flesh dark blood-red, sweet, tender, and fine grained, with but few side roots:	
Flesh dark blood-red, sweet, tender, and fine grained, with but few side roots; fine winter beet if sown late. Per pkt., 5.  Henderson's Pineapple. Short top, medium size. Flesh very deep blood-red, fine grained, sweet, tender, and of excellent quality. Per pkt., 10	15
Henderson's Pineapple. Short top, medium size. Flesh very deep blood-red, fine	
grained, sweet, tender, and of excellent quality. Per pkt., 10	30
Carter's St. Usyth. Medium sized, good shape, short top, rich deep blood-red color: fine	20
flavor. Per pkt., to	30
flavor. Per pkt., 10  White Sugar. A large variety, grown extensively for feeding stock, although the young roots are tender, sweet, and well flavored. Per pkt., 5  Jutting's New Dwarf Red. A new English variety, said to be one of the best. Per pkt., 10.  A large variety group principally for faeding stock. When	10
lutting's New Dwarf Red. A new English variety, said to be one of the best. Per pkt., 10.	
ong Red Mangel Wurzel. A large variety, grown principally for feeding stock. When young, is sometimes used for the table. Flesh white, zoned and clouded with	
young, is sometimes used for the table. Flesh white, zoned and clouded with	
different shades of red; is hardy, and keeps well. Per pkt., 5  */ellow Clobe. A large, round, orange-colored variety; excellent quality, which keeps	10
different shades of red; is hardy, and keeps well. Per pkt., 5  Clobe. A large, round, orange-colored variety; excellent quality, which keeps better than the Long Red, and produces better crops on shallow ground. Per	
nkt d	10
Swiss Chard, or Silver. This variety of beet, sometimes called Sea-Kale Beet, is culti-	
vated for its leaf-stalks, which are served up much like Asparagus, and for its	
wiss Chard, or Silver. This variety of beet, sometimes called Sea-Kale Beet, is cultivated for its leaf-stalks, which are served up much like Asparagus, and for its leaves cooked as Spinach. If cut often, new and more tender stalks will be repro-	
duced. Per pkt., 5.  Perpetual Spinach. Leaves large, of good color; flavor superior to Spinach, for which it is used as a substitute. In use the whole season. Per pkt., 10.	15
which it is used as a substitute. In use the whole season. Per plt. 10	25
which it is used as a substitute. In use the whole season. I et path, io.	23
Borecole, or Kale (Brassica Oleracea Acephala).	
German, Blatter Kohl French, Chou vert Spanish, Breton.	
Paracle Common Current of Seatch Value in a new delicate remetable. It is accoming to	

Borecole, German Greens, or Scotch Kale, is a very delicate vegetable. It is essential to its per-

fection that it be acted upon by the frost before it is cut for the kitchen. The part used are the tops or crown of the plant, with any of the side sprouts. It boils well, and is tender and sweet. CULTURE. - The seeds are sown at the time of sowing the seeds of the Cabbage or Cauliflower, and in the same manner: early plants may be started in a hotbed, or the seed may be sown in the open ground in May. In transplanting, treat the plants same as young cabbages, setting them more or less remote, according to the size or habit of the variety; requires a light rich soil. Green Curled Scotch. This is one of the most popular varieties. It is very hardy, arled Scotch. This is one of the and is much improved by frost. Per pkt., 10 and is much improved by frost. Per pkt., 10 urled Kale, or German Greens. This is a very hardy and comparatively urled Kale, or German Greens. This is a very hardy and comparatively urled. A fine variety for winter and 15 Dwarf Curled Kale, or German Greens. This is a very hardy and comparatively low-growing variety; the leaves are finely curled. A fine variety for winter and spring use when planted in a light cellar, or other protection from the severity of the weather. In the Southern and Middle States, it stands well in the open beds. Per pkt. 10 Tall Green Curled. A fine hardy and productive variety; height two and a half feet. Per Cottager's Kale. A new English variety. It is exceedingly hardy, of excellent flavor, and very productive. It should be planted in March, in a frame, and transplanted early about three feet apart; requires a light rich soil. Per pkt., 10

Carter's Improved Garnishing. This will produce more than twenty varieties, some of which are worthy of a place in a greenhouse, being quite equal in color to the new Coleus. The colors vary from rich crimson to white laced and fringed. Per pkt., 10 Ragged Jack. A very fine English variety. Per pkt., 10 Brussels Sprouts (Brassica Oleracea Var). German, Kopf, Kohl, Gruner. - French, Chou de Bruxelles. Cultivated for the small heads, which are produced in great numbers on the main stem of the plant, and are in perfection in the autumn. They are very tender, and of fine flavor after early frosts. Sow in seed-beds in May; transplant and cultivate as directed for Cabbage. per oz. Roseberry. A new and superior English variety; one of the best. Per pkt. 10. 35 3.5 It comes in after the other varieties of the Sprout. The flavor, Brussels Sprouts. after cooking, is all that could be desired, - mild, mellow, and very fine. Per New Feather-Stem Savoy. A true hybrid, possessing the growth and habit of Brussess Sprouts. A delicate and delicious vegetable, requiring same treatment as Brussess. sels Sprouts. Per pkt., 10 Broccoli (Brassica Oleracea Botrytis). German, Brocoli, Spargel-kohl. - French, Chou Brocoli. - Spanish, Broculi. In its structure and general habit, the Broccoli resembles the Cauliflower. It is very hardy, and surer to head, but inferior in flavor. CULTURE. - The seeds should be sown in hotbeds in April, or in open ground in May, in a very deep rich soil, on an open exposure, where the plants grow much stronger in a set is of fences. Sow the seeds tolerably thick on the surface. If dry, tramp them down, and rake in lightly, If drought continues, give the beds a few waterings till the plants appear, which will be in two or three weeks. Transplant in June or July, when the weather is moist, in rows two feet apart, and twenty inches in the row. Their further culture is to keep them clear of weeds by hoeing and twenty inches in the row. Their further culture is to keep them clear of weeds by hoeing and stirring the ground. When they have advanced in growth, draw some earth to their stems, which greatly promotes their luxuriance. Early Purple Cape. This has a close compact head of a purple color, and, in favorable seasons, comes as large as a Cauliflower. Hardy, and of excellent flavor. Per White Cape. Later than the preceding, and should be planted here, at the North, early is April. The heads, when perfected, are large and white and compact, resembling the Cauliflower. Per pkt., 10

Chappell's Large Cream-Colored. A very large and fine sort: flower cream-yellow; very early. Per pkt., 10

Snow's Super's White Winter. This is a dwarf variety. The leaves are broad, with short stems; the heads are large, white, very compact; considered by many equal to the Cauliflower. Per pkt., 25

Walcheren. Comparatively new, and so closely resembling a Cauliflower as to be scarcely distinguishable from it. The leaves, however, are more curbed, and it is hardier. Per pkt., 10 pkt., 10 Per pkt., 10 Grange's Autumn. A fine fall variety; close compact head; one of the best. Per pkt., 10, Adam's Early White. A fine variety; strong and rebust grower, with a compressed head, so as to render it invisible when ready for cutting; and this protects it from rain, and effect of frost; heads large and pure white. Per pkt., 10

Carter's Champion. Dwarf, compact-growing, large-headed; the best late variety in cultivation. Carter's Champion. Dwarf, compact-growing, large-headed: the b tivation. Per pkt., 25.

Elletson Emperor. A new and fine English variety. Per pkt., 10

#### Cabbage (Brassica Oleracea Capitata).

German, Kopfkohl. - French, Chou Pomme. - Spanish, Repollo.

One of the most popular vegetables grown.

One of the most popular vegetables grown.

Culture. — The Cabbage can be cultivated by the most simple and easy means. It grows in most soils, and produces its beneficial heads nine months in the year. The ground must be rich, or made so by a good coat of manure, as they have strong tapering roots. Digging or ploughing deep is very essential. To produce a constant succession of the Cabbage, it is necessary to plant at a number of times; also different varieties. For early use, sow in hotbeds in February or March; and for winter, the seeds may be sown in the open ground in May or June. When five or six inches high, transplant to from twelve to thirty inches apart. The plants should not be allowed to stand too thickly together, as this causes them to grow weak and feeble.

Wintering Cabbages. — If you have not a dry, airy, vegetable cellar nor open shed to spare for burying them, take a sheltered part of the garden, and bury the roots, stalks, and part of the head, in the earth; over which, in severe weather, place a good sprinkling of straw and a few boards. In southern latitudes, this is unnecessary: there they can withstand the climate.

The plants, before heading, are used extensively at the South for greens, under the name of Collards. We recommend the Sugar-loaf for this purpose; but any early cabbage will answer.

Early York. One of the oldest, most familiar, and, as an early market sort, one of the most	er oz.
popular, of all the kinds now cultivated. The head is of rather less than medium size, roundish-ovoid, close, and well-formed, of a deep or ash green color; tender	
1 11 4 1 10 11	25
Early Sugar-loaf. Conical heads, with leaves erect; of a peculiar ashy or bluish-green hue; spoon-shaped; a fine variety for the Northern States, but in the South it loses its flavor and tenderness; said to be more affected by the heat than most	-3
early varieties. Per pkt., 10 .  Early Wakefield. An English variety, similar in form to the Early York, and nearly as	30
early; grows to a good size; a favorite with market-gardeners. Per pkt., 10	40
Early Champion. Very early; dwarf and compact heads. Per pkt., 10 Early Drumhead, or Battersea. This is a round, flat-headed variety, of excellent qual-	30
ity; one of the latest among the early sorts. Per pkt., 5	25
Green Glazed. Heads large, rather loose and open. Its texture is coarse and hard:	35
extensively grown in warm latitudes, where it appears to be less liable to the	
attacks of the cabbage-worm than any other sort. Per pkt., 5	40
Large York. This is a larger variety than the Early York, which it somewhat resembles.  The head is broader, and more firm and solid; a favorite at the South, as it bears	
the heat well; two weeks later than Early York. Per pkt., 5	25
Large Late Drumhead. Heads very large; round, sometimes flattened a little at the top;	,
close and firm; very hardy, and keeps well for a winter cabbage. Per pkt., 5.  Large French Oxheart. A French variety, which is taking the place of many others.	40
as it comes in after the Early York. It is tender, forms its heads readily, and	
well-flavored; a fine intermediate sort. Per pkt., 10	40
Little Pixie. A comparatively new variety; makes a small delicate-flavored head; one of the very earliest and best. Per pkt., 10	40
Large Bergen, or Great American. Head remarkably large, round, flattened at the top:	40
compact; one of the largest and latest of all the Cabbages, and, when not fully	
perfected before being harvested, has the reputation, if reset in earth in the cellar, of heading, and increasing in size, during the winter. It is a popular market sort.	
Plants should stand three feet apart. Per pkt., 10	40
Stone Mason. This variety was originated by Mr. John Mason, of Marblehead, Mass.	
It is characterized for its sweetness and for its reliability for forming a solid head.  It is also an excellent variety for extreme northern latitudes. Under good cultiva-	
tion, nearly every plant will set a good head. Per pkt., 10	40
Mason's Drumhead. Large, round, solid heads; a very popular market Cabbage. Per	
Marblehead Mammoth Drumhead. One of the largest of the Cabbage family; produced	40
from the Mason or Stone Mason; in good soil, and with proper culture, will average	
thirty pounds per head. Per pkt., 25  Pomeranian. An intermediate variety; heads are of medium size; has the form of an elon-	.00
gested some and is now as make and some stringle suits solid. Donate	40
Premium Flat Dutch. A low-growing variety; heads large, bluish-green, round, solid,	40
broad and flat on the top, and often tinted with red and brown. As a winter vari-	
ety, it has no superior. Per pkt., 10  Red Dutch, or Pickling. This sort is used mostly for pickling, and often cut in shreds	50
and served as a salad; medium size, oblong shape, and very solid; of a deep-red	
or purple color. Per pkt., 10	35
Winnigstadt. This is a German variety, somewhat similar to the Oxheart, but more regular; conical; heads very full and solid. It is an intermediate variety, which comes in	
after the Early York. All things considered, this is one of the best for general	
cultivation. Per pkt., 10	40
SAVOY.	

None of the Cabbages are hardier or more easily cultivated. They should be sown early, and, when the seedlings are five or six inches high, transplanted or thinned out to three feet apart. The Savoys have more of the delicious richness of the Cauliflower than any of the Cabbages.

Drumhead Savoy. Head large, round, compact, yellowish at the centre, and a little flat-
tened; in the form of the common Drumhead, which it nearly approaches in
size; excellent for winter. Per pkt., 10
Green Gione, or Curled Savoy. One of the best and most familiar of the Savoys; medium size; does not make as firm a head as some, but, being very tender, the
inner leaves will be found your good for the table. Day alet an
Russian Savoy. A new and hardy variety of the Savoy, with fine solid heads. Per
pkt., 25. Victoria Savoy. A new variety, highly recommended. Per pkt., 10
Early Dwarf Uim. Heads small, round, solid; leaves small, thick, fieshy, of a fine deep-
green color, of first-rate quality; valuable for small gardens; should be planted
early; Per pkt., 10 °
Cauliflower (Brassica Oleracea Botrytis).
German, Blumen Kohl French, Choufleur Spanish, Coliflor.
This very delicate vegetable was first introduced into England from the Island of Cypress, and is classed among the most delicious of vegetables.
CULTURE The proper seasons for sowing seeds are, for the early spring or summer crop,
between the 8th and 20th of September; and for the late autumn crop, about the 1st of April.
The plants, as soon as they are two or three inches high, should be planted out in a bed of rich light earth, three inches apart each way, so as to grow firm and stocky, to remove to their final
place of growth. For the purpose of growing them to perfection, use a bed of the richest light earth,
two feet deep, made very rich, with well-decomposed manure, surrounded by a frame covered with
glass or shutters. Lift the plants carefully with a trowel from where they were transplanted, and
plant them eighteen inches apart each way into the pit or frame prepared for it: give a gentle watering, and press the soil down firmly. The frame should be surrounded with straw or litter of
some kind; also the glass or shutters should be covered with mats or dry straw in severe weather,
observing to give plenty of air on mild and pleasant days to prevent the plants from drawing or
damping off at the neck; should be kept well watered; soap-suds is beneficial. For a late autumn crop they require no particular care or skill, and not much labor, simply keeping them free from
weeds, and the ground stirred frequently.
per oz.
Early Paris. Heads rather large, white, and compact; leaves large, stalk short; a very early sort; should be planted in spring; one of the best. Per pkt., 15
early sort; should be planted in spring; one of the best. Per pkt., 15 3.00 Early London. A well-known variety; good for general use. Per pkt., 10
Early Dutch. An intermediate variety, coming in after the above; heads large, white,
and compact; fine. Per pkt., 10
Carter's Dwarf Mammoth. A very early hardy variety, of dwarf and compact habit, with a firm white head; larger than the Walcheren; stand dry weather; said
to be one of the finest. Per pkt., 25.
Erfurt Earliest Dwarf. One of the best, if not the best, in general cultivation for early
forcing and open ground; very dwarf, leaves small, heads large and very firm;
pure white. Per pkt., 25.  Stadtholder. A large strong growing variety, with compact heads, considered by many
superior to the Walcheren; fine for market. Per pkt., 15 1.00
superior to the Walcheren; fine for market. Per pkt., 15
Walcheren. A very early variety, with close compact head; a general favorite. Per pkt, 10  75  Le Normand. A French variety; heads large, compact, and fine flavor; a superior variety
in all respects. Per pkt. 25
Hovey's Early American. One of the earliest and best varieties. Per pkt., 15 1.50
Large White French. An excellent variety, coming in after the earliest sorts. Per pkt., 10. 75
Waite's Alma. A new variety, represented as being of large size and firm. Per pkt., 15 . 1.25

#### Carrot (DAUCUS CAROTA).

German, Mohre. - French, Carotte. - Spanish, Zanahoria.

The Carrot in its cultivated state is a half-hardy biennial. It is generally served at table boiled with meats; it also makes an excellent ingredient for soups. As an agricultural root, it is not surpassed for feeding cattle.

CULTURE.—The Carrot flourishes best in a good, light, well-enriched loam. If possible, the ground should be stirred to the depth of twelve to lifteen inches, incorporated with a liberal application of well-rotted compost, and well pulverizing the soil in the operation. The surface should next be levelled, cleared as much as possible of stones and hard lumps of earth, and made mellow and friable; in which state, if the ground contains a sufficient moisture to color the surface when stirred, it will be ready for the seed. This may be sown from the 1st of April to the 20th of May; early sowing succeeds best. The drills should be one inch in depth, and from twelve to fifteen inches apart.

HARVESTING.—The roots attain their full size in the autumn of the first year. When large quantities are raised for stock, they are generally placed in the cellar in bulk, without packing; but the finer sorts, when intended for the table, are usually packed in earth or sand, in order to retain their freshness and flavor: with ordinary orecaution, they will remain sound and fresh until May or

their freshness and flavor: with ordinary precaution, they will remain sound and fresh until May or June.

Earliest French Short Horn. A very early variety; small size, and of excellent flavor.

Fine for forcing; one of the best. Per pkt., 10

Early Horn. A very early variety, and as a table Carrot is much esteemed, both on account of the smallness of its heart, and the tenderness of its fibres. As the roots are very short, it will grow well on shallow soils. Per pkt., 5
of the smallness of its heart, and the tenderness of its fibres. As the roots are very short, it will grow well on shallow soils. Per pkt., 5  Orange Intermediate. Size medium; skin bright orange-red; flesh orange-yellow. Sweet, well flavored, and, while young, excellent for the table. Per pkt., 5  Long Orange. A well-known standard sort. Roots long, thickest at or near the crown, and tapering regularly to a point; one of the best for table or field-culture, and
of the smallness of its heart, and the tenderness of its fibres. As the roots are very short, it will grow well on shallow soils. Per pkt., 5  Orange Intermediate. Size medium; skin bright orange-red; flesh orange-yellow. Sweet, well flavored, and, while young, excellent for the table. Per pkt., 5  Long Orange. A well-known standard sort. Roots long, thickest at or near the crown, and tapering regularly to a point; one of the best for table or field-culture, and
very short, it will grow well on shallow soils. Per pkt., 5
Orange Intermediate. Size medium; skin bright orange-red; flesh orange-yellow. Sweet, well flavored, and, while young, excellent for the table. Per pkt., 5
well flavored, and, while young, excellent for the table. Per pkt., 5  Long Orange. A well-known standard sort. Roots long, thickest at or near the crown, and tapering regularly to a point; one of the best for table or field-culture, and
Long Orange. A well-known standard sort. Roots long, thickest at or near the crown, and tapering regularly to a point; one of the best for table or field-culture, and
and tapering regularly to a point; one of the best for table or field-culture, and
and tapering regularly to a point; one of the best for table or field-culture, and
monitor a view does coil Par ply
requires a very deep soil. Per pkt., 5
Improved Long Orange. Similar to the above in form, but is larger, and of a deeper
color; one of the best for general cultivation. Per pkt., 5
Altringham. Flesh bright and lively, crisp and breaking in its texture; the heart, in pro-
portion to the size of root, smaller than that of the Long Orange. A fine variety
Per pkt., 5.
Large White Belgian. Very large, and valuable for field-culture. Per pkt., 5 15
Large Orange Belgian. Similar to above, except in color. Per pkt., 5

#### Celery (APIUM GRAVEOLENS).

German, Seleri. - French, Celeri. - Spanish, Apio.

Celery is one of the most popular salads used in this country. Succeeds well throughout the Northern and Middle States, and, in the vicinity of some of our large cities, is produced of remarkable size and excellence.

CULTURE. — The seed should be sown in hotbeds in March, or in the open ground the last of April or first of May; but, when sown in the open ground, it vegetates very slowly, often remaining in the ground several weeks before it comes up. A bushel or two of stable manure put in a hole in the ground, against a wall or any fence facing south, and covered with a rich fine mould three or four inches deep, will bring the seed up much sooner. Sufficient plants for any family may be started in a large flower-pot or two, placed in a sitting-room, giving them plenty of air and moisture. As soon as the young plants are about three inches high, prepare a small bed in the open ground, and make it rich, and the earth fine. Here set out the plants for a temporary growth, placing them four inches apart. This should be done carefully; and they should be gently watered once, and protected for a day or two against the sun. A bed ten feet long and four feet wide will contain three hundred plants, and, if well cultivated, will more than supply the table of a common-sized family from October to May. In this bed the plants should remain till the beginning or middle of July, when they should be removed into trenches. Make the trenches a foot or fifteen inches deep, and a foot wide, and not less than five feet apart. Lay the earth taken out of the trenches into the space in the middle, between the trenches, so that it may not be washed into them by heavy rains; for it will, in those cases, injure the crop by covering the heart of the plants. At the bottom of the trench put some good, rich, but well-digested, compost manure; for if too fresh the Celery will be rank and pipy, or hollow, and will not keep nearly as long or well. Dig this manure in well, making the earth fine and light; then take up the plants from the temporary bed, and set them out carefully in the bottom of the trenches, six or eight inches apart.

BLANCHING. — When the plants begin to grow, hoe on each side and between them with a small hoe. As they grow up, earth their stems; that is, put the earth up against the stems, but not too much at a time, and always when the plants are dry. Be particular and not allow the soil to get between the stems of the outside leaves and the inner one, as it is injurious to the plants. In frosty weather, they should be protected by covering the tops of the trenches well with dry litter; this should not be allowed to remain longer than is absolutely necessary: it is well to cover the whole with boards to shed the rain.

shed the fam.	
White Solid, Large, strong-growing variety; clear white, solid, and crisp. One of the best	er oz.
for market or general use. Per pkt., 10 Seymour's Superb White. A large-sized, vigorous-growing variety. Stalks white, round,	30
very crisp, and perfectly solid; considered one of the best. Per pkt., 10	30
Boston Market. A medium-sized, white variety; hardy, crisp, succulent, and mild-flavored.  A variety much grown by market-gardeners about Boston. Per pkt., 25,	50
Cole's Crystal White. A fine variety for general use; dwarf, solid, crisp, and fine flavored.	
Per pkt., 10  Cole's Defiance Red. This is a comparatively new sort; medium-sized, solid, dark-red color.	30
Per pkt., 10 Cole's Superb Dwarf Red. One of the best; dwarf, crisp, and fine flavored. Per pkt., 10,	35
Hood's Dwarf Imperial. A stout-growing, very compact, solid, and hardy variety, of supe-	35
rior flavor, and distinct habit. Per pkt., 25.  Sealey's Leviathan Celery. A very large, solid, white variety; highly recommended.	
Per pkt., 10 Laing's Improved Mammoth Red. This is considered the largest variety yet produced;	35
specimens under good cultivation having attained the extraordinary weight of eight	
to ten pounds, and, at the same time, perfectly solid. It is nearly perennial in its habit, as it will not run to seed the first season. Color bright red; flavor unsur-	
passed, if equalled. Per pkt., 10	40
Nonesuch Red (Ivery's). A very late variety; remaining fit for use late in the spring.  Very fine flavor; solid and crisp; one of the best. Per pkt., 10	40
Manchester Red. A large, strong-growing variety; not so compact at heart as some, yet	40
grown largely for market; excellent for soups or stewing. Per pkt., 10.  Turner's Incomparable. Dwarf white variety, of stiff, close habit; solid, crisp, and juicy.	40
Said to keep in good order later in the season than any other variety; highly	
recommended. Per pkt., 10	40

AMAZEON COLITATIONS COLLE
Carter's Incomparable Dwarf Dark Crimson. This is a new variety, highly recommended; of very dwarf habit; exceedingly solid; of a deep crimson color. Per pkt., 25.
pkt., 25.  Turkish Giant Solid. One of the largest white sorts, and considered by many superior to the common White Solid. Per pkt. 10.  Celery Seed. For flavoring soups, &c. Per oz., 15. Per lb., \$1.00.
Chervil (Scandix Cerifolium).
German, Gartenkerbel. — French, Cerfeuil,
Is a warm, mild, and aromatic plant. A native of Europe, and, in olden times, of great repute. After being boiled, it was eaten with oil and vinegar, and considered a panacea for courage, comfort to the heart, and strength to the body. It is much cultivated by the French and Dutch, who use the tender leaves in soups and salads as we use Parsley, and is considered by many to be a milder and more agreeable ingredient.
CULTURE. — Chervil is an annual plant, and should be sown in March, April, and May, in drills about a quarter of an inch deep, and nine inches apart. Cover lightly, and press the soil firm with the foot; rake evenly, and give a gentle watering in dry weather. The leaves are fit for use when two to four inches high. Cut them off close; they will come up again, and may be gathered in succession throughout the season.
Chervil. Per pkt., 10
Chicory (Cichorium Intybus).
A hardy perennial, introduced from Europe, often abounding as a troublesome weed in our pastures and mowing-lands; is much used in Europe as a substitute for coffee, and large quantities of the prepared root are annually exported to this country for the same purpose. It may be raised to good advantage, and will pay a large profit, as its culture is simple. In the fall, the roots require to be taken up and cut in small pieces, and put where they will dry, requirem the same treatment used for drying apples. When required for use, it should be roasted and ground like coffee. Persons who suffer from the deleterious effects of coffee, will find, by adding a portion of this, the difficulty removed, and the flavor of the coffee greatly improved; requires similar treatment to Carrots.
Large-rooted, or Coffee. Per pkt., 10
Corn, Indian (ZEA MAIS).
German, Welschcorn French, Maise - Spanish, Mais.
Adams's Early. Much grown for early use and the market; very early. Per pkt., 10  Early White. One of the earliest of the table varieties; of low growth. Per pkt., 10  25  Early Burlington. A very early variety, much grown for the market; the ear good size; an excellent table variety. Per pkt., 10  Darling's Extra Early Sugar is early, very tender, and sugary; wields well, produces little fodder, ears near the ground, and is one of the best sorts for early use. Per
Red Cob Sweet. Medium; early; usually twelve, but sometimes fourteen rowed; quality
good; cob red; kernels large. Per pkt., to 30  Burr's Improved Sweet. An improved variety of the twelve-rowed Sweet. The ears are from twelve to sixteen rowed, and, in good soils and seasons, often measure eight or ten inches in length, and nearly three inches in diameter; cob white; hardy.
productive, tender, and sweet; the best for general use. Per pkt., to 30  Mammoth Sweet. A very large and late variety; cob white; fine flavored; one of the
best. Per pkt., to  Stowell's Evergreen Sweet. This variety is intermediate in its season, and, if planted at the same time with the earlier kinds, will keep the table supplied till October. It is hardy and productive, very tender and sugary, remaining a long time in a
fresh condition, and suitable for boiling. Per pkt., 10
state. Per pkt., 10
and sweet. Per pkt., 10 Old Colony Sweet. A remarkably sweet and delicious sort, with twelve to twenty rowed
Nonpareil, or Pon-corn. A fine parching variety. Per pkt., to
Rice. Hardy and prolific; good for parching. Per pkt., io 40 Early Canada Vellow. Productive and early King Philip, or Brown. Very productive, and is recommended as one of the best field sorts
now in cultivation. In good soil and tavorable seasons, the yield per acre is from
King Philip, or Brown. Very productive, and is recommended as one of the best field sorts now in cultivation. In good soil and favorable seasons, the yield per acre is from seventy-five to ninety bushels; sometimes reaches as high as a hundred and ten . 25  Early Dutton, or Golden Sioux. One of the handsomest of the field varieties; productive, and of good quality

## Cress, or Peppergrass (Lepidium Sativum)

German, Kresse. - French, Cresson. - Spanish, Mastruco.

The leaves, while young, have a warm, pungent taste, and are eaten as a salad, either separately, or mixed with Lettuce or other salad-plants.

Culture. — Sow rather thick in shallow drills, and at short intervals during the season. The Water-cress requires to be grown on the edge of a running stream or brook where it does not freeze too hard during the winter.

			per oz
Curled. A well-known sort. Per pkt., 5	•	° ., '	10
Broad-leaved. A coarse variety, with broad spatulate leaves; sometimes grown			3
poultry; also used for soups. Per pkt., 5			. 10
Henderson's Australian. Fine piquant flavor; for salads. Per pkt., 10 Water. This is an aquatic plant, with small oval leaves and prostrate habit.		2	. 25
Water. This is an aquatic plant, with small oval leaves and prostrate habit.	The	leave	S
are universally used and eaten as an early spring salad. Per pkt., 10	•		. 50

#### Corn Salad, or Fetticus (Valeriana Locusta).

German, Lammersalat, - French, Mache, - Spanish, Canonigos.

#### Cucumber (Cucumis Sativus).

German, Gurke. - French, Concombre. - Spanish, Cohombro.

CULTURE, in the open air, is of the simplest character. Merely dig out a hole about a foot wide and deep; fill it with rich sandy soil; raise it above the surface about six inches. The hills should be six feet feet apart each way. Any time in May sow a few seeds therein, and the result is certain. It the weather be warm, they will grow in a few days. If the nights are cold, protect them. There is frequently a little bug which preys upon the tender leaves; if so, soot and wood-ashes, sprinkled over them while wet with the dew, will retard the progress of the depredator. As soon as the vines have made three rough leaves, nip the points off to make them branch out: they will fruit sooner by it. Three vines to one hill is quite enough. To have young fruit in February and March is rather a nice operation; but any one who can command a few loads of warm horse-manure can have them from April to October. That the amateur cultivator may have the article either for family use or for sale, a few hints may be in place on forcing cucumbers. Prepare a frame, following the instructions laid down in the first part of this work for hotbeds. After the beds are in order, put in a good quantity of good, light, rich loam, — none better than the surface of the woods. In two or three days, the earth will be sufficiently warm for sowing the seeds. If the plants are to be removed into other frames, sow them in pots; if not to be removed, sow them in a hill made in the centre of the bed by placing a barrowful of soil in it. Cover the sash at night with straw mats, or any similar protection, and surround the beds with litter or boards to protect it from the piercing winds. The seeds vegetate quickly, and soon grow into strong plants. During their growth, admit air every day at the back of the frame, giving as much light as possible to the young plants. If the soil or plants appear dry, give them water in the forenoon which has been kept in the bed during the night that it may be in a warm state, — the requisite temperature of the bed at

	D	er oz.
Early	Russian. This is a comparatively new variety, resembling in some respects the Early Cluster; fruit from three to four inches long, an inch and a half in diameter; generally produced in pairs; flesh tender, crisp, and well flavored; comes in use ten days in advance of the Early Cluster, and makes a fine small pickle. Per	
Farly	pkt. 10 Cluster. A very popular early Cucumber, producing its fruit in clusters near the root	25
	of the plant. Its usual length is about five inches; skin prickly; flesh white, seedy, tender, and well flavored; comes in about ten days later than the Early Russian.	15
Early	Per pkt., 5 Frame. One of the oldest of the garden sorts, justly styled a standard variety; fruit straight and well formed; flesh greenish-white, rather seedy, but tender, and of an	
Early	agreeable flavor; a few days later than the Early Cluster. Per pkt., 5.  White Spine. One of the best table sorts, and greatly prized by market-men on ac-	15
	count of its color, which never changes to yellow. The fruit is of full medium size, straight, and well-formed; skin deep green; prickles white; flesh white, tender, crispy, and of remarkably fine flavor; very productive, and good for forcing; sometimes known under the name of New-York Market. Per pkt., 5	20
	Green Prickly. This is a large-sized variety, and somewhat later than the White Spine; skin dark green, changing to yellow as the fruit approaches to maturity; flesh white, somewhat seedy, but crisp, tender, and well-flavored; hardy and productive; makes a good pickle if plucked while young; well deserving of cultivation.	20
Extra	tion. Per pkt, 5  Long Green Turkey. A distinct and well-defined variety; when full grown, sometimes measuring nearly eighteen inches in length; form long and slender, with but few seeds; flesh remarkably firm and crispy; very productive and excellent. Per	20


pkt., 10

		_
Haage's White Cylindric. A new long white variety; very prolific bearer, and remended as a most valuable acquisition. Per pkt., 25.	per or	2.
Haage's Striped Giant. One of the largest and longest varieties; green, with y	ellow	
stripes; new and fine. Per pkt., 25.  Long Green Smooth. A very long-growing variety. Flesh greenish-white, firm, crisp; flavor good. A German variety, twenty to twenty-four inches in le	ngth.	
Per pkt., 10  Charlwood's Ridge. An English variety, highly recommended; productive, and goo vored. Per pkt., 10.	d fla-	
Stockwood Ridge. A very productive black-spined variety, having three to four twelve to eighteen inches long, at each joint; one of the best. Per pkt., to . New-Jersey Hybrid. Very productive, and good average growth of fruit; about tr	fruit,	
inches. Per pkt., 15	wenty 50	
Giant of Arnstadt. One of the very best, and of fine quality. Per pkt., 25.  White Giant of Arnstadt. A new and beautiful snow-white variety, growing twen twenty-four inches long. Per pkt., 25.  West-India Gherkins. Used only for pickles. Per pkt., 15.	ity to	
West-India Gherkins. Used only for pickles. Per pkt., 15.  English Gherkins. Fine for the table, or pickles. Per pkt., 10.	. 50	
ENGLISH FRAME VARIETIES.		
D. Julius Observation	per pki	L.
Berkshire Champion	. 25	
Carter's Champion, selected	. 25	
Cuthill's Black Spine	. 25	
Cuthill's Highland Mary	. 25	
Manchester Prize	. 25	
Minister Abhay	. 25	
Minster Abbey	. 25	
Lynch's Conqueror of the West	. 25	
Star of the West	. 25	
Sion House Improved	. 25	
Sir Colin Campbell	. 25	
Surprise	. 25	
Stilwell's Matchless	. 25	
Weedon's Surprise	. 25	
Kenyon's Favorite	. 25	
Walker's Rambler	. 25	
Napoleon III	. 25	
Roman Emperor	25	
General Grant (for forcing). A new and superb variety, either for exhibition or the t	able;	
perfect in form, solid and crisp, and of a most agreeable flavor. Many speci		
were grown the past season, averaging twenty-four to thirty inches in length;		
ceeds well in the open ground	25	
77 - 79 - 1 (2 M		
Egg-Plant (Solanum Melongena).		
German, Cierpflanze French, Aubergine Spanish, Berengena.		
	wash Iti	:
The Egg-Plant was introduced from Africa, and is called by some the Guinea Sq generally cultivated, and is becoming more so every year. They are cut into thin slices		
and have a taste very similar to oysters: others use them in stews and soups.		
CULTURE Sow in hotbed very early in spring; transplant, when two inches high, in	nto a secon	d
hotbed; if that is not done, thin to four inches apart. Do not plant out till the weath	er become	es
settled and warm. Keep plants watered for a few days if hot when put out. Where hot	beds are no	30
convenient, a few plants can be started in flower-pots or boxes, and, when planted out, in	nust nave	d
deep rich soil, and full exposure to the sun. Till and hoe same as for Cabbages.	per oz	7
Early Long Purple. Earliest, hardy, and most productive; of superior quality. Per pk		
New-York Improved Purple. One of the largest and best varieties. Oval-shaped,		
dark-purple color; fine flavored. Grown extensively for the market. Per pk		
White-fruited. Fruit milk-white, egg-shaped, varying from three to five inches in le		
and from two and a half to three inches in diameter; grown principally for ornar		
Per pkt., 5	. I.OO	
Scarlet-fruited. A highly ornamental variety. In general appearance, it resembles	s the	
common Egg-Plant; but the fruit, which is about the size of a hen's egg, is	of a	
most beautiful scarlet: principally cultivated for its peculiar, richly colored,		
ornamental fruit, which makes a fine garnish. Per pkt., ro.		
Gaudaloupe Striped. Fruit nearly ovoid; smaller than the large purple; skin streaked, and variegated with red. Per pkt., 10.	white	
streaked, and variegated with red. Per pkt., 10.		
Pekin New Black. A new variety, from Pekin, China, producing very remarkable,	arge,	
round fruit, weighing six to eight pounds each. Per pkt., 25.		

### Endive (CHICORIUM ENDIVIA).

German, Endivien. - French, Chicorée. - Spanish, Endvia.

The garden Endive is a native of Northern China, and has been cultivated in Europe the past three centuries for a winter salad. The French are particularly fond of it, using it raw, pickled,





fried, and boiled, atteeming it exceedingly wholesome in every form. It agrees with every constitution.

CULTURE. — For the early crop, sow about the 1st of July. It will do on the ground where early Cabbages or Peas have come off, by giving it a coat of manure. Draw drills the depth of the hoe, one foot apart, and sow therein; sprinkle a little earth in the bottom of the drill, sufficient to cover the seed, which will be up in a few days. If dry weather ensue, water once or twice till the plants get hold. Thin them out, when about two inches high, to tem inches apart; hoe freely, and keep clear of weeds. Being grown in these shallow drills, they are more easily earthed up, and grow better in warm, dry weather. When the leaves have attained about eight inches long, they are fit for blanching: for this purpose a dry day must be chosen. Gather up the leaves in your hand, in a close and rounded form; see that there is no earth or litter in their centre. Tie them up with a piece of cotton-twist or matting, which is to go several times round the plant, causing it to close at the top to prevent the rain from penetrating to and injuring its centre; then draw a little earth round its base for support. If the leaves are not perfectly dry when tied up, they will rot, or become so stained as to be unfit for the table. They will take about ten days in warm, and twenty days in cool weather to blanch for use: a judgment may thus be formed of the quantity to be tied up at a time. For late crops, say about the end of July.

For late crops, sow about the end of July.	
per	OZ.
Green-curled. Easily blanched; very hardy, and well adapted for winter use. One of the	
best. Per pkt., 10	5
best. Per pkt., 10 White-curled, or Ever-blanched. Leaves pale yellowish-green, nearly white when young; long, rather narrow; lobed, cut, and beautifully frilled or curled. Not so hardy as	
the Green. Per pkt., 10	5
Broad-leaved Batavian. Leaves yellow-green, large, long, and broad; thick and fleshy.  Chiefly used in stews, soups, &c. Called, by the French, Chicorée Scarolle. Per	
pkt, 10  Curled, or Moss. A new variety, with very fine curled leaves, much resembling moss. Per pkt, 10.	5

#### Kohl-Rabi, or Turnip-rooted Cabbage.

German, Kohl-rabiuber. - French, Chou-rave. - Spanish, Col de nabo.

The Kohl-Rabi is a vegetable intermediate between the Cabbage and the Turnip. The stem, just above the surface of the ground, swells into a round fleshy bulb, in form not unlike a turnip; on the top, and about the surface of this bulb, are put forth its leaves, which are similar to those of the Swedish Turnip. The part chiefly used is the turnip-looking bulb, formed by the swelling of the stem. This is dressed and eaten with sauce or with meat, as turnips usually are. While young, the flesh is tender and delicate, possessing the combined flavor of the Cabbage and Turnip.

CULTURE. — Cultivate same as Cabbage; only that, in earthing up the plant, be careful not to cover the globular part. They should not be used before they have attained their full growth.

						per oz.
Early White Vienna. A	Above ground; early:	and fine. Per pkt	. 10			• 40
Early Purple Vienna.	A hove ground : cimils	er to the preceding	Par nkt to			
			. I et pat., 10	•	•	• 40
Large Purple. Above a	ground; very large.	Per pkt., 5 .				. 25
Large White. Below gr	round; similar to the	White Ruta-baga.	Per pkt., 5	. 2		. 25
Late Purple Giant. Ve	ry large and tender va	riety, often weighi	ng from seven t	o eight	lbs.	;
new. Per pkt.	, 10,	,				

#### Leek (ALLIUM PORRUM).

#### German, Lauch. - French, Poireau. - Spanish, Puerro.

This is a branch of the Onion family, —a native of the north of Europe; is very hardy, and, from its mild qualities, is preferred by many families to the Onion. History records it as having been cultivated many hundred years. The Welsh indulge in Leeks on their patron St. David's Day, in commemoration of a victory which they obtained over the Saxons, which they attributed to the Leeks they wore, by order of St. David, to distinguish them in battle.

CULTURE. — There is no part of the garden too rich for Leeks. They require the best ground, well worked, and manured the full depth of the spade. Sow the seed thinly on a small bed of light rich ground, in drills six inches apart and half an inch deep; rake it evenly, and give it a beat with the back of the spade.

When they come up, they should stand an inch apart; if thicker, thin them out. When grown to about eight inches high, they will be of sufficient size to plant out. As we have remarked, choose the best ground, draw thereon drills a foot apart, and as deep as the hoe will go. When ready, the plants are to be taken up from the seed-bed. Shorten their roots to about an inch from the plant, and cut two inches or more from the extremity of the leaves. Both these operations are done for convenience and neatness in planting. Dibble them in the drills eight inches apart, and as deep as the plant will admit of, not to cover the young leaves pushing from its centre. Choose moist or cloudy weather for the operation; but, if dry, give the plants a copious watering. Hoe the ground frequently, to keep down weeds, and, as the plants are observed to grow, draw the soil around them. By good culture, they will be fit for use early in October. On the approach of severe frost, lift sufficient for winter use, and store them away in earth or sand.

Large London is hardy, and of good quality. It is more generally cultivated in this country than any other variety. Per pkt., ro

Broad Scotch, or Flag. This variety is remarkably hardy, and well suited for open culture; large and strong-growing, with broad leaves growing on two sides. Per pkt., ro

30

15

#### Lettuce (LACTUCA SATIVA).

German, Lattich. - French, Laitue. - Spanish, Lechuga.

The Lettuce is generally divided into two classes; viz., Cabbage Lettuces and Cos Lettuces. The Catbage have round heads and broad-spreading leaves; the Cos varieties have long heads, and upright, oblong leaves.

CULTURE.—A very rich soil is necessary to produce fine head Lettuce. Its crisp and tender quality depends, very much on a luxuriant and vigorous growth. The earliest sowing may be made in February or March, under glass with slight heat. Keep the plants thin, and admit plenty of air to the frame every fine day. For later supplies, sow in the open ground as soon as the season will permit: transplant or thin out the plants gradually to a foot apart, and keep well cultivated. The Cos Lettuces are excellent if grown very early in the spring, but run to seed quickly in hot weather. The large Cabbage kinds are best, and most suitable for summer crops.


	er gz.
Early-curled Silesia. Standard sort; very early; the best for forcing and the first spring	
sowing; makes a loose head; tender, and of excellent flavor. Per pkt., 10 Early Tennisball. One of the oldest and most esteemed of the Cabbage Lettuce. The	40
head is below medium size; dark-green; very solid if grown in cool weather:	
one of the earliest and best. Per pkt., 10  Early Royal Cape, or Summer Cape. Head roundish usually well-formed, and moder-	40
ately close and firm; good size; as a summer Lettuce, is one of the best. Per	
pkt., 10 Early Drumhead, or Malta. Head remarkably large, somewhat flattened, compact; pale	40
Early Drumhead, or Malta. Head remarkably large, somewhat flattened, compact; pale green without, and white at the centre; crisp and tender; fine summer variety.	
Per pkt. 5	25
Per pkt., 5.  Boston Curled. A new variety; one of the best for general cultivation. The elegant	
frilling of the leaves, and fine form, make it very attractive; flavor very fine. Per	40
pkt., 10 Royal Summer Cabbage. Head medium-sized, round, somewhat flattened, firm, and	40
close. Per pkt., 5	30
Large India. Heads large and compact, similar to the Curled Silesia, but is less curled,	
and whiter; sometimes tinted with brown; heads round, crispy, and fine flavor; very popular as a market variety; one of the best for summer culture. Per	
pkt., 10 Wheeler's Tom Thumb. A new English variety; very dwarf and compact; excellent	40
Wheeler's Tom Thumb. A new English variety; very dwarf and compact; excellent	
flavor; crisp and refreshing. Per pkt., 10  Ivery's Nonesuch. A new English variety, highly recommended as a summer variety. Per	50
pkt., 10	40
Brown Dutch. A very hardy sort, enduring the winter with less protection than most	
other varieties; heads medium size, rather long, and loose; good flavor; generally sown in the autumn. Per pkt., ro	40
Hammersmith Hardy Green. A very popular old variety. It is considered the hardiest	4-
sort in cultivation, and is one of the best for growing in winter or forcing. Per	
pkt., 10 Victoria Cabbage. An excellent early and hardy variety; is larger than Tennisball; heads	40
freely, and is crisp and well-flavored; should be planted early. Per pkt., 10	40
White Paris Cos. This variety is grown mostly by London and Paris market-gardeners;	
tender, brittle, and mild-flavored. Per pkt., 10  Green Paris Cos. Considered one of the best of the Cos Lettuce. It has a tender, brittle	40
leaf; some days earlier than the White Cos. Per pkt., 10	40
Large Spotted, or Tigered. A new and tender variety, with large spotted leaves. Per	
pkt., 10.  Blood-red. Very tender variety, with red leaves; new. Per pkt, 10.	50
Perpignan. A fine variety, forming large solid heads, with very crisp and tender leaves:	30
new. Per pkt., 10	50
Ne Plus Ultra. Very large, firm head; tender, and keeps well. Per pkt., 10 Carter's Giant Brown Cos. Per pkt., 25.	50
Dunnett's Giant Black-seeded Brown Cos. Per pkt., 25.	
The last three are new English varieties, said to be very large, crisp, and good-flavored	varie-

The last three are new English varieties, said to be very large, criso, and good-flavored varieties of Lettuce, with fine broad leaves, which turn in well; all of them are late varieties, coming in some three weeks after the common sorts.

#### Martynia (Martynia Proboscidia).

A hardy annual plant, with a strong branching stem two feet and a half high. The leaves are large, heart-shaped, entire, or undulated, downy, viscous, and emit a peculiar musk-like odor when bruised or roughly handled. The young pods are the parts of the plants used. These are produced in great abundance, and should be gathered when about haif grown, or while tender and succulent: after the hardening of the flesh, they are worthless. They are used for pickies, and by many are considered superior to the Cucumber, or any other vegetable employed for that purpose.

CULTURE. — The Martynia is of easy culture. As the plants are large and spreading, they should be two and a half feet apart in each direction. The seeds may be sown in April or May, in the open ground, where they are to remain; or the seeds may be sown earlier in a hotbed, and transplanted.





WHITE JAPAN MELON.

CITRON-MELON (see p. 114).


#### Melon, Musk Varieties (Cucumis Melo).

German, Melone. - French, Melon. - Spanish, Melon.

The Melon, in some character, is to be found in all tropical countries; but the finest varieties are supposed to have come from Persia and Afghanistan. The delicious flavor and perfume make it very popular in all countries where the climate will admit of its cultivation.

CULTURE. — Plant in hills six feet apart each way, eight or ten seeds in each, and thin out to three or four plants when in a state of forwardness. To grow good melons, the hills should be prepared by digging out the soil from one and a half to two feet deep, and two or three feet broad, according to the richness of the land. Add a very liberal quantity of the best decomposed stable manure, and mix well with the soil, filling up a little above the general level. By this mode, good melons may be raised on almost any soil. Seeds should not be put into the hills until the weather becomes settled and warm.

Decomines settled and water.
Christiana. This variety originated in Beverly, Mass.; form roundish; size rather small;
skin yellowish-green; flesh yellow, sweet, juicy, and of good quality; one of the
best; ripens very early. Per pkt., 10
Green Citron. Fruit nearly round, but flattened slightly at the ends; medium size; flesh
green, quite thick, and of the richest and most sugary flavor; comes in early, and
makes a very popular market variety. Per pkt., 5.  Nutmeq. Fruit oval, good size, thickly netted; flesh light-green, rich, sweet, melting, and
highly perfumed; one of the finest. Per pkt., 5
highly perfumed; one of the finest. Per pkt., 5.  Pineapple. Form roundish, inclining to oval; flesh green, melting, sweet, and perfumed;
early and productive. Per pkt., 5
Skillman's Fine-netted. This variety much resembles the Fineapple; flesh green, sugary,
melting, and excellent; the earliest of all the green-fleshed varieties. Per pkt., 5 20
Persian. Long, oval-shaped; skin very thin and delicate; flesh extremely tender, rich,
and sweet, and flows copiously, with a cool juice, which renders them very grateful. Per pkt., 10
Allen's Superb. A new variety of the Nutmeg; flesh green and sweet. Per pkt., 10
Beechwood. Medium-sized; dark-green; flesh very sweet; late; suitable for growing in
frames under glass. Per pkt., 25.
Large Yellow Cantelope. An oval variety; good-sized; skin yellow, marbled with
green; flesh salmon-colored, sweet, highly perfumed, and of good flavor; early
and productive. Per pkt., 5
Large Musk. This is a very large, long oval shape; deeply ribbed; flesh very thick, yellow, sweet, and juicy, with musky flavor; very early and productive. Per pkt., 5 20
New White Japan. A new variety from Japan, and decidedly the sweetest thin-
skinned of the Musk Melon; color of fruit cream-white; flesh thick; size medium
and nearly round. Per pkt., 10  Trentham Hall. An English variety; green-fleshed; sweet; suitable for cultivating in
Trentham Hall. An English variety; green-fleshed; sweet; suitable for cultivating in
frames. Per pkt., 25.
Carter's Excelsior. A new English prize variety, said to be the best green-fleshed variety.
Per pkt., 25.  Turner's Scarlet Gem. An English frame variety. Per pkt., 25.
united a Gentlet Gentle 22th 22th grant name vallety. I et pkt., 25.



MOUNTAIN-SWEET WATER-MELON.

#### Water-Melon (Cucurbita Citrullus).

German, Wassermelone. - French, Melon d'Eau. - Spanish, Sandia.

The Water-melon is purely a tropical fruit, greatly appreciated for its refreshing coolness and delicious flavor.

CULTURE. — They require a light sandy soil, not over rich. Plant them in hills, as directed for Melons, giving them more room, as their vines extend much farther. The seeds should be two years old before planting. If they are wanted of a large size, three or four fruit from each plant will be sufficient; and, when one fruit only is taken, they will grow to from twenty to thirty pounds' weight each. It will injure the flavor of the fruit if they are grown near to other varieties of the Melon.

per oz.
Mountain Sweet. A large, long, oval variety; skin striped and marbled with different
shades of green; flesh scarlet, and quite solid to the centre; very sweet and deli-
Mountain Sprout, or Long Carolina. Resembling the preceding in most respects. A
favorite market sort. Very fine quality, and productive. Per pkt., 5 20
Black Spanish. Form oblong; size large; skin very dark or blackish green; flesh deep-
red, fine-grained, very sugary, and of excellent flavor. Hardy and productive;
one of the best for general cultivation. Per pkt., 5.
toe-cream. A very large pale-green sort; form nearly round; flesh white, very sweet, ten-
der, and of remarkably fine flavor. Per pkt., 5
Orange. Form oval, of medium size; flesh red, not fine grained, but tender, sweet, and of
good quality. When in its mature state, the rind separates readily from the flesh,
in the manner of the peel from the flesh of an orange. Per pkt. 10
Citron. Employed in making sweetmeats and preserves : form round, medium size : flesh
white, very solid. (See engraving on p. 113.) Per pkt., 5
Apple-pie Melon. This is a new Japanese variety, said to be an excellent substitute for
apples, when stewed, and made into pies: keeps until May. Per pkt. 10 20
Apple-seeded. A rather small, nearly round sort; derives its name from its small, peculiar
seeds. Flesh bright red to the centre, sweet, tender, and well-flavored; keeps a
land the American American Inches
long time after being gathered. Per pkt., to 40

#### Mustard (SINAPIS VAR).

#### German, Seuf. - French, Moutard. - Spanish, Mostaza.

Mustard-seed is too widely known and appreciated to need description. It is useful both in its natural state and manufactured, and is considered wholesome in all its various methods of preparation. It is very refreshing when, in its green state, mixed with salads, and for that purpose alone is worthy of cultivation.

CULTURE. — This salad is cultivated in the same manner as recommended for Cress, — at all times of the year, sowing every week or two either in beds or drills, or, for early use, in hotbeds, or boxes in the windows of a warm room. The seeds should be covered very sightly, and irremently watered, as moisture is indispensable to its growth. A bed three feet wide and twenty feet long, having the plants four or six inches apart, will produce a sufficiency of seed for every domestic purpose.

#### Nasturtium, or Indian Cress (TROPÆOLUM).

#### German, Kresse Indianische. - French, Capucine Grande. - Spanish, Capuchina.

There are many curious varieties of the Cress, though none so beautiful as the common Nasturium. It has a sharp, warm taste, and is frequently used in salads. The green seeds are frequently pickled in vinegar, and are very palatable.

CULTURE. — Sow the seed thinly, in rows or patches an inch deep, about the end of March or first of April. They will thrive almost anywhere if the ground is rich. They are peculiarly adapted to trellis-work, and form a rich, showy, and enlivening appearance.

### Orache, or Mountain Spinach (Atriplex Hortensis).

German, Garten Melde. - French, Aroche. - Spanish, Armuelle.

CULTURE. — This plant flourishes best in rich soil, in open ground. Manure well, and it will reward you for your trouble by its abundant produce. Sow the seed in drills five or six inches asunder; when the plants are sufficiently strong, thin them out to six inches apart. The thinnings may be replanted, and occasionally watered until established. Gather the leaves for use while young and tender.

#### Parsley (APIUM PETROSELINUM).

German, Petersilie. - French, Persil. - Spanish, Peregil.

The garden Parsley is a very useful and pleasant vegetable. Its seasoning flavor for soups and stews is very agreeable to many. It may be preserved by drying it till crisp, in summer; then rub it fine between the hands, and put in bottles for winter use.

CULTURE. — Sow it in drills half an inch deep, early in April. These drills may form an edging round any compartment of vegetables, or along the walks. When the plants are three or four inches high, thin them to six inches apart; to keep a young stock constantly for use, cut down about a third part at a time. Root out the plain-leaved, should any appear. Keep it only from severe frost, and it will grow the whole winter. For this object, select a warm spot of ground, light and rich; sow it early in the season; cut them all over in September; surround the bed, early in November, with boards, and cover with mats or shutters; glass is much better, if it can be obtained. By this process, a sufficient supply will be always obtainable.

per oz.
Plain Parsley. The leaves of this sort are plain, or not curled; but it is better flavored than
the curled for soups, &c. Requires a slight protection, during the winter, of straw,
pine-boughs, or leaves. Per pkt., 5
Curled, or Double. A fine dwarf variety, tender; leaves yellowish-green, and beautifully
crimped and curled. Fine for garnishing dishes for the table. Per pkt., 5
Hamburg, or Rooted. The roots are principally used for flavoring soups. Per pkt., 10 . 30
Dunnett's Selected. A new English variety, superior for garnishing. Per pkt., 10 30
Dickson Extra, or Triple-curled. A new and fine English variety. Per pkt., 25.

#### Parsnip (PASTINACA SATIVA).

German, Pastinake. - French, Panais. - Spanish, Pastinaca.

The Parsnip is a biennial plant, similar to the Onion, Turnip, and Carrot in duration. It is both wholesome and nourishing, and desirable for winter and spring use.

CULTURE. — It succeeds well in a rich, sandy loam. Sow early in the spring, in drills tolerably deep; scatter the seeds thinly, and cover evenly with the rake. After the appearance of the seed, the soil must be stirred with the hoe frequently, until the leaves cover the ground: they will stand any severity of frost. One ounce of seed is sufficient to supply a family.

per	OZ.
Long Smooth. Roots long, white, smooth, and regularly tapering to the end; free from	
side-roots. Tops small, slightly tinged with red at the crown. Very hardy, keeping	
through the winter where grown without any protection; one of the best for general	
cultivation. Per pkt., 5	5
Hollow Crown. Roots oblong, ending somewhat abruptly with a small top root; grows	,
Hollow Crown. Roots oblong, chang somewhat abruptly with a small top root, grows	
mostly below the surface. Best garden variety. Per pkt., 5	5
The Student. A new variety, of delicious flavor, ennobled from the Wild Parsnip by Prof.	
Buckman, of the Royal Agricultural College, Cirencester, England. A great ac-	
quisition. Per pkt., 5	5
Abbott's Improved Crown. A new and superior English variety. Per pkt. 19	

#### Peas (PISUM SATIVUM).

German, Erbse. - French, Pois. - Spanish, Guizante.

The Pea is a hardy annual plant, of great antiquity as a culinary vegetable, and is familiar in the domestic cookery of every country. There are numerous varieties; consequently they differ much in flavor and quality.

CULTURE. — Peas, for an early crop, should be sown as soon as the ground is in working condition. The soil for their reception should be light, dry, and well sheltered. Mild manure, such as leaf-mould, has a beneficial effect; but for many of the varieties the soil can hardly be too rich. For general crops, the ground should be well manured the previous year, which causes them to yield more abundantly. They are usually planted in double rows three or four feet apart, and covered to the depth of two and a half or three inches. This is the average depth, though some contend that greater depth prevents the premature decay of the vines. The height of the Pea depends much upon the moisture and richness of the ground. The method of planting Peas in the hills with Potatoes of an early variety has been found successful. In dry weather, seak the Peas a few hours before planting. Pour water into the drills, when the ground is dry, before sowing the seed, which will cause them to grow at once, should the season continue dry. A pint of he small-seeded sorts will sow a row about sixty feet in length; and the same quantity of larger varieties, being sown much thinner, will make a row of nearly a hundred feet. The crop should be gathered as it becomes fit for use. If even a few of the pods begin to ripen, young pods will not only cease to form, but those partly advanced will cease to enlarge. Peas, ordered by mail are subject to an extra charge of 8 cents per pint, for Postage.

One of the earliest varieties in cultivation; pods well filled;

those partly advanced will cease to emarge. Peas, ordered by mail are subject	to an extra charge of
8 cents per pint, for Postage.	per qt
Early Dan O'Rourke (Pure). One of the earliest varieties in cultivation; pool	
of good size and quality; of the finest flavor; grows about three feet	
Early Emperor. This variety grows somewhat taller, and is a few days ear	lier, than the
Prince Albert. The pods and peas are also somewhat larger. It is	s an abundant
bearer: an excellent variety to come in after the above	30

Carter's First Crop, or Sutton's Hingleader. This is a new English variety, introduced by Carter & Co., of London. It has proved to be the earliest Pea grown; also very prolific; height two and a half feet. 25 cents per half-pint.

Hovey's Extra Early. Unequalled in earliness; very productive; two and a half feet

	per qt.
Early Kent. A very popular early Pea; fine pods; two and a half feet	30
Early Dillestone. This is undoubtedly one of the earliest Peas known; seven or eight days	
earlier than the Dan O'Rourke; fine flavor; good size, and one of the best.	50
Drew's New Dwarf. This fine Pea is remarkable for its dwarf and branching growth,	J-
forming a bush one foot high and one foot broad; consequently, only about one	
plant to each foot of row is required. It is medium in earliness, and extremely	
productive, each plant producing, with good culture, forty or fifty pods of rich,	
fine-flavored, large Peas	1.00
McLean's Little Gem. A dwarf, prolific, green wrinkled Marrow; habit similar to Beck's	
Gem or Tom Thumb, and is a first early; a great acquisition; height one foot.	90
McLean's Advancer. A dwarf green wrinkled Marrow of fine flavor; long pods, well	90
filled up; very prolific; nearly as early as the Dan O'Rourke; a comparatively	
new wariety	90
McLean's Princess Royal. A very prolific, long-podded, early variety, of fine sugary	90
flavor; one foot high; pods large, well filled; very productive	50
McLean's Prolific. A dwarf early variety, coming in after the Dan O'Rourke; white	30
McLean's Frome. A dwall early variety, coming in after the Dan O Rounce, winter	
wrinkled, with the Marrow flavor  Early Prince Albert. An old well-known variety; early and productive; three feet.	50
Early Washington. A standard sort; very early and prolific; three feet	30
	30
Early Hill. Large full pods; good bearer; three feet	30
Tom Thumb (Beck's Gem). Plants of remarkably low growth, seldom exceeding nine	
inches in height; stout and branching; pods about two and a half inches in	
length, containing five or six peas, which are of a creamy-yellow; fine flavor;	
very productive. It may be cultivated in rows ten inches apart. No stick re-	
quired	75
Bishop's New Dwarf Long-podded. Stems about two feet high; pods nearly straight,	
almost cylindrical, containing six or seven white peas; very early; an abundant	
bearer, and of excellent quality	40
Carter's Surprise. A new variety of the Blue Surprise; pods large, very productive, and	
fine quality; an excellent market variety. Half-pint pkts., 25	50
Alliance, or Eugenie. Plant about three feet in height, with pale-green foliage; pods	
single or in pairs, three inches long, containing five or six peas. When ripe, the	
peas are of medium size, cream-colored, and much shrivelled and indented; the	
earliest white wrinkled Marrow Pea in cultivation	60
Climax, or Napoleon. Plants about three and a half feet high; of robust growth; pods	
three inches long, containing five or six peas. When ripe, these are of medium	
size, pale blue or olive, and, like Eugenie, much wrinkled and indented; the	
earliest of the blue wrinkled Marrow Peas	60
Champion of England. A standard sort, considered by all to be the best grown for gen-	
eral crop; of delicious flavor; very productive, and growing from three to four	
feet	40
Champion of Scotland. This we consider one of the best for main crop; of rich, buttery	
flavor; very productive, and of large size	50
Blue Imperial. This is considered by many as a standard sort; very hardy, and yields	
abundantly; of good quality and size	30
Missouri Marrowfat. This Pea is of American origin; very productive; of good quality,	
and well deserving of cultivation; about ten days earlier than the common Mar-	
rowfat; large pods; an excellent market variety, growing from three to five feet .	30
Large White Marrowfat. An excellent and profitable sort; a little later than the preced-	-
ing; pods large and full; very productive, growing from three to five feet	25
Black Eye Marrowfat. An excellent variety, growing about three feet high; pods large	
and full; a prolific bearer, and can be recommended as one of the best of the Mar-	
rowfat varieties	25
Victoria Marrowfat. A fine late variety; sweet, and of rich marrowfat flavor; very pro-	-3
lific; three to five feet	50
Dwarf Marrowfat. A very early sort, with large full pods; rich flavor; very productive;	
two feet	30
Veitch's Perfection. A new variety, of superior flavor and sweetness; large pod, and a	3-
great bearer; one of the best; five feet	50
Sugar Pea. Eatable pods or string pea; three feet	90
	,

#### Pepper (CAPSICUM).

#### German, Pfeffer. - French, Piment. - Spanish, Pimiento.

Capsicum or Pepper is a tender annual, much esteemed for its seasoning qualities. In all the various methods of preparation, it imparts vitality and promotes digestion. It is extensively used for pickling.

CULTURE.—The plants are always propagated from seed. Sow in a hotbed, early in April, in shallow drills six inches apart, and transplant to the open ground when summer weather has commenced. The plants should be set in warm mellow soil, in rows sixteen inches apart, and about the same distance apart in the rows; or, in ordinary seasons, the following simple method may be adopted for a small garden, and will afford an abundant supply of peppers for family use: When all danger from frost is past, and the soil is warm and settled, sow the seeds in the open ground, in drills three-fourths of an inch deep, and fourteen inches apart; and, while growing, thin out the plants to ten inches apart in the rows. Cultivate in the usual manner, and the crop will be fit for use early in September.

Cayenne. The pods of this variety are quite small, cone-shaped, coral red when ripe, in-	per oz
tensely acrid, and furnish the cayenne pepper of commerce. Per pkt., 10	50
Cherry. The pods or fruit erect, nearly globular or cherry-form, and, at majur ty, of a deep rich, glossy, scarlet color, remarkable for its intense piquancy. Per pkt., 10.	50
Squash. Fruit compressed, more or less ribbed; skin smooth and glossy; flesh thick, mild, and pleasant to the taste; the best variety for pickling alone. Per pkt., 10.	
Sweet Mountain, or Mammoth. Similar to the preceding in form and color, but much	50
larger; fine for pickling. Per pkt., 10  Sweet Spanish. Though one of the largest varieties, it is also one of the earliest; flesh	50
sweet, mild, and pleasant; used for salads and pickling. Per pkt., 10	50


#### Potato (SOLANUM TUBEROSUM).

#### German, Kartoffel. - French, Pomme de Terre,


CULTURE. - A sandy loam is better calculated for the Potato than a heavy or very clayey soil. CULTURE.—A sandy loam is better calculated for the Potato than a heavy or very clayey soil. Though any soil will do, it must be observed that the roots produced in a light one are more dry and sweeter than those grown in a heavy soil. The finest Potatoes are grown in a new, light, rich loam. If the soil is heavy, the manure used should be composed of well-decayed leaves, horse-manure, and ashes, well blended and mixed together before using. A good crop can seldom be raised if this article is sparingly laid on. Sets for planting should be cut at least one week before planting, and spread out thin on a floor to dry. Another important consideration is, whether small tubers or large ones should be employed for making sets. Large tubers, however, are preferable, for the following reasons: In all plants, large buds tend to produce large shoots; and small or weak buds, the reverse. Now, the eyes of Potatoes are true buds, and in small tubers they are comparatively weak: they consequently produce weak shoots, and the crop from such is inferior to that obtained from plants originating from large tubers furnished with stronger eyes. The part of the Potato planted is not a matter of indifference. It was found, by an experiment made in the garden of the Horticultural Society, that sets taken from the points of the tubers yielded at the rate of upwards of three tons per acre more than was obtained from employing the opposite end of the tubers

Potatoes are usually planted either in hills or ridges, the former method being the most common in this country. As soon as the plants are fairly started above the surface, hoeing and surface stirring should be commenced. The earth should gradually be drawn about the hills, or along the ridges, at each successive hoeing, and every encouragement given to the side-roots to extend them-selves; for, nearly at their extremities, the tubers are formed; so that deeply stirring the ground between the hills or ridges tends to their extension. But this treatment must not be carried beyond a certain stage in the growth of the plant, or after the tubers have reached a considerable size, as the extremities of the roots might be seriously injured. In the preservation of Potatoes, it is of the first importance that they be excluded from light. In a state of corplete darkness, they should, therefore, be placed, the day they are taken out of the ground. Dying has a bad effect on the skin

per	bush.
Early Handsworth. A new variety lately received from England, which is believed to be	
the earliest of any in cultivation; superior either for forcing, or culture in the open	
ground. Dwarf and prolific  Early Stevens. A variety which originated in Northern Vermont. Very early and produc-	6.00
Early Stevens. A variety which originated in Northern Vermont. Very early and produc-	
tive; tubers of medium size, roundish; flesh white, of excellent flavor. A supe-	
rior market variety  Early Sovereign. A favorite early variety, of excellent quality; very productive, and a	2.50
Early Sovereign. A favorite early variety, of excellent quality; very productive, and a	
good keeper	3.00
good keeper Extra Early White. An early and well-known variety. Very productive, and of good	
flavor	2.50
Early Wendall. One of the largest of the early. Very productive, of uniformly good	
	2.50
Jackson White. Flesh perfectly white when cooked, remarkably dry, mealy, farinaceous, and	
well-flavored. A good keeper, commands the highest market-price, and, every	
thing considered, must be classed as one of the best, and recommended for gen-	
eral cultivation .  Dalmahoy. A new variety; from Ireland. A handsome medium-sized Potato, very flow-	2.00
ery, and of good flavor. Prolific, good keeper, and, all things considered, one of	
the last for contral cultivation	2.00
the best for general cultivation.  Davis's Seedling. For general cultivation, this variety is probably one of the most profitable	3.00
sorts known, as it yields abundantly, even with ordinary cultivation. It is of good	
quality and fine flavor; flesh nearly white, slightly tinged with pink when cooked.	2.00
Goodrich's Early. One of the largest and earliest varieties; two weeks earlier than the	2,00
Jackson White, and one of the most productive, - two hundred and fifty bushels	
having been grown to the acre. Per pk., 1.50	3.00
having been grown to the acre. Per pk., 1.50.  Goodrich's Garnet Chili. This variety is healthy, yields abundantly, and is greatly supe-	3
	2,00
Cuzco. White flesh, good size and flavor. A most abundant bearer; keeps well; good for	
a general crop  Calico. A seedling of the Garnet Chili, a little earlier than that variety; has a firm crisp	2.00
Calico. A seedling of the Garnet Chili, a little earlier than that variety; has a firm crisp	
flesh; cooks white and dry  New White Peach-blow. A decided improvement upon the well-known Jersey Peach-	3.00
New White Peach-blow. A decided improvement upon the well-known Jersey Peach-	
blow. Flesh white, floury, of most excellent quality. Cannot be too strongly	
recommended; a first-rate market variety	2.00
Above prices subject to variation.	



POTATO CLIMAX. See page 142.



POTATO EARLY ROSE. See page 143.



#### Pumpkin (CUCURBITA PEPO).

German, Kurbis. - French, Courge. - Spanish, Calabaza.

We cannot think of admitting this vegetable into the precincts of a garden where there are Cucumbers, Melons, and others of similar class. It would mix with and contaminate the quality of the more valuable sorts; besides, they would occupy more space than most could allow, as many of the varieties attain enormous size.

CULTURE. — Pumpkins are not so particular in regard to soil as Melons or Cucumbers, but, in other respects, are cultivated in a similar manner, though on a much larger scale. They are generally raised on cultivated farms, between hills of Indian Corn, and may be planted with success in fields, by themselves.

#### Radish (RHAPHANUS SATIVUS).

German, Rettig Radies. - French, Radis, Rave, Petite Rave. - Spanish, Rabano.

The Radish is a hardy annual plant, much esteemed for its grateful relish, and is extensively cultivated for its roots. Its excellence consists in being succulent, mild, crisp, and tender; and the roots should be eaten before they are overgrown, which makes them tough and thready. The seed-pods are excellent for pickling if gathered while young and green.

CULTURE. — For early crops, sow in spring, as soon as the ground can be worked, in light rich soil; for later crops, a deep, moist soil is preferable. Sow the seed thinly in drills, covering them with about a quarter of an inch of fine earth. If space is limited, the seed may be sown with Onions or Lettuce; they are said to be much less affected by the maggot if grown with the former. The plants should be frequently and copiously watered in dry weather, which tends to their rapid growth, thus securing its excellent qualities. For very early use, sow on gentle hotbeds.

Early Short-top Long Scarlet. Roots long, growing partly out of the ground, of a beautiful deep pink color; flesh white, transparent, crisp, and of good flavor. Grows quick; standard sort for marketing or private use. Per pkt., 5.

Scarlet Turnip. A very early variety, deserving general cultivation on account of its rich color, crisp and tender qualities; should be used while young. Per pkt., 5.

White Turnip. Bulb similar to the preceding. Skin white; flesh white and semi-transparent. Some days later than the scarlet. Per pkt., 5.

Scarlet Olive-shaped. In the form of an olive, terminating in a very slim top-root. Skin fine scarlet; neck small; flesh rose-colored, tender, and excellent. Early, and well adapted for forcing or general crop. Per pkt., 5.

Long Salmon. A fine variety, in size and form similar to the Early Short-top Long Scarlet, but is a paler red; coming in a few days later. Per pkt., 5.

Black Spanish. One of the latest as well as the the hardiest of the Radishes, and is considered an excellent sort for winter use. Large size; color black; of firm texture. To keep well, should be packed in sand, Per pkt., 5.

Long White Chinese. Skin white, and of fine texture; flesh fine-grained, crisp, and very good flavored. Its season the same as the preceding. Per pkt., 10.

30 Rose-colored China Winter. Size full medium; skin comparatively fine, and of a bright rose-color; flesh firm, and rather piquant. A very late variety. Per pkt., 10.

30 New French Breakfast. A new quick-growing variety. Oval form; color scarlet, tipped with white; fine flavored. Very ornamental in appearance: much esteemed by the French. Excellent for forcing. Per pkt., 15.

#### Rhubarb (RHEUM HYBRIDUM.),

German, Rhubarber. - French, Rhubarbe. - Spanish, Ruibarbo Bastardo.

CULTURE. — Rhubarb succeeds best in deep, somewhat retentive soil. The richer its condition, and the deeper it is stirred, the better. Sow in drills an inch deep. Thin out to six inches apart. In the fall, trench a piece of ground, and manure it well; then transplant the young plants into it three feet apart each way. Cover with leaves or litter the first winter, and give a dressing of coarse manure every fall. To procure an immediate crop, plant roots which are already grown.

#### Salsify, or Oyster Plant (TRAGOPOGON PORRIFOLIUS).

German, Bocksbart. - French, Salsifis. - Spanish, Ostra vegetal.

The Salsify is a hardy biennial plant, and is principally cultivated for its roots, which are long and tapering, and, when grown in good soil, measure twelve or fourteen inches in length. It is considered wholesome and nutritious. When cooked, the flavor resembles that of the oyster, and is a good substitute for it: whence the popular name.

CULTURE. — This plant succeeds best in a light well-enriched soil, which, previous to sowing, should be stirred to the depth of twelve or fourteen inches. Sow the seed in drills half an inch deep, and ten inches apart, early in the spring. Thin them out, when an inch high, to four or six
inches apart. Keep the ground clear of weeds, giving them the general culture of carrots. They are perfectly hardy, and may remain out all winter. Store a quantity for winter's use, packed in earth or sand. Those remaining in the ground should be dug before commencing growth in spring.
earth of sand. Those remaining in the ground should be dug before commencing growth in spring.

#### 

#### Scorzonera, or Black Salsify (Scorzonera HISPANICA).

German, Schwarzwurzel. - French, Scorzonere. - Spanish, Escorzonera.

Cultivated like the common Oyster Plant, which it much resembles in its mode of growth.

It is also prepared for the table in the same manner. Per pkt, 10 . . . . 25

#### Sea Kale (CRAMBE MARITAMA).

German, Selkohl Meerkohl. - French, Crambe Maritime. - Spanish, Breton de mar.

This plant is found growing on the seacoast of Europe, particularly in England. It is closely related to the Cabbage, and can be obtained with very little trouble. The mode of dressing this vegetable for the table is the same as that for Asparagus, which it much resembles.

CULTURE. — The seeds may be sown in April, in drills an inch and a half deep, and fourteen or sixteen inches asunder. The soil must be previously well enriched, and thoroughly trenched. Let the plants remain until the following spring, then fransplant them in rows three feet apart, and eighteen inches apart in the rows. The earth should be occasionally stirred when the rains have run the surface together. Late in the fall, cover the crowns of the plants with a few inches of earth, making a ridge over the rows about a foot and a half high. After the cutting is over in the spring, level the earth into trenches, adding a good coat of strong manure.

#### 

#### Spinach (Spinacia Oleracea).

German, Spinat. - French, Epinard. - Spanish, Espinaca.

Spinach is very hardy, and consequently a very important vegetable for cold climates. It is extremely wholesome and palatable.

CULTURE. — Spinach is best developed and most tender when grown in rich soil. It should be heavily manured and deeply trenched. Sow early in March for summer crop, in drills, which method renders the cultivation and the gathering of the produce more convenient. Encourage the growth with frequent hoeing, which draws the moisture to the roots. For a succession, a few seeds of the summer varieties may be sown, at intervals of a fortnight, from April to August. Sow from the middle of August to the beginning of September, for the winter crop, in a light sandy soil, on raised beds, which enables it better to stand the severe frost. This, too, must be well manured, and deeply trenched. Scatter the seed thinly in drills as for the summer varieties, one to three inches deep, from twelve to eighteen inches apart, and cover them with the finest of the soil. Then the plants as soon as they are strong enough to draw, leaving them about nine inches apart in the row. Two ounces of seed will plant five drills, each forty feet long.


		02.
Round or Summer. Leaves large, thick, and fleshy; rounded at the ends; a		
crimped; in general use for early planting. Per pkt., 5	1	0
Fall, or Prickly. Leaves seven or eight inches long; halbert-shaped; thin in texture	and	
nearly erect; one of the hardiest, and most generally used for fall planting.	Per	
pkt., 5		0.1
pkt., 5 Lettuce-leaved. Leaves large, thick, dark green, and of superior quality; should be	sown	
in the spring. Per pkt., ro  New Zealand. A large-growing variety, requiring a warm rich soil. Its superiority	I	15
New Zealand. A large-growing variety, requiring a warm rich soil. Its superiority	over	
other varieties consists in the fact that it grows luxuriantly, and produces lea	ves of	
the greatest succulency, in the hottest weather. Per pkt., 10	3	10
Flander's. A very hardy and productive variety, of superior quality. Per pkt., 5	1	

#### Squash (Cucurbita Melo Pepo).

German, Kurbiss. - French, Courge. - Spanish, Calabasa tontanera.

The several varieties of the Squash are very useful in this and other warm climates, as they can be grown to perfection in the summer. It is in general use from June to August, and the late varieties the whole winter until May. It is extensively cultivated in this vicinity for the market.

CULTURE. — Any good enriched soil is adapted to the growth of the Squash. They only thrive well in a warm temperature, as all the varieties are tender annuals; and the seed should not be sown in spring until all danger from frost is past, and the ground is warm and thoroughly serided. The hills should be made from eight to ten inches in depth, manured well, and covered about three-fourths of an inch deep. Keep the earth about the plants loose and clean, removing the surplus vines from time to time, allowing not more than three plants to a hill. The custom of cutting or nipping off the leading shoots of the running varieties is now practised to some extent, with the impression that it both facilitates the formation of fruinful laterals and the early maturing of the fruit. Whether the amount of product is increased by the process, is not yet determined.



TURBAN SQUASH.

#### YOKOHAMA SQUASH.


per oz. Early Egg, or Apple. Skin yellowish-white; thin; flesh dry and well-flavored in its green state; fruit small. Per pkt., 5.

Early Yellow Bush Scolloped. An early, flat, scollop-shaped sort; color yellow; flesh pale yellow, tolerably fine-grained and well-flavored; very productive. Per pkt., 5,

Early White Bush Scollopek. This is a sub-variety of the Early Yellow Bush. The plant has the same dwarf habit, and the fruit is nearly of the same size and form. Per 15 pkt., 5

Early Summer Bush Crookneck. This is generally esteemed as one of the finest of the summer varieties; color bright yellow; skin very warty, thin, and easily broken; flesh dry and well-flavored; should be used while young. Per pkt., 5.

Boston Marrow. Form ovate; skin thin; when ripe, bright orange; flesh rich salmon yellow, very dry, fine-grained, and for sweetness and excellence unsurpassed; a very popular variety in the Boston market; a fall and winter variety. Per pkt., 5,



HUETARD SQUASH. Hubbard. This is a superior variety, and the best winter Squash known; flesh bright orange-yellow, fine-grained, very dry, sweet, and rich-flavored; keeps throughout the winter. Per pkt., 10

Fall or Winter Crookneck. The kind most generally cultivated in New England for fall and winter use; flesh salmon-red, very close-grained, dry, sweet, and fine-flavored; keeps well. Per pkt., 5

Canada Crookneck. A smaller variety of the preceding; ripens early, and, all things considered, is one of the best of the Crooknecks for general cultivation; very prolific. Per pkt., 5. sidered, is one of the best of the Crooknecks for general cultivation; very prolific.

Per pkt, 5.

Honolulu Nectarine. Productive, and of good quality; keeps well. Per pkt., 10

Valparaiso, or Lima Cocoanut. A large-growing winter variety; a good variety for fall and winter use. Per pkt., 5

Custard. Skin or shell creamy-white; flesh pale yellow, not remarkable for solidity or fineness of texture; one of the hardiest and most productive. Per pkt., 5.

Mammoth. This is the largest variety known, and, under favorable conditions of climate, and in rich soil, it often grows to the weight of from a hundred to a hundred and forty pounds. Per pkt., 25. 25 20

Moore's Vegetable Cream. A new English variety of the Vegetable Marrow, introduced	
by Thomas Moore, Esq., Secretary of the Royal Horticultural Society, and recom-	
mended as a most valuable acquisition. Per pkt., 25.	
Turban, or Turk's Cap. A superior late-growing variety. At the blossom-end, the fruit	
suddenly contracts to an irregular, cone-like point or termination; of a greenish	
color, striped with white, and thus in form and color somewhat resembling a tur-	
ban; whence the name; flesh orange-yellow, thick, fine-grained, sugary, and well-	
flavored. (See engraving, p. 121.) Per pkt., 10	0
Yokohoma. A new variety from Japan; finest-grained of all the Squashes, with a rich	
Marrow favor (See engraving n ver) Por plet	

#### Tomato (SOLANUM LYCOPERSICUM).

German, Liebesapfel. - French, Tomate. - Spanish, Tomate.

There is no vegetable on the catalogue that has obtained such popularity in so short a time as the one now under consideration. It may be served in various ways, and, in nearly every form, is highly esteemed.

CULTURE. — The Tomato is raised from seeds, which should be sown in a hotbed in March, or in pots in a warm window. They should be started as early and forwarded as rapidly as possible, whether by hotbed or open-air culture. When about two inches high, they should be transplanted, in single plants, to warm, light, rich soil. Water freely at the time of transplanting. Shelter from the sun for a few days, or until they are well established. If sown in the open ground, select a sheltered situation, pulverize the soil finely, and sow in drills. This may be done the last of March or first of April. When the plants are three or four inches high, transplant to where they are to remain, as before directed.

per	OZ.
Early Apple-shaped. A very early and productive variety; round, smooth, and of medium	
size. Per pkt., 10  Large Smooth Red. Fruit somewhat flattened, inclining to globular in its general outline;	0
Large Smooth Red. Fruit somewhat flattened, inclining to globular in its general outline;	
medium size; skin deep rich crimson; flesh bright pink or rose color; one of the	
best for general cultivation. Per pkt., 5	5
Lester's Perfected. Of recent introduction; regular form; large size; flesh firm and	
well-flavored. Per pkt., 10  Large Red. A very early variety, of large size; skin bright red; flesh pink or rose color.	)
Large Red. A very early variety, of large size; skin bright red; flesh pink or rose color.	
Per pkt., 5.  Pear-shaped. A small, red, pyriform or pear-shaped variety; fine for preserving. Per	5
Pear-shaped. A small, red, pyriform or pear-shaped variety; fine for preserving. Per	
pkt., 10	
Large Vellow. A sub-variety of the Red Pear-shaped, with a clear, semi-transparent, yel-	
low skin and yellow flesh; little used except for preserving and pickles. Per pkt., 5, 30	
Red Plum. Remarkable for its symmetry, and for its uniform size. It is hardy and pro-	
ductive; used principally for preserving and pickles. Per pkt., 10 35	
Vallan Dlum Similar to about organt in color which is bright wallow Downlet as	
Chorry A small variety growing in clusters Per nkt to	
Cherry. A small variety, growing in clusters. Per pkt., 10.  Grape. A quite small red variety, growing in long clusters, like grapes, and useful for pre-	,
French Tree (Tomato de Laye). A new French variety, growing erect, in tree form; very	,
ornamental, as well as large, and one of the best flavored. Per pkt., to	
Feige Island. Fruit large, bright red, sometimes ribbed; often smooth and well-filled to	)
the sector Development	
the centre. Per pkt., 10	)
White Tomato. Similar to the Large Red, except in color. Per pkt., ro.	
Early York. One of the very earliest varieties; of good size, productive, and excellent	
flavor. Per pkt., 10	)
Cook's Favorite. A comparatively new variety; medium size, oval form, fair skin, deep	
crimson, very productive, and excellent flavor; one of the best for general cultiva-	_
tion. Per pkt., 10  Tilden's New Seedling. This new and valuable variety was originated by Mr. Tilden, or	0
liden's New Seedling. This new and valuable variety was originated by Mr. Tilden, of	
Iowa. It is rather dwarf in its habit, and has distinct and peculiar foliage. The	
fruit is large, roundish, or roundish-oval, in shape; skin smooth, glossy, and of a	
bright-red color; flesh remarkably solid. It ripens early, bears abundantly,	
keeps a longer time after being gathered, and bears carriage better, than any other	
variety. Five hundred bushels were produced on an acre by Mr. Tilden. Per	
pkt., 10 · · · · · · · · · · · · · · · · · ·	0
Strawberry, or Ground Cherry (Physalis Alkekengi). This, though called a Tomato, is	
a distinct species; excellent for preserves, having a peculiar delicate strawberry	
flavor. Per pkt., 10	0

#### Turnip (BRASSICA RAPA).

German, Steckrube. - French, Navet. - Spanish, Nabo comun.

This is a wholesome and useful plant both for man and beast, and highly deserving of cultivation. It has become in some countries an extensive field-crop.

CULTURE. — All the sorts are propagated by seeds, which should be sown where the plants are to remain, as they do not generally succeed well when transplanted. Sow as early as the ground will allow, in drills fourteen inches apart and half an inch in depth. The young plants should be thinned to five or six inches asunder. When the bottoms begin to enlarge, remove the earth gently to the depth of an inch and a half, and apply wood-ashes. The sowing for the winter's supply is made in August. One thing must be observed, — to have the ground always fresh dug before sow-

ing. Turnips must be harvested before severe freezing weather; for, though comparatively very hardy, few of the varieties will survive the winters of the Northern States in the open ground. Cut the leaves off to about half an inch from the bulb; collect the latter and per adult them in a dry pit or cellar; cover with straw and earth over all. Thus protected, they will keep fresh till February. The seed will retain its vitality for three years if kept in a dry place. If it is two years old, soak it in water twenty-four hours before sowing.

in water twenty-four hours before sowing.
Early White Flat Dutch, or Spring Turnip. Size medium; of quick growth, juicy, and
of excellent quality; may be used either in spring or fall. Per pkt., 5 10
Early Snowball. Round; white; a fine early variety. Per pkt., 5
early Dutch; considered one of the best for market, or table use. Per pkt., 5 . 10
Purple-top, Strap Leaf. This variety has the form and character of the White-top, Strap
Loaf, except in color. These two kinds are the best for spring or fall sowing, and for all garden culture, where they may be grown fair and free from worms, if not
sown too early in the fall; flesh fine-grained, and rich and buttery flavored. Per
pkt., 5
Yellow Malta. A beautiful, very symmetrical, small-bulbed, early variety; skin very smooth, bright orange-yellow; flesh pale yellow, fine-grained, and well-flavored.
Per pkt., 5
Vellow Aberdeen. A hardy and productive variety; flesh pale yellow, tender, and sugary;
keeps well. Per pkt., 5
pkt., 5
Orange Jelly. A superior variety, of quick growth and fine flavor; flesh bright yellow. Per
Robertson's Golden Stone. Smooth and symmetrical; skin bright yellow; flesh firm,
sweet, and well-flavored; remarkably hardy, and keeps well; one of the best for
winter use. Per pkt., 5
Large White Norfolk. A sub-variety of the Common Flat Turnip; grows to a large size; flesh white and coarse-grained, but sweet. Per pkt., 5
Long White Tankard. This variety is recommended for its earliness and productiveness,
but must be considered a field rather than a table variety. Per pkt., 5
Long White, or Cow Horn. An excellent variety; grows quickly to a good size; flesh
white, fine-grained, and sweet. It keeps well, and is esteemed by many the best
of all for culinary purposes; to have it keep well, gather before severe frosts. Per pkt., 5
Long White French, or Sweet German. One of the very best for winter or spring use,
either for the table or for feeding stock. The flesh is firm, sweet, and of excellent
flavor; none better for keeping; should be sown in June. Per pkt., 5 10
RUTA-BAGA, OR SWEDE TURNIP.
Skirving's Purple-top. This is a superior variety, hardy and productive; flesh yellow, of
solid texture, sweet and well-flavored. It is a good keeper. Per pkt., 5
Early Stubble Swede. This is recommended for its quick growth, and is well adapted for late sowing. Flesh firm, and well-flavored; very productive. Per pkt., 5
White's Eclipse, or Hybrid. A comparatively new variety, and excellent for early feeding
purposes. Large size, and well-flavored. Per pkt., 5
Laing's Improved Purple-top. A superior variety, hardy and productive. Flesh yellow, solid, and well-flavored; one of the best. Per pkt., 5
com, and the control of the party of the par

#### AROMATIC, POT, AND SWEET HERBS.

The generality of Aromatic, Pot, and Sweet Herbs, may be raised from seed sown early in spring. As only a small quantity of these are necessary for family use, they may occupy a corner by themselves. They thrive best in a mellow, free soil, and care should be exercised to harvest them at the proper time. The greater part of the following-named Herbs are Lerennial, and will multiply from the seed they drop, or from partings from the roots. The offsets, roots, or young plants, thus raised should be planted at suitable distances from each other. The beds should be kept free from weeds; and, as the herbs come into flower, cut them on a dry day, and spread them in a shady place to dry for use. The best method for preserving them is to rub them through a sieve when thoroughly dry, and pack them in the boxes. Be careful to put them in a dry place. Price, per pkt., 10; by the ounce on application. the ounce on application.

Angelica. Anise. Balm, Lemon. Basil, Sweet. Borage. Bene Plant. Burnet. Cardoon. Caraway. Chervil. Chiccory.

Coriander. Corn Salad. Cumin. Camelina. Dandelion. Dill. French Sorrel. Hyssop. Horehound. Lavender.

Pennyroyal. Pot Marigold. Rosemary. Rue. Sage. Saffron. Summer Savory.
Sweet Marjoram.
Sweet Fennel.
Thyme.

### VEGETABLE & AGRICULTURAL SEEDS, &c.

PRICES OF SOME LEADING ARTICLES BY THE POUND OR BUSHEL.

m · ·	1 84 1 (31( ) 3
Beans. per bush.	Melon (Water). per lb.
Early Mohawk \$8.00	Mountain Sweet \$1.50
Early China	Black Spanish 2.00
Early Yellow Six-weeks 8.00 Early Valentine	Mountain Sprout 2.00 Melon (Musk). per lb.
White Marrow 6.00	
Horticultural Pole 9.00	Jenny Lind Early
Indian Chief	Green Citron
Large Lima	Large Yellow Musk 1.50
Case-knife	Christiana
Dutch Runners 12.00	Large Cantelope 1.50
Beets. per lb.	Onion. per lb.
Early Bassano 2.00	Large Yellow 6.00
Early Blood Turnip 1.50	Yellow Danvers 6.00
Long Blood	White Portugal 7.00
White Sugar	Large Red
Mangel Wurzel	Parsnip. per lb.
Mangel Wurzel, Yellow Globe	White Dutch
Cabbage. per lb.	Parsley. per lb.
Early York 2-50 Early Oxheart	Extra Curled 1.50
Early Oxheart 3.00	Peas. per bush.
	Early Dan O'Rourke 7.50
Mason's Early Drumhead 6.00 Stone Mason Drumhead 6.00	Early Emperor 6.00
Winningstadt 5.00	Early Kent
Winningstadt 5.00 Large Drumhead (American) 4.00	
Large Drumhead (imported) 2.00	
Premium Flat Dutch (American 5.00	
Green Globe Savoy (American) . 4.00	Black-eyed Marrowfat 4.50
Red Dutch	Victoria Marrowfat 9.00
Carrot. per lb.	Pumpkin
Early Horn 1.50	Large Cheese
	Large Yellow Field
Large White Field	Radish. per 1b.
Long Yellow Altringham 1.25	Scarlet Turnip 1.25
Cauliflower.	Early Olive-shaped 1.25
Half-early Paris per lb. 30.00	Long Scarlet 1.00
Le Normand per oz. 2.50	Spinach. per lb.
Large White French per lb. 8.00	Summer
waitherin	Winter, Prickly
Celery. White Solid per lb. 4.00	Salsify. per lb.
White Solid per lb. 4.00 Red Solid	
Red Solid	Squash. per lb.
per lb.	6 0 1 1
Chiccory (for coffee) I.25	Winter Crookneck 1.25
per lb.	Boston Marrow 2.00
Chinese Sugar-cane	Hubbard
Corn. per one hundred ears.	Tomato. per lb.
Darling's Early. Shelled, 6.00 bush 4.00	Early Red, or Apple 4.00
Red-cob Sweet. Shelled, 5.00 4.00	Large Smooth Red 3.00
Assylum Sweet. Shelled, 6.00 5.00	Lester's Perfected 4.00
Stowell's Evergreen. Shelled, 6.00 . 5.00 Burr's Improved Sweet. Shelled, 6.00 . 5.00	Large Yellow 4.00
Burr's Improved Sweet. Shelled, 6.00. 5.00	Pear-shaped
Cucumber. per lb.	Turnip. per lb.
Early Cluster 1.50	Early White Dutch 1.00
Early Short Prickly 1.50	Extra Early White-top 1.00
Early White-spined 2.00	Red-top, Strap-leaf 1.00
Long Green	White-top 1.00
Kohl Rabi. per lb.	White-top 1.00  Long White French 1.00  Long Yellow French 1.00  Golden Ball 1.00
Early White	Golden Ball
Lettuce. 9er lb.	Yellow Aberdeen
Davis Cileria	Vellow Swedish, or Ruta-haga
Drumhead 3.00	Purple-top Ruta-baga
White Cabbage	Purple-top Ruta-baga . 1.00 Laing's Improved Ruta-baga . 1.00
Large India 5.00	White Sweet German 1.00
Butter 4.00	Fine American Ruta-baga 1.00

### TOBACCO SEED.

Connecticut Seed-leaf.			-, 35				0	per Ib.	\$3.50
Havana True (imported).	Per p	pkt., 20						per on	
								44	.50
Virginia. Per pkt., .									.50

#### COMPLETE ASSORTMENTS OF VEGETABLE SEEDS,

FOR ONE YEAR'S SUPPLY,

Selected by us with particular regard to the wants of every purchaser, and containing only the most popular and approved sorts, such as we can confidently recommend, and such as we are sure will give the most perfect satisfaction.

These Collections are always on hand, and can be sent by express, or No. 5 by mail, at the shortest notice, upon receipt of the price named.

Name of the state		1			
A TOME OF THE	No. 1,	No. 2,	No. 3,	No. 4,	No. 5,
ARTICLES.	for \$20,	for \$10,	for \$5,	for \$3,	for \$2,
,	contains	contains	contains	contains	contains
B D 1 D 01D 1				1	
Peas, Early Dan O'Rourke	3 quarts	3 pints	1 pint	½ pint	packet
Dwarf Blue Imperial	2 quarts	1 quart	1 pint	pint	
Champion of England	2 quarts	1 quart	r pint	i pint	packet
Dwarf Marrowfat	2 quarts	ı quart	r pint	h pint packet	
Hanticultural (pole)	1 quart	I pint	½ pint	packet	
Horticultural (pole) Early Long Yellow Six-weeks	ı quart	I pint	½ pint	packet	
Early China	1 quart	I pint	i pint	packet	
Beets. Early Blood Turnip.	2 quarts 2 ounces	1 quart	i pint i ounce	packet	packet
Long Blood	4 ounces	2 ounces	ounce	a ounce	packet
Early Bassano	2 ounces	1 ounce	dounce	packet	packet
	r ounce	1 ounce	packet	packet	Pacace
Broccoli. Early Purple Cape	1 ounce	packet	packet	packet	
Carrots. Early Horn	2 ounces	1 ounce	dounce	packet	
Brussels Sprouts Broccoli Early Purple Cape Carrots Early Horn Long Orange	4 ounces	2 ounces	1 ounce	packet	packet
Caulinower. Half-early Paris	dounce	packet	packet	packet	packet
Cabbage. Early York	1½ ounces	a ounce	dounce	packet	packet
Winningstadt	11 ounces	l ounce l ounce l ounce l ounce	packet	packet	•
Premium Flat Dutch	12 ounces	i ounce	dounce	packet	packet
Red Dutch	1 ounce	packet	packet	packet	
Celery. Seymour's White Solid Corn. Darling's Early	1 ounce	1 ounce	packet	packet	packet
Corn. Darling's Early	r quart	1 pint	pint .	packet	
Large Twelve-rowed Sugar	2 quarts	1 quart	i pint	packet	
Stowell's Evergreen	1 quart	1 pint	½ pint	packet	
Cress. Fine Curled	2 ounces	1 ounce	Jounce	1 ounce	packet
Cucumber. Extra Early Russian .	r ounce	dounce	1 ounce	packet	
Early White Spine Leek. London Flag	2 ounces	1 ounce	ounce	packet	packet
Leek. London Flag	I ounce	½ ounce	4 ounce	packet	
	I ounce.	½ ounce	4 ounce	packet	
Lettuce. Early Curled Silesia Early Tennisball	1 ounce	1 ounce	4 ounce	packet	packet
Early Tennisball	1 ounce	½ ounce	packet	packet	packet
Large India	½ ounce	dounce	packet	_	l .
Musk-melon. Nutmeg	1 ounce	½ ounce	d ounce	4 ounce	packet
Green Citron	2 ounces	r ounce	1 ounce	4 ounce	packet
White Japan	packet	packet	packet	_	
Water-melon. Mountain Sweet	2 ounces	1 ounce	½ ounce	4 ounce	packet
Citron (for preserves)	½ ounce	packet	packet		
Onion. Yellow Danvers	2 ounces	1 ounce	ounce	packet	packet
Large Red Wethersfield	2 ounces	1 ounce	1 ounce	4 ounce	packet
Okra. Long Green	2 ounces	i ounce	ounce	packet	
Parsley. Double Curled Extra Parsnip. Large Dutch	1 ounce	½ ounce	4 ounce	packet	packet
Student	4 ounces	2 ounces	I ounce	½ ounce	packet
Student	packet	packet	packet	maalina	maalaat
Pepper. Large Squash Radish. Long Scarlet Short-top.	3 ounces	d ounce	packet	packet	packet
Olive-shaped	3 ounces	1½ ounces	1 ounce	dounce	packet
Salsify	3 ounces	ounces	ounce		packet
Spinach. Round, or Summer	3 ounces 6 ounces	1½ ounces	1 ounce	d ounce	packet packet
Prickly, or Winter	6 ounces	3 ounces	1 ounce	ounce	Packet
Squash. Early Bush, or Scollop.	1 ounce	1 ounce	packet	packet	packet
Hubbard .	2 ounces	i ounce	ounce	packet	packet
Boston Marrow	2 ounces	1 ounce	ounce	packet	paenet
Winter Crookneck	1 ounce	1 ounce	packet	packet	
Tomato. Early Red	I ounce	1 ounce	d ounce	packet	packet
Large Red Smooth	r ounce	i ounce	d ounce	packet	packet
Erect, or Tree	packet	packet	packet	1,	Parent
Turnip. Red Top Strap-leaved	4 ounces	2 ounces	1 ounce	1 ounce	packet
Turnip. Red Top Strap-leaved	2 ounces	I ounce	1 ounce	2	
Sweet German	2 ounces	I ounce	a ounce	1 ounce	packet
Egg-plant. Large Round Purple Sweet and Pot Herbs.	1 ounce	1 ounce	packet	packet	packet
Sweet and Pot Herbs.	•	4	1		•
Sweet Marjoram	packet	packet	packet	packet	packet
Caraway	packet	packet	packet	packet	•
Summer Savory	packet	packet	packet		
Sage	packet	packet	packet	packet	packet
Sage	packet	packet			
Rosemary	packet	packet			
				127	

#### GRASS SEEDS.

Agrostis Stolonifera. (Creeping Bent Grass.) This variety is well adapted for moist places,

which sometimes overflow; fine for lawns or permanent pastures on account of its
growing earlier and later than other varieties
Vulgaris. (Red Top.) This valuable grass is well known throughout the Northern
and Middle States, generally sown with clover and Timothy. Market price
per lb.
Alopecurus Pratensis. (Meadow Fox-tail.) A very useful variety for pastures; closely re-
sembling Timothy, but may be distinguished from it as having one palea only; grows
quickly and very early, succeeding best in meadow land
Anthoxanthum Odoratum. (Sweet-Scented Vernal Grass.) This is one of the earliest spring,
as well as one of the latest in the autumn, and is almost the only grass that is fra-
grant. It yields but a moderate crop, yet it should be planted freely on account of its
quality for feeding green, or cut for hay
Avena Flavescens. (Yellow Oat Grass.) Suitable for dry meadows and pastures; should be
cultivated with other grass: Sweet Vernal and Crested Dog's-tail are best adapted;
useful for fodder
Bromus Schraderi. (Rescue Grass.) A very valuable variety for general cultivation, espe-
cially for dry grounds, yielding two crops each season; is much liked by cattle in
green state. Native of Australia Cynosurus Cristatus. (Crested Dog's-tail) A fine variety for permanent pastures or lawns;
Cynosurus Cristatus. (Crested Dog's-tail) A fine variety for permanent pastures or lawns;
forms a close turf, rather fine foliage; succeeding best on dry and gravelly soils; the
seed-stocks are dry and wiry, but the foliage is much liked by cattle 80
Dactylis Glomerata. (Orchard Grass.) This is one of the most valuable and widely-known
of all the pasture-grasses. Its rapidity of growth, the luxuriance of its aftermath,
and its power of enduring the cropping of cattle, commend it highly. It should be sed
close to prevent it running to seed, when it loses a large proportion of its nutritive
matter. All kinds of stock eat it greedily when green; well adapted for growing under
trees per bushel 3.50
per lb.
Festuca Durinscula. (Hard Fescue.) A fine variety, suitable for lawns and pastures; grow-
ing well in most any kind of soil, particularly dry soils; fine foliage, adapted for
sheep-grazing: should be planted with Festuca Pratensis and Poa Trivialis 50
- Pratensis. (Meadow Fescue.) One of the most common of the Fescue grasses, said to
be the Randall grass of Virginia. An excellent pasture-grass, forming a very con-
siderable portion of the turf of old pastures and fields. In addition to its qualities as
a pasture-grass, it is said to make a very good quality of hay; much relished by cat-
tle. Thriving in any soil
- Ovina. (Sheep Fescue) This is much used by the English for sheep-pastures; yields
but a moderate crop, and is only recommended for sheep-pastures, as they are very
fond of it. It improves the flavor of mutton very much
Loliacea. (Darned Spike Fescue.) This variety is nearly allied to the tall Fescue, and
possesses much the same qualities. It grows naturally in moist rich meadows, forming
a good permanent pasture-grass
Holcus Lanatus. (Meadow Soft Grass.) This beautiful grass grows best in moist fields and
Holcus Lanatus. (Meadow Soft Grass.) This beautiful grass grows best in moist fields and peaty soil; productive, and of easy cultivation, but cattle are not very fond of it:
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it;
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed75
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture:
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent passure; best adapted for moist land. Very nutritious
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Hallicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious.  — Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious.  — Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herdes-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loany soils of medium
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture: per bushel, 5.00  — Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very untritious per bushel, 5.00  Hallicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loany soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very untritious.  — Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grasses to cultivate in
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious  — Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly resonnenedd for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. Per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loany soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75 Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious  — Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities: exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop.
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious  Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. Per bushel, 5.00  Phleum Pratense. (Timothy or Herdes-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop  Nemoralis. (Wood Meadow Grass.) This is certainly to be classed among the good
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Hallicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields move than an average crop  Nemortilis. (Wood Meadow Grass.) This is certainly to be classed among the good shaded pasture-grasses, furnishing a fine succulent and very nutritive herbage
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Hallicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop  Nemorulis. (Wood Meadow Grass.) This is certainly to be classed among the good shaded pasture-grasses, furnishing a fine succulent and very nutritive herbage which cattle are very fond of; much recommended for pleasure-grounds, particularly under trees.
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Hallicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop  Nemorulis. (Wood Meadow Grass.) This is certainly to be classed among the good shaded pasture-grasses, furnishing a fine succulent and very nutritive herbage which cattle are very fond of; much recommended for pleasure-grounds, particularly under trees.
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities: exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop.  Nemoralis. (Wood Meadow Grass.) This is certainly to be classed among the good shaded pasture-grasses, furnishing a fine succulent and very nutritive herbage which cattle are very fond of; much recommended for pleasure-grounds, particularly per lb. 75  Pratensis. (Kentucky Blue Grass, or June Grass.) This is an early grass, very commen
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious  Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. Per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop  Nemortlis. (Wood Meadow Grass.) This is certainly to be classed among the good shaded pasture-grasses, furnishing a fine succulent and very nutritive herbage which cattle are very fond of; much recommended for pleasure-grounds, particut any under trees  Pratensis. (Kentucky Blue Grass, or June Grass.) This is an early grass. very commen in the soils of New England and the West, and highly recommended for lawns; grows
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious per bushel, 5.00  Halicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop  Nemorulis. (Wood Meadow Grass.) This is certainly to be classed among the good shaded pasture-grasses, furnishing a fine succulent and very nutritive herbage which cattle are very fond of; much recommended for pleasure-grounds, particularly under trees  Pratensis. (Kentucky Blue Grass, or June Grass.) This is an early grass, very common in the soils of New England and the West, and highly recommended for lawns; grows well in dry gravelly soils; very nutritive for all kinds of grazing-stock. Per bushel,
peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75  Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious  Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. Per bushel, 5.00  Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.  Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop  Nemortlis. (Wood Meadow Grass.) This is certainly to be classed among the good shaded pasture-grasses, furnishing a fine succulent and very nutritive herbage which cattle are very fond of; much recommended for pleasure-grounds, particut any under trees  Pratensis. (Kentucky Blue Grass, or June Grass.) This is an early grass. very commen in the soils of New England and the West, and highly recommended for lawns; grows

#### GRASS SEED FOR LAWNS.

One of the most pleasing features connected with a garden is a well-kept lawn; but, to secure this most desirable object, much depends upon the selection of such grasses as will present a fresh and luxuriant verdure throughout the season. For this purpose, a mixture of several kinds of the finer grasses is most suitable. These we can supply ready mixed, of the best sorts, and proper proportions of each. The quantity usually sown is two bushels per acre. Per bushel, \$6.00; 20 cents per qt.

#### GRAIN AND GRASS SEEDS.

The prices of these are variable; but purchasers may depend on having them at the lowest market rates and of the best quality.

middle serves wire of erre peop de	
Barley.	Hungarian Grass.
Bedford Oats.	Chinese Sugar Cane.
Buckwheat.	Canada Corn.
Spring Wheat.	Dutton "
Winter Wheat.	King Philip Corn.
Spring Rye.	Herds Grass, or Timothy.
Winter Rye.	Northern Red-top Grass.
Broom Corn.	Southern Red-top Grass.
Field Peas.	Rhode-Island Bent Grass.
Spring Vetches.	Fine-top, or Dew-grass.
Flax-seed.	Millet.

Fowl Meadow Grass.
Orchard Grass.
Perennial Rye Grass.
Meadow Foxtail Grass.
Sweet Vernal Grass.
Italian Rye Grass.
Northern Red Clover.
Southern Red Clover.
White Dutch Clover.
Lucerne, or French Clover.
Kentucky Blue Grass, ext. clean.

#### FRUIT SEEDS.

Apple Seed Cherry Pits Currant Seed	•	:	:	. lb.	.50	Peach Pits Plum Pits Pear Seed	•		bush. \$2.00 lb50
Gooseberry Seeds Grape (Hothouse)		•	:			Quince Seed . Raspberry Seed			" 4.00 oz75

#### STRAWBERRY SEED.

Saved from our large collection of over forty varieties, embracing all the best European and American kinds in cultivation. Mixed seed. Per pkt., \$0.25.

#### ORNAMENTAL TREE SEEDS.

N(41:- E1-)	4
	\$0.20
European Silver Fir (Abies Pectinata)	.20
Norway Maple (Acer Platanoides) " 1.50 "	.20
Sugar Maple (Acer Saccharinum)	
m cri (422 2 or 22 )	.25
	.30
Shelbark (Carya Alba)	.25
Ornamental Thorn (Cratagus Coccineus) lb. 1.25 oz.	.25
Burning Bush (Euonymus Americana)	.50
Salisburia (Ginko Biloba)	
	5.00
European Mountain Ash (Fraxinus Excelsior) lb. 1.25 oz.	,25
Red Cedar (Juniperus Virginiana)	.15
Scotch Larch (Larix Europa)	.25
Tulip Tree (Liriodendron Tulipifera)	.30
	.40
Scotch Pine (Pinus Sylvestris)	.25
Austrian Pine (Pinus Austriaca)	.25
White Pine (Pinus Strobos)	-40
Yellow Locust (Robinia Pseudo Acacia	.15
American Arbor Vitæ, clean seed (Thuja Occidentalis)	.60
American Elm (Ulmus Americana)	.40
Yellow Wood (Virgilia Lutea)	2,00
Many other varieties of Tree and Shrub Seeds can be supplied on seasonable application.	

#### SEEDS FOR HEDGES.

Honey Locust, or Three-thorned Acacia (Gleditschia Triacanthus)	eren -	4	. lb.	\$0.75
Buckthorn (Rhamnus Catharticus)			. 66	1.25
Osage Orange (Maclura Aurantiaca)				1.25
American Arbor Vitæ (Thuja Occidentalis)			. OZ.	.50

#### CULINARY ROOTS, PLANTS, &c.

Asparagus Roots, Giant. One year old	nd. \$1.00
Garlic	· 1.50
Shallots. A species of onion, esteemed for its fine flavor  Potato Onions. Early, and mild flavor  bus	
Top or Tree Onions. Valuable for pickling Rhubarb. Myatt's Victoria. Very large; a popular variety	6.00
Myatt's Linnæus. Large, very tender, and excellent     Prince Albert. Early and fine	3,00
Downing's Mammoth. Extra large and tender     Cahoon's Mammoth. One of the largest; very tender	3.00
- Champagne. Large; tender; fine flavor	3.00
	1,00

Tomato, Cabbage, Cauliflower, Celery, Pepper, Sweet Potato, and Egg-Plants, &c., of different varieties, supplied, in their season by the hundred or thousand, at reasonable prices.

### NOVELTIES AND SPECIALITIES

FOR 1867 AND 1868.

# VEGETABLE SEEDS.


Bean.	
Giant Wax. Recently introduced, and differing essentially from the old German Wax Bean, being of a more robust growth and more productive. The pods are from six to nine inches in length, and from three-fourths to one inch in breadth; the beans, when ripe, are of a reddish color. Mr. A. L. Felton, a highly successful vegetable-grower near Philadelphia, who has grown them for several seasons, estimates the yield at about one-half peck of pods to the pole, of three plants. The pods, when fit for use, are of a clear, waxy color, perfectly stringless, and, when cooked, are as tender as marrow, and truly delicious.	per pkt.
Brussell Sprouts.	
Dwarf Cabbage. A variety with a shorter stem, sprouts somewhat larger and closer set than the old variety	10
774	
Beet.	
Simon's Early. An improvement on other early kinds; and is now superseding the Bassano, being quite as early, and of a blood-red color; smooth and turnip-shaped. Considered a most valuable variety for the market.  **Carter's Champion Mangel.** This improved variety of Orange Globes is believed to be superior to any other sort, and to produce a greater weight per acre. Price, per oz., 10; per lb., 75.	10
Broccoli.	
Carter's Summer. A new variety, with enormous, close, white heads, coming at a time when it will be most valuable, — between the late Broccoli, and the Cauliflower. This variety is very distinct from all other sorts in seeds, foliage, and heads	25
Borecole, or Kale.	
Abergeldie. A dwarf-curled Kale, of extreme beauty, good color, delicate mellow flavor, and as double as a fine curled Parsley. This is a valuable winter green, and will be found a very useful and extremely handsome garnish	25
Cabbage.	
Foltler's Improved Brunswick. The Earliest, Shortest-stemmed, and very best Drumhead yet offered. The Boston market-gardeners all use it in preference to any other; and, to show how highly it is esteemed in this market, we will state that it sold readily at \$5.00 per ounce the past season, and all were well satisfied that it is the best variety for either early or late planting. Every plant produces a good head, — when fully grown, weighing from twenty to thirty pounds, — and requiring only ordinary cultivation. The quality is excellent. Mr. John Stone, of Marblehead, Mass., the originator of the well-known Stone-mason Drumhead, allows us to state that he considers it far superior to any Drumhead he has ever seen. He has raised good-sized heads the past season in eighty-five days from planting the seed. We warrant our stock the purest in the country. Five for \$1.00.  Early Schweinfurth. A very remarkable and valuable variety, both for earliness and large size: adapted chiefly for summer and autumn use. (See cut.) Per oz., 50.  Early Pancalier Joulin Savoy. A very good variety, with a head of medium size, and very early; indeed, the earliest of all Savoys	25 10



MARBLEHEAD MAMMOTH DRUMHEAD CABBAGE. See page 131.




CABBAGE. EARLY SCHWEINFURTH. See page 130.



Marblehead Mammoth Drumhead. The largest Cabbage in the world.  This (the Mammoth) is, without doubt, the largest variety of the Cabbage family in the world, being the result of the extreme of high culture. In form this variety differs, the head being sometimes nearly hemispherical, at other times nearly flat. Under high culture it is compact and hard. Its size is indeed mammoth, ranging from that of a half-bushel measure up to that of a two-bushei basket, and even larger. They have been grown, and, when stripped of all waste leaves, could not be got into a two-bushei basket, having a greater diameter by two inches! Mr. Allev, the originator of this Cabbage, has grown them measuring seventy inches, or nearly six feet in circumference, when measured around the solid head! The weight of these Cabbages is proportional to their size, averaging, by the acre, under the high culture of our Marblehead farmers, about thirty pounds a plant. The Cabbage that, for size, took the first premium of the Massachusetts Horticultural Society at the exhibition of 1860, was of this variety, weighing over forty pounds. Of the famous crop of Mr. Seth Harthaway, grown in 1856, the largest Cabbage weighed sixty-two pounds.  Cultiflowers are all the plants. For early marketing, start in a hotbed: for winter use, plant in latitude of Boston by the 23d of May. Price, Mammoth Marblehead, \$1.00 per 02. 25  Cannon Ball. An early variety; round, and the hardest headed of all cabbages 25  Cauliflower.  Lemaitre. A fine variety of the half-early Paris Cauliflower, producing a large, firm head, very white, and of superior quality; much esteemed by the Paris market-gardeners; stem short  Boston Market. The seed of this celebrated Cauliflower was saved by one of the successful Boston market-gardeners, and can be relied upon as the best, in every respect, for family or market purposes.  Celery.  Boston Market. A favorite variety in the Boston market; remarkable for its tender, crisp, and succudent stems, and its peculiarly mild flavor. It is ex	; ;
Lemaitre. A fine variety of the half-early Paris Cauliflower, producing a large, firm head, very white, and of superior quality; much esteemed by the Paris market-gardeners; stem short.  Boston Market. The seed of this celebrated Cauliflower was saved by one of the successful Boston market-gardeners, and can be relied upon as the best, in every respect, for family or market purposes.  Carrot.  Improved White Green-Top Orthe. An improved variety of the white Belgium Carrot, with shorter and much larger roots; perfectly smooth, cylindrical, and tapering to a rather blunt point. It is easily pulled out, and yields very large crops  Celery.  Boston Market. A favorite variety in the Boston market; remarkable for its tender, crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cultivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence  Cucumber.  General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	i.
Lemaitre. A fine variety of the half-early Paris Cauliflower, producing a large, firm head, very white, and of superior quality; much esteemed by the Paris market-gardeners; stem short.  Boston Market. The seed of this celebrated Cauliflower was saved by one of the successful Boston market-gardeners, and can be relied upon as the best, in every respect, for family or market purposes.  Carrot.  Improved White Green-Top Orthe. An improved variety of the white Belgium Carrot, with shorter and much larger roots; perfectly smooth, cylindrical, and tapering to a rather blunt point. It is easily pulled out, and yields very large crops  Celery.  Boston Market. A favorite variety in the Boston market; remarkable for its tender, crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cultivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence  Cucumber.  General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	i.
cessful Boston market-gardeners, and can be relied upon as the best, in every respect, for family or market purposes.  Carrot.  Improved White Green-Top Orthe. An improved variety of the white Belgium Carrot, with shorter and much larger roots; perfectly smooth, cylindrical, and tapering to a rather blunt point. It is easily pulled out, and yields very large crops  Celery.  Boston Market. A favorite variety in the Boston market; remarkable for its tender, crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cultivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence  Cucumber.  General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
Carrot.  Improved White Green-Top Orthe. An improved variety of the white Belgium Carrot, with shorter and much larger roots; perfectly smooth, cylindrical, and tapering to a rather blunt point. It is easily pulled out, and yields very large crops  Celery.  Boston Market. A favorite variety in the Boston market; remarkable for its tender, crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cultivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence  Cucumber.  General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
Improved White Green-Top Orthe. An improved variety of the white Belgium Carrot, with shorter and much larger roots; perfectly smooth, cylindrical, and tapering to a rather blunt point. It is easily pulled out, and yields very large crops  Celery.  Boston Market. A favorite variety in the Boston market; remarkable for its tender, crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cultivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence  Cucumber.  General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
with shorter and much larger roots; perfectly smooth, cylindrical, and tapering to a rather blunt point. It is easily pulled out, and yields very large crops  Celery.  Boston Market. A favorite variety in the Boston market; remarkable for its tender, crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cultivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence  Cucumber.  General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties; black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
Boston Market. A favorite variety in the Boston market; remarkable for its tender, crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cultivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence  Cucumber.  General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cultivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence	
tivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence  Cucumber.  General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp, and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
and most agreeable flavor; grows from twenty to thirty inches long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition or for the table  Bedfordshire Surprise. One of the most popular English varieties; black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground	
ing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.  Corn.  Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet com brought into Boston market, full kernelled, sweet, and delicious. Received the premium	
into Boston market, full kernelled, sweet, and delicious. Received the premium	
of the Massachusetts Horticultural Society, in 1867, as the best early corn. Cul-	
tivated almost exclusively by Boston market-gardeners  Early Dwarf Sugar. A very valuable sort for early use, and also for planting in succession. The kernel is sweet and tender, and white before maturity; dull yellowish-	
white, when ripe  Red Sweet. This is a new variety, produced by crossing the old red with the white.  The producer says that it is superior to any other variety for the table, so tender that a person without teeth can eat it. It is also of large size, sweet, and mellow or fat. When in eating order it is pink, but turns to a bright red when dry. Should not be cooked until the ears are well filled. We have secured	
the entire stock of this rare novelty	
Corn Salad.	
Striped-Leaved. A striped-leaved variety, quite a novelty for the kitchen-garden 15	
Cotton.	
Sea Island (Long Staple). A very showy plant, with handsome althea-like flowers, yellow, with maroon centre. Small pkts.	

Egg Plant.	
Pekin New Black. An entirely new and distinct kind, from China. The plant grows erect and handsome, attaining the height of two to three feet; with rich, dark, bronzy-purple foliage, very ornamental. The fruits are round, or globular, of a deep purple, almost black, weighing four to eight pounds each; skin, smooth and glossy. Exceedingly prolific, and as early as the long purple. The flesh is white, fine grained, and more delicate flavored than the old varieties. Specimens exhibited by us at the annual exhibition of the Massachusetts Horticultural Society, September, 1867, attracted great attention, and were awarded a prize	er pkt.
Lattuca	
Lettuce.  Bossin. Said to be the best Cabbage Lettuce in cultivation; in shape, color, and quality,	
it resembles the Batavian Lettuce	25
Melons.	
Achapesnorricher. A handsome green-fleshed variety from Ionian Islands, of very fine	
flavor Carter's Excelsior. An English variety, said to be one of the best green-fleshed sorts.	25
Turner's Scarlet Gem. A fine scarlet-fleshed variety, highly esteemed for growing in	25
Princes Alexandra. Another English variety. A new hybrid, of globular shape, very evenly quartered and netted; pale-green colored flesh, with very little pulp in	25
Trentham Hall. An English variety, green-fleshed, sweet, suitable for cultivating in	25
frames	25
Peas.	
Drew's New Dwarf. This is the greatest acquisition yet made, and has proved one of the most valuable introductions to the numerous variety of Peas. It grows only one foot high, branching profusely, and forming an erect, dense bush. The pea is of the largest size, of a bluish tinge, slightly shrivelled, and as sweet and delicious as the Champion of England, without the tough skin of that variety; medium early. It is very productive, and a most valuable and extra fine pea. A single row, planted one foot apart, will fill the row a foot wide and one foot high.  Sutton's Ringleader. A new, extra early pea, imported from London, and recommended by Messrs. Sutton & Son as the earliest pea in England, and also as a very prolific variety.  McLean's Little Gem. A dwarf, prolific, green, wrinkled marrow; habit similar to the very early Tom-Thumb Pea, and is a first early. This pea is a great acquisition. The chief fault hitherto in early peas has been want of flavor; but this valuable variety has all the sugary flavor of the late wrinkled peas, coupled with a first early pea. Height, one foot  McLean's Epicureans. A second early wrinkled marrow, of delicious flavor; fine large peas, in well-filled pods, and plenty of them; marked by the Royal Hortucultural Society as being a very profuse bearer  McLean's Wonderful. This is recommended as the best dwarf late pea in cultivation, remarkable for its large, well-filled pods, fine, sugary flavor, and great productiveness. Height, two feet  Laxton's Prolific Early Long Pod. This valuable variety was raised by Thomas Laxton, of Stamford, England. Some pods (in a green state) were exhibited at Mark Lane, London, last June, averaging eleven and twelve peas in a pod; and they were pronounced by several eminent members of the London seed-trade to be an exceedingly fine variety. For a second early pea, there is no pea of a similar class in cultivation to equal it; and we feel every confidence that it will be in general cultivation in a very few years. The pea has the same habit and ch	1.00 80 90 1.00 80
The following are extracts from some English testimonials:  "I have also personally tested, and can confidently recommend, the new pea as a first second early variety."  "I consider it decidedly an improvement upon all other early peas."  (Signed)  One of the Committee of the Stamford Horticultural So.  "I grow a great number of peas, but have seen none to be compared to Mr. Laxton's."  (Signed)  Superintendent Stamford Horticultural Society Exhibit	xeter.
The Peabody. A very dwarf, prolific, branching, late variety; of the Tom-Thumb habit; height, fifteen inches; good flavor, and very productive. The Peabody is a later variety than the Dwarf Waterloo, to which it forms a good succession. Per pkt, containing † pint, so cents	1.50





Dwarf Waterloo, Late Branching Marrow. A dwarf variety of tall Royal Victoria on Waterloo Marrow; of Tom-Thumb habit; height, fifteen inches; the most valuable dwarf pea for general and late cropping ever offered; very dwarf, good flavor, and very productive. Per pkt., containing a pint, so cents.  Carter's First Crop. This early variety is imported direct from Messrs. Carter & Co., London, who say it is the earliest pea in cultivation, an excellent bearer, and can be recommended for cultivation without sticks.  Dickson's First and Best. A new English variety, remarkably productive, and recommended as one of the very earliest peas in England  Waite's Caractacus. A very early sort, carefully selected from the well-known Dar O'Rourke. It has a very strong constitution, and is represented to be severa days earlier	80
of a more pleasing shape.	15
Monstruosus or Grossum. A new, remarkably fine variety, growing to very large size; highly recommended for stuffing	10
Potatoes.	
The following English varieties, some of them never before offered in this country, havicome very popular in Europe, we have imported a few of the following sorts, which woffer to our patrons, with their descriptions, as received from England:—	e shall
Confederate. The tubers are of a large oval or oblong form; eyes numerous, but not deeply set; skin, yellowish-white and very smooth; flesh, white when cooked; good quality; very prolific. Mr. C. N. Bracket, Chairman of the Vegetable Committee Massachusetts Horticultural Society, raised, last season, from eight medium-sized tubers, five and a half pecks of good sound potatoes.	r peck
Ash Top Fluke. Recommended as a second early sort. Very handsome tubers, and, when boiled, is very mealy and of most excellent flavor. Keeps well; wherever shown in England always considered the best	2.00
King of Potatoes. Large, prolific, and hardy; not liable to disease; said to be the best Kidney Potatoes yet infroduced for main crop  Pheasant Eye. A very early sort; highly recommended as being very prolific; floury and	
Pheasant Eye. A very early sort; highly recommended as being very prolific; floury and	1.50
fine flavored.  Wheeler's Milky White. A very fine seedling, coming in after the early varieties; of	1.50
Sutton's Early Race-Horse. Another English variety, but a few days later than the preceding; productive, and of extra fine quality, excellent for forcing. A trial the past season authorizes us to recommend this with the greatest confidence. Our stock of this variety is quite limited.	1.50
Carter's Champion Early Forcing. Said to be the earliest frame potato in cultiva- tion, of exceeding fine flavor, with scarcely any haum, and therefore very suita- ble for forcing	1.50
Prince of Wales, or Red Regent. From the original stock, which took the first prize at the Birmingham show, and also several distinguished prizes in other parts of the country, including the first prize at the Worcestershire Agricultural Show,	3-
as the best seed potato for general and field culture. It is one of the finest and	1.50
The following popular American varieties we can supply from the original stocks, prices su	
variation:—	er bush.
Goodrich's Early. A very early and prolific variety, often yielding a crop of three hundred bushels per acre. Skin and flesh, white; eyes, smooth; solid and sound to the core, keeping well. Price, 50 cts, per peck.	\$2,00
The Harrison. A winter variety, large, smooth, with full eyes, white skin, and flesh sound and healthy; an admirable keeper; always solid to the heart, of first quality, and enormously productive. Average yield, on good rich soil, 400 bushels	
Gleason. A fine late winter variety, very hardy and productive; slightly coppery color, oval, very smooth and handsome; flesh, white; table qualities, superior. Under	2.00
Dr. Gray's cultivation, it is said to yield at the rate of 400 bushels to the acre, being more productive than its parent, the Rusty Coat. Per pk., 75  Heffron. A long, smooth tuber of flesh color, with full eyes and white flesh, ripening in early autumn; has proved entirely free from disease, and is equalled in produc-	2.00
tiveness only by the Harrison. For table-use it has few equals. Per pk., \$1.00.  Early Sebec, or Boston Market. A large and superior early variety; flesh white, nearly smooth; white skin, fine grained, and keeps late; quality good, as an early or late variety; lately introduced from Maine, preferred by Boston market-gar-	3.00
deners to any other variety. Per pk., 75 cents	2.00
deners to any other variety. Per pk., 75 cents  Colebrook Seedling. A large purple or light-red variety; very productive and of fine quality; keeping late in the season; highly recommended. Per pk., 75 cents.	2.00

per bush.

The Calico is a kidney-shaped white variety, with splushes of red near the stem, white fleshed, very handsome and prolific, entirely hardy, and is a very fine sort for early winter use. It is a seedling of the Garnet Chili Cooks white and dry for a new seedling, and promises well: very productive, yielding at the rate of 400 bushels to the acre. Per pk., \$1.00 POTATOES BY MAIL. — To Parties residing at a distance from Railroads and Express Offices, we will send a package containing four pounds of either the above varieties by mail, postpaid, for one dollar; six packages for five dollars. No less than one dollar's worth, or more than one kind in a package, will be sent by mail. "Raphanus Caudatus," Or Edible Podded Raddish. This valuable new vegetable belongs to the Radish tribe; but, unlike that esculent, the seed-pods (not the root) are eaten; these are very curious, attaining an immense size in a wonderfully short time, sometimes growing as much as three inches in a night. It is a native of Java, where it is known under the name of Mongri, and is much used in some parts of India, for salading, &c. It can be sown in the open air, or in pots, and then transferred to the ground; and will grow in almost any soil, care being taken that the plants stand two to three feet apart, to allow room for the growth of the pods. This stand two to thee feet appt, to any toom from the grown of the poss. This vegetable can be used in various ways; indeed, it may be regarded as one of the most useful that have been introduced for many years. The seed, when sown, easily vegetates, and in about eight weeks the plants flower profusely, and then produce extraordinary siliquas (pods), which are very remarkable from their attaining the enormous length of about two feet. These pods have a most agreeable flavor, and when about half grown can be eaten in the same way as roots of the common Radish, which they greatly resemble in taste, but are far superior in delicacy of flavor. In salads they will be highly estimated; for, added to their other merits, they possess the excellent advantage of being easily digested; they also make a good pickle, for which purpose they are well adapted. It is, however, when the pods are boiled that they are most delicious, eating like marrow, and having a most delicate flavor; they should be served on toast, and will form a most agreeable addition and novelty for the table . 25 Radish. White-Tipped Scarlet Turnip. This is a new variety, which will prove more acceptable than our white-tipped Scarlet Olive-shaped Radish, on account of its round root; and we have no doubt it will soon be a great favorite with all market and vegetable gardeners New French Breakfast. A new quick-growing variety. Oval form; color scarlet, tipped with white; fine flavored. Very ornamental in appearance; much esteemed by the French. Excellent for forcing 15 Squash. Mammoth Prize. This is a far superior variety to any hitherto introduced, surpassing all competitors at the Massachusetts Horticultural Exhibition, and to which the Prize Silver Medal was awarded for 1866-67. Weight, 165 lbs.; described by Mr. Meehan in "Gardener's Monthly," p. 378, as a perfect monster in size. (See illustration.) Danna's Selected. This is an improved variety of the Canada Crookneck, the very best of its class . . . . . . 10 Sunflower. New Mammoth Russian. This is a new variety; and, under ordinary cultivation, the heads grow to the enormous size of twenty inches in diameter. The seeds are large, exhibited at the Massach-isetts Horticultural Exhibition, and highly commended by the Committee for ornamental purposes. For planting in shrub-beries, it is a desirable acquisition. Salad oil of superior quality is extracted from it. To poultry-keepers it is invaluable for its extraordinary productiveness. Price, to the trade, on application . Tomato. Leaves large, long, and quite entire, not lobed as in other kinds; Keyes's Early Prolific. and the growth is dwarf, compact, vigorous, and strong. The Tomatoes are of medium size, round, of brilliant color, quite smooth, and free from wrinkles of any kind, perfectly solid, and of excellent flavor. They are borne in large compact clusters from ten to twenty each, and from seven to twenty clusters on each vine. The introducers claim that it possesses the peculiar and valuable quality of ripening thirty days earlier than any other variety. (See illustration.).

Maupay's Superior. The fruit is of a beautiful deep-red color. In form it is round, slightly flattened, and without a crease or wrinkle. Smoothness of the surface is not only one of its most remarkable, but one of its most desirable characteristics. This freedom from creases or wrinkles prevents the great waste usual with almost every other variety. It is of a medium size, and the flesh almost

	per pkt.
as solid as a beefsteak. In proof of their solidity, it is not improper to state,	F F
that, although not of extraordinary size, the average weight is from nine to	
twelve ounces each. It has very few seeds, and, from the solidity of its flesh,	
comparatively little water. One bushel will make as much catsup, or fill as many cans, as two bushels of the ordinary kind, besides being possessed of a flavor that	
is unapproachable. For marketing purposes, they possess the great advantage	
of not only being solid, but of having a thick skin, or rind, which protects them	
from bruising and mashing in transportation. Another great advantage of this	
thick skin is, that it admits of their being peeled or skinned for the table with-	
out scalding, which is always troublesome, and, at the same time, takes away	
the desired freshness and flavor, when desired for slicing cold. It can be peeled	
in half the time usually required for the common varieties. As an evidence of the superiority of these Tomatoes for marketing purposes, they commanded ready	
sale at \$2.00 per bushel, when others were offered at \$1.00; and this without any	
care having been taken to select them. 50 cents per ounce	10
Tilden's. This new and fine variety we have now cultivated two years, and have exhibit-	
ed specimens before the Massachusetts Horticultural Society, which have at-	
tracted much attention. Our seeds have been raised by ourselves, and selected	
from the largest, smoothest, and handsomest specimens, taken from plants raised	
from seeds received direct from Mr. Tilden, the originator.  The plants are rather dwarfer in habit than the common Tomato, and the fruit	
sets nearer the root; and it is the earliest of all the large-growing Tomatoes,	
and continues in bearing until the vines are killed by frost. The fruit varies	
from round to roundish-oval, which is the general form of the main crop, and is	
free from the warty protuberances which disfigure ordinary sorts. Color, light	
brilliant scarlet, with a glossy skin. Flesh solid, light red, less watery than	
other kinds, and of good flavor. But its greatest excellence consists in its remarkable keeping qualities, and the ease with which it may be handled without	
injury, rendering it altogether the most valuable variety for the market.	
Per oz., 50 cents	10
Eureka. A new and fine variety, from Mr. Perriam, of Chicago, who alludes to it as fol-	
lows: "I consider it superior to any thing I have ever tried; dwarf, early,	
bush-shape, and prolific  Tree, or Erect. This remarkable and excellent variety, introduced three years ago, is	15
still one of the best, — the fruit being very large and smooth; and the plants,	
from their erect, compact growth, highly ornamental	10
The Foard. This variety originated with a market gardener, of the same name, in the	
vicinity of Philadelphia. It is stated to be, without exception, the most beauti-	
ful variety; is of a bright-scarlet color, cuts as solid as a well-ripened apple, and	
almost entirely free from seeds, which are deposited mostly on one side of the fruit. It is quite early, and a good cropper. Recommended as being the most	
perfect and the most desirable of the whole class	15
New Californian Whortleberry. A remarkable and curious acquisition, with fruits, in	•3
size and color, exactly like the whortleberry	50 .
Sims's Early Cluster. A new English variety, introduced the past season, described as	
follows: Mammoth variety of the Cherry Tomato, very early, of extremely	
robust habit, requiring little support; fruit, very large and smooth, in grape-like bunches, averaging from four to twenty fruits. This variety was raised by Mr.	
Sims, gardener to — Weddowson, Esq., Dulwich Common, and is much	
recommended.	15
Cedar Hill Early. A new American variety, in high repute among the New-York market-	-5
gardeners; said to be very early; large size, solid, and productive.	15
Turnip.	11 <sub>-</sub>
Carter's Imperial Hardy Swede. The very best Swede in Cultivation. Price,	per lb.
per oz., 10 cents	1.00

#### MUSHROOM SPAWN.

DIRECTIONS FOR GROWING MUSHROOMS.—The only conditions required for the healthy growth of Mushrooms are a mass of short dung, heated to from fifty-five to sixty degrees, and lumps of Spawn about the size of walnuts, six inches apart, just beneath the surface; the whole covered with an inch thickness of good light friable earth, and three or four inches of straw, or litter of any kind, to keep in the very moderate warmth. and the size of the bed is immaterial. This can be managed in any dark cupboard or cellar;

and the size of the bed is immaterial.

Take of horse-droppings from the stable, without the straw, as much as will make the bed the size you want it, a foot thick: put this anywhere out of the weather, away from the light and draught. Let this be pressed, but not hard; and in a few days, when it is nice and warm on thrusting the hand in, get the Spawn, and break the cakes in small pieces and put them in all over the dung, even with the surface: upon this being patted down smooth, but not hard, it will require from half an inch to an inch of earth all over it. Pat it down to keep it in its place, and put some loose hay or straw over it. When it approaches dryness, it must be sprinkled with water with the chill off, enough to wet the earth, but not the dung. Sooner or later, according to the attention paid to these several points, you will have Mushrooms, and plenty of them.

Best Mill-track Mushroom Spawn, per pound, 15 cents; 8 pounds for \$1.00

## RARE FLOWERS

AND

### NOVELTIES FOR 1868.

Particular care has been taken that the selection should be of the purest character. We cannot affirm the accuracy of the various descriptions, having tested but few of them; but the reputation of the growers, from whom we import, is to us the best assurance that satisfaction will surely follow. Our patrons, wishing novelties, will please send their orders early, as our stock of some of the varieties is limited.

For cultural direction, see respective headings in body of the Guide.

NO.		PRIC
1891	Antirrhinum Multiflorum. Hybrid of A. Rupestris and A. Majus, with rose and	
	white flowers, which are not so large as those of the latter, but in such a quantity	
	that the plant, \frac{1}{2} foot in height, is entirely covered with them. Very hardy, and	
	always in bloom	.25
1892	always in bloom Aphanostephus Ramosissimus. A half-hardy annual; from Texas; four inches in	
	height; much branched; the flower-head with a yellow disk, and violet-blue ray	
	florets; of a close, carpet-like growth; blooms profusely throughout the summer.	.25
1893	Artemisia spec. ex St. Petersburgh. Ornamental plant of exceedingly rapid growth,	
	reaching in the first months of summer the height of four or five feet; of pyramidal	
	habit, and with light-green, needle-like foliage, by which the plant receives the	
	gracious appearance of an elegant Conifer. Like A. Annua, introduced to the	
	trade some years ago, this sort is as proper for beds as for being isolated on grass-	
	plots, and will prove a very valuable acquisition for every garden	.25
1894	Artemisia Japonica. Very large plant; of the same habit as the common Artemisia,	
	which it resembles in many respects, but is more fragrant. It is rather a plant for	
1005	the lawn than the flower garden, and succeeds in the poorest and stoniest of soils.	.25
1895	Ablopappus Rubiginosus (Haplopappus). A Composite from Mexico: annual: from 3 to 31 feet high; well branched from the middle of its height, with small, den-	
	tated leaves, and bearing a large truss of bright-yellow or orange flowers, produ-	
	cing together a fine effect. This plant reminds us, by its habit and growth, of the	
	Aster (Michaelmas Daisy), with which it will form a nice contrast, flowering, as	
	it does, about the same time (August and September). In fact, a fine plant for	
		25
1896	borders  Bidens Warscewicziana var. Pinnata. Herbaceous Compositæ from the mountains	5
	of South America, 31 to 41 feet high. The stems, which are very much branched,	
	terminate in flowers with an orange disc, and white petals. Being a very free	
	flowerer, and of rather tall habit, it will be a desirable plant for large flower-	
	gardens, especially for public parks, &c  Briza Compacta. Very correct and compact-growing; variety of the Quaking Grass;	.25
1897	Briza Compacta. Very correct and compact-growing; variety of the Quaking Grass;	
	and will be found very ornamental for winter decoration and for bouquets	.25
1898	Calceolaria Extra Choice Hybridised. Saved from the finest-formed and most	
	beautifully marked flowers from Mr. W. Bull's collection	.50



1899 Celosia. Coccinea Pyramidalis. Magnificent, free-flowering, graceful-growing plants, producing in the greatest profusion spikes of the most beautiful feathery-


NO.		PRICE
	looking flowers, and if gathered when young they are valuable for winter bouquets	
	looking flowers; and, if gathered when young, they are valuable for winter bouquets.  Plants of the Celosia flower freely if planted out in June in a warm, sheltered situation. Grown in pots, they are the most elegant of greenhouse and conserva-	
	situation. Grown in pots, they are the most elegant of greenhouse and conserva- tory plants, where, with a little management, they may be had in flower the whole	
	winter, growing freely in rich loamy soil. Half-hardy annuals	. 25
1900	white and half tender-blue flowers and the earliness of its blooming deserves to	
	become a general favorite. Fine for pot-culture	.25
1901	become a general favorite. Fine for pot-culture  Centaurea Moschata Atropurpurea. It agrees, in almost every point, with the variety hitherto cultivated; but its tint is a deep purple, closely verging on crimson.  "The Gardener's Chronicle," Oct. 12, 1867, says, "A very fine variety, and quite distinctions of from any above, restricted sees. Instead of the pale purple.	
	"The Gardener's Chronicle," Oct. 12, 1867, says, "A very fine variety, and quite	
	of the ordinary kind, this is of a deep rich port-wine color rather paler in the	
	centre when fully blown. It is quite an acquisition among ornamental annuals.".	.25
1902	centre when fully blown. It is quite an acquisition among ornamental annuals." .  Centaurea Pseudo-Depressa. This plant is scarcely more than half the height of C.  Depressa, and has much smaller seeds. The ray-florets are of a fine blue, the	
	central ones being of a reddish-purple	.25
1903	Species de Teneriffe. Herbaceous Compositæ of 1½ feet in height, with thick leaves, the edges of which are slightly spinous; the flowers resemble those of	
	C. Cyanus, but are much larger, and of a fine azure-blue	.25
1904	Cineraria Extra Choice Hybridised. Saved from Mr. W. Bull's superb collection of the best varieties in cultivation.	.50
1905	Cerinthe Aspera. The finest species of Honeywort; produces an abundance of	.50
	Cerinthe Aspera. The finest species of Honeywort; produces an abundance of snowy, yellow flowers, the tube of which is black at its base. In general habit, it closely agrees with the other species of the genus, but the seed is somewhat	
	larger	.25
1906	Cedronella Mexicana. A hardy, herbaceous plant, from Mexico, with a large, violet flower-spike, highly recommended for its sweet scent	.25
1907	Chrysanthemum Carinatum Hybridum fl. pl. The Chrysanthemum New Golden Double and Dunnettii fl. pl., offered to the trade last year, are completed by the new varieties above. The flowers of the greater part of them are very double,	5
	Double and Dunnettin II. pl., offered to the trade last year, are completed by the new varieties above. The flowers of the greater part of them are very double.	
	and will prove a fine acquisition; the different shades of the flowers in orange.	
1908	scarlet, rose, and red-brown, are very pretty  Chenopodium Scoparium. A fine annual; very useful for edgings, on account of	.25
	its dwarf, compact habit	.25
1909	Cucurbita Florida. A very useful gourd, on account of its curiously-shaped seeds and handsome fruit	.50
1910	Clarkia Elegans Alba Pura. The nearest approach to white in this section of Clarkias	
	has heretofore been only a pale pink, the variety now offered is a pure white, and from its habit and color will be found a desirable novelty for mixed borders and	
1911	back-grounds	.25
1911	<ul> <li>Integripetala Carnea, Tom Thumb. A delicate, flesh-colored variety of the whole-petalled section of Clarkias, with compact, Tom-Thumb habit</li> <li>Pulchella Marginata, Double. The most elegant Clarkia ever yet brought be-</li> </ul>	.25
1912	Pulchella Marginata, Double. The most elegant Clarkia ever yet brought be-	
	fore the public; the flowers are very double; color, bright magenta; the extremity of each petal marked with a beautiful, broad, white margin. We offer this with the greatest confidence, fully believing it will supersede all other varieties of	
	the greatest confidence, fully believing it will supersede all other varieties of Clarkia, beautiful though they are, both as border-flowers, and also for making bou-	
	quets. This variety will not produce single or semi-double flowers.  Dianthus Heddewegii lilacina. Excellent for borders and little beds, and is to be	.25
1913	Dianthus Heddewegii lilacina. Excellent for borders and little beds, and is to be highly recommended for its long continuance in bloom. The flowers produce a	
	fine effect by their pure lilac color	.25
1914 1915	fine effect by their pure lilac color  Delphinium Cardinale. A beautiful scarlet Delphinium  Desmodium Gyrans. This very curious sensitive plant attains, out of seeds, its maturity in the first season; the small side leaflets move up and down all along.  It is, a very interesting plant for the close spectra of verexible life.	1.00
	maturity in the first season; the small side leaflets move up and down all along.	
1916	It is a very interesting plant for the close spectator of vegetable life  Eschscholtzia Dentata Sulphurea.	.50
1917	- Aurantiaca. This and the preceding are two new varieties of Eschscholt-	5
	zias, which are of great curiosity and importance; they may be justly ranked as a new section of Eschscholtzias. The flowers take the form of a Maltese cross, each petal having its edges lapped upon itself, and is intersected by a mark of deeper	
	petal having its edges lapped upon itself, and is intersected by a mark of deeper	
	color running up the centre; the edges are very curiously jagged or toothed. From the peculiar construction of the petals, the blossoms of these varieties (un-	
1918	like all other Eschscholtzias) are always open	.25
1910	- Crocea Striata. A striped Eschscholtzia is a great novelty. The color of the flower is composed of alternate stripes of deep orange and sulphur, from the base	
1010	to the circumference of the petals, which produces a very elegant appearance. Echinosistis Lobata. Of all the "Cucurbitacea," one of the best, beautiful, white,	.25
1919	scented flowers, standing well out in clusters	.50
1920	Egg Plant, Green. Introduced by Mr. Bourret, from Thibet. A very fine fruit, often growing a foot in length	
1921	- Ribformed. A strong-growing variety, fine foliage, with a dark violet tint,	.25
	about two inches in diameter; the fruit, violet color, often attains the weight from flowers 4 to 6 lbs., ribbed-formed after the style of some kinds of melons	25
1922	Eryngium Bromeliæfolium. Fine herbaceous plant, of which seed has been ob-	.25
	tained for the first time	.50
	18	

NO.		PRICE
	Felicia Angustifolia. From New Holland, and one of the best acquisitions horti-	
1020	culture has made lately; it is a low shrub from two to three feet high, narrow	
	foliage, the branches terminating in flowers of a vellow disc, and petals of a	
	beautiful purple-violet. As to the habit, it is almost an Aster; and in color it resembles the beautiful Cinerarias. This lovely shrub flowers in spring, and will be ap-	
	preciated highly in the North, where it will take a place in every greenhouse	
1924	Geranium Anemonifolium. A very useful variety, very dwarf habit	.50
1925	Gloxinia, Extra Choice Hybridised. This seed has been saved from the splendid	
1926	new varieties offered by Mr. W. Bull  Gomphrena Globosa, Aurantiaca Isabellina. Yellowish-white flowers, constant.	.50
1927	Helianthus Grandiflorus Plenissimus. Compositæ, annual, 4 to 5 feet high, much	
	resembling H. Californicus, but a quite new variety, distinct from its gigantic growth.  The flowers are twice as large as those of H. Californica and as double. When	
1000	perfectly grown, they have the appearance of a globe	.25
1928	Texanus Hybridus. Annual Compositæ, height 10 to 12 feet, surpassing in beauty H. Argophyllus; excellent plant, recommended for the abundance of its	
1000	flowers	.25
1929	<ul> <li>Maximiliani. Herbaceous Compositæ, from Mexico, from 4 to 5 feet high, with orange-yellow flowers, and narrow lanceolated leaves; picturesque and interesting</li> </ul>	
	plant, which will be more effective if planted in groups than singly	.25
1930	- Rigidus, or Harpalium Rigidum. Herbaceous Compositæ, from North America; in strong bushes from 6 feet to 0 feet and more in height with aval coarse	
	rica; in strong bushes, from 6 feet to 9 feet and more in height, with oval, coarse leaves, flowering at the end of each branch; blooms of the same shape as the Sun-	
	flower, but only averaging 4 inches in size; a picturesque plant of some value for public parks, which succeeds in any soil	25
1931	Hypericum Calycinum Repens. This is a very useful plant for growing in exposed	-25
1932	situations, as well as deep shady places, under evergreens  Heracleum Platzænium. This fine plant will prove a valuable acquisition for orna-	.25
1934	menting lawns and the garden; leaves, of large size, and elegantly lobate.	
1022	The seed germinates very slowly, sometimes requiring a year	.25
1933	Heartsease, Large-Flowering, Stained. These may be considered as an extra fine selection of the popular, large-flowering Pansies; the inferior petals of which are	
1024	spotted with very large and showy stains; said to be remarkable	. 50
1934	Impatiens Balsamina Abrosanguinea Plenissima. A new and fine dark-red, very double variety of the Balsam	.50
1935	- Solferino. A splendid new variety; the finest; white-striped, and blotched with	
	lilac and scarlet, like carnations; very double	.50
	New Ipomæas (with self-colored foliage).	
1936	Hederacea Alba Grandiflora Intus Rosea. Handsome white flower, with dark-rose	
1937	throat. Single seed .  Alba Grandiflora Intus Rosea Semi-Plena. Of the same form and color as	- 50
1937	the foregoing; a few parais, tongue-shaped, which appear from the corolla to trans-	
	form the flower into a semi-double one, which is seldom seen in this family. Single seed	**
1938	- Atrocarminea Grandiflora Alba Marginata. Handsome variety, with brilliant	450
1020	carmine flowers, edged pure white. Single seed	.50
1939	Atrocarminea Grandiflora Azurea Marginata. With brilliant carmine flowers, edged with clear azure-blue. Single seed	.50
1940	edged with clear azure-blue. Single seed  Atrolilacea Grandiflora Azurea Marginata. With dark-lilac flowers, edged	
	with bright azure-blue. Single seed	.50
	New Ipomæas (with variegated foliage).	
W	e attach much importance to this new section, and find them worthy of recommend	ation.
Web	beg to state that we have tried them carefully, and found them to come true from seed.	For
this r	eason, as well as the curious combination and richness of color of their flowers, we ha ation to place them in the first rank of novelties for this season.	ve no
1941	Grandiflora Alba Picta Carminea (with silver-marbled leaves). Heart-shaped	
	leaves, largely marbled with silver-gray; flowers white, dotted with brilliant carmine. Single seed	.50
1942	- Alba Picta Lilacina (with golden-marbled leaves). Heart-shaped leaves.	.30
	largely marbled with silver-gray; white flowers, spotted with clear lilac. Single seed	.50
1943	- Hederacea Grandiflora Atrocarminea Intus Alba (with silver-marbled	
	— Hederacea Grandiflora Atrocarminea Intus Alba (with silver-marbled leaves). Tri-lobed leaves, largely marbled, silver-gray; flowers dark carmine. with large, white throat. Single seed.	-50
1944	ixodia Alata. Solt-wooded shrub from New Holland, with everlasting nower: nve	-3~
	feet high; short, dark-green leaves; flowers resembling those of Ammobium	. 25
1945	Leavenworthia Aurea. Pretty, cruciferous annual; from Arkansas; of very dwarf	.25
	habit; single flowers, about half an inch across, with white petals, stained at the base with deep yellow. It has been treated as a half-hardy annual, and blooms in	
		125

NO.		PRICE
1946	Lobelia, New Herbaceous, Choice Mixed. A beautiful class of perennials, becoming	
	very popular, containing several new colors, among which are carmine, rose, magenta, ruby; great acquisition  Marigoid, Dwarf French, New Golden. A pure golden, dwarf, French Marigold;	.50
1947	Marigoid, Dwarf French, New Golden. A pure golden, dwarf, French Marigold; very double and constant. The habit is dwarf and compact, and the flowers are so	
	double as to have the appearance of miniature African Marigolds. This variety	
	is a suitable companion and contrast to Dunnett's New Orange French Mari- gold	.25
1948	Myosotis Azorica var. Coelestina. A new variety of the well-known general favorite,	.23
	M. Azorica. The flowers are sky-blue, nearly turquoise-blue; very constant, and of the same habit as the type. This variety, offered here for the first time, will	
	be welcome in every flower-garden	.25
1949	Melothria Cucumerina. A small Cucurbitaceæ, from China; fine glossy foliage, flowers yellow, the fruit sometimes used in vinegar for pickles	.25
1950	Mimulus Duplex Flowering, Choice Mixed. Saved from the best and most distinct	3
	varieties; which received a first-class certificate, when exhibited before the Floral Committee of the Royal Horticultural Society	.50
1951	Nemonbila Discoidalis Argentea. A charming little variety, with silvery-white	
1952	blossoms spotted with chocolate; particularly adapted for rockeries or pots  Discoidalis Nigra. A perfectly black blossom in any flower must be a great novelty; the blossom of this Nemophila, when young, is a pure jet black from	.25
	novelty; the blossom of this Nemophila, when young, is a pure jet black from centre to circumference.	.25
1953	Nierembergia Frutescens. Soft-wooded shrub, a native of the mountainous districts	123
	of Chili; $2\frac{1}{2}$ feet high, stem straight, well branched, same foliage as N. Gracilis,	
40.7.4	but of a more elegant habit; the flowers also are of the same color, but a little larger and more open; worthy of recommendation  Cenothera Drummondii Lacinæfolia. This Ænothera distinguishes itself by the	.25
1954	<b>Enothera Drummondii Lacinæfolia.</b> This Ænothera distinguishes itself by the vigorous growth, and by the strongly laciniated leaves, which are linear and some-	
1055	what elongated. Constant	.25
1955 1956	Pelargonium, Fancy. Saved from the newest and best varieties in cultivation.  — Ivy-Leaved. These Ivy-leaved Pelargoniums are extremely useful, from their	.50
	graceful, drooping growth, for vases, rustic, or suspending baskets; their rich, wax- like foliage alone is ornamental; but, added to that, they have pretty flowers, and	
	the different varieties present a contrast and charm attained by few other plants.	.50
1957	— Nosegay. The varieties in this class, from their giving huge trusses, and in the	.50
1958	greatest profusion, are admirably adapted for bedding purposes .  Spotted. This strain of Pelargonium seeds has been obtained by hybridising	: 5-
	the attractive French kinds with the best varieties of the most eminent English growers. It is believed that this will produce finely-formed flowers of good sub-	
1959	stance, rich and varied colors, clearly and purely defined spots, and free blooming.  Tricolor Varieties. The seed now offered was saved from distinctly-marked	.50
1333	varieties; which, having been carefully hybridised, may be expected to yield a	
1960	good proportion of this deservedly popular section .  White Variegated Section. As with the preceding, this may be expected to	.50
	produce plants of the variegated class, which for decorative purposes are considered	
1961	superior to any other class  Zonal. The seeds may be expected to produce the following colors: scarlet,	.50
	white, pink, cérise, rose carmine, blush, salmon, rose-pink, orange, scarlet,	
T	&c., &c	choice
hybr	idised; and are believed to be superior, in every respect, to any ever before offered	in this
coun 1962		
1002	flower large, salmon color. A fine plant, in flower from May to October. Very	7
1963	useful for ribbons and borders, said to surpass all others of this class Pentstemon Glabrum. Flowers large, in clusters; bright blue, shaded to the centre	.50
	with lilac	.50
1964	brated collection, and is believed to be superior	.50
1965	Phalacraea Wendlandi. For bedding purposes this surpasses the old Ageratum better color and sweet scented	.25
1966	Phyllanthus Spec. Nova. A very pretty plant for decoration, flowering in five or six	(
	weeks from planting, foliage very ornamental, flowers freely from the axels of the leaves	.25
1967	Primula Chinensis Erecta Alba. A very strong-growing variety, throwing the	= -5
1968	Fimbriata Marginata Lilacina. A new variety of this family; flowers	,
	fine imbricated white and lilac shaded; the leaflets are narrow, bordered with white.	1
1969	- Erecta Flore Pleno Alba. A beautiful variety of the double white	1.00
1970	Chinese Primrose, very choice	1.00
1070	nne corymps of white nowers, at a season when howers are very scarce, viz.	,
	September, October, and November; being an easily cultivated plant, it is an exceedingly desirable introduction	.50
1971	Salvia Lupuliniflora. A splendid new variety; flowers blue, with white centre .	.25

NO.		PRICE
1972	Sphenogyne Speciosa Aurea	.25
1973	Sulphurea. Two beautiful varieties of S. Speciosa, one a fine golden orange, the other a bright sulphur. The colors are pure and well contrasted, and	
	orange, the other a bright sulphur. The colors are pure and well contrasted, and will prove far more effective than the original S. Speciosa, from which they are	
	quite distinct	.25
1974	Silene Orientalis. A very showy and effective annual; compact habit, and every	
	stem crowned with a corymb of very large, delicate pink flowers, forming a mass of bloom of great elegance	.10
1975	Siphocampylus Fulgens. This free-flowering, effective plant, from South America, is a great acquisition. Compact habit, foliage dark green, ovate, acuminate, the	
		1.00
1976	Stock, Florist Variety, White. This is a new variety, and is superior to any thing	
	and flowering a long time; fragrant; will produce on per cent of double flowers	
	We can recommend this variety with confidence to parties growing for market,	
1977	etther for plants of cut nowers	.25
1978	Tagetes Palula Aurea Nana fl. pl. Mangold Dwarf, French; new; pure golden;	.50
	very double, and constant	.25
1979	Thladiantha Dubia. The male plant only of this elegant hardy perennial climber, which produces clusters of fine yellow flowers, was known until lately; but the	
	female plant, of recent introduction, which bears abundantly fruit the shape and	
	size of an egg, will allow all amateurs of fine climbers to cultivate. The fruit,	
1980	when ripe, takes a deep scarlet shade, giving a fine effect to the whole plant  Tropæolum Tom Thumb Cæruleo Rosea. The greatest novelty of the season. A	. 50
	Nasturtion, with the free-blooming, compact habit of all the Tom-Thumb Nastur-	
	tions; the flowers, which are thrown well above the foliage, are of brilliant rose, shaded, underlaid with a peach-blue, a color never before seen in Nasturtions.	
	This variety has been very much admired by the many visitors to our seed-farms during the past season, in consequence of the decided novelty of color; and we	
	during the past season, in consequence of the decided novelty of color; and we	
	consider this the first step towards a perfectly blue Nasturtion, in the same man- ner as Beaton's Indian Vellow Geranium is towards a perfectly Yellow Geranium.	
	This splendid novelty is quite distinct from, and infinitely superior to, the Rose	
1981	Tom-Thumb Nasturtion, introduced by us last season.  Lilli Schmidt, Tom Thumb. A Tom-Thumb variety of T. Lilli Schmidt;	.50
1001	a very profuse bloomer, with intensely-bright scarlet flowers; flowers, very large,	
	the petals overlapping each other so as to form very perfect flowers. The formation of the flowers of the Lilli-Schmidt section of Troppeolums is quite distinct from	
	the ordinary Tom-Thumb Nasturtion, the flowers being smaller and more perfect	
	in form. The present novelty partakes of the good qualities of both sections, having the beautiful form and intense color of the former, with the compact and	
	free-blooming habit of the latter	. 50
1982	- Pyramidalis. An annual Tropæolum, growing in the form of a dwarf pyramid,	
	or sugar-loaf, which is covered with a quantity of bright scarlet flowers; this variety	.50
1983	is quife constant, and the habit very novel  Trichosanthes Coccinea. The whole class is very curious and interesting; but this, with its bright scarlet flowers and fine foliage, surpasses them all. The seeds are	. 50
	with its bright scarlet flowers and fine foliage, surpasses them all. The seeds are	
	larger and strongly marked. It is very striking and prominent among other plants.	.25
1984	Veronica Imperialis. A great improvement in this class; flowers fine purple, very	
1985	large; fine, glossy foliage	.25
	Viscaria ever offered to the public. The centre of the flower is dark crimson,	
	gradually merging into a bright scarlet, belted with a pure-white margin; from the neat habit, profusion of flowers, and brilliant appearance, this Viscaria will become a	
	great favorite, both as a border flower, and also for pots or beds	.25
1986	Viola Tricolor Maxima Inimitable. A very large, fine flower; fancy margin; raised	
	by an amateur, who has devoted many years to the Pansy; very highly recom- mended	.50
1987	- Cornuta Mauve Queen. One of the most attractive bedding and border	
	plants in cultivation, continuing in one mass of bloom throughout the early spring, summer, and autumn months; no plant can be more welcome or valuable for	
	bedding purposes	.25
1988	Luiea. A perfect gem; invaluable for dwarf beds or edgings; bright yellow:	
	compact habit; dark-green, glossy foliage; blooms profusely throughout the season	.50
1989	- The Czar. A new and very large and beautiful variety of the violet; with	
	single flowers of the deepest blue, and possessing unusual vigor and hardiness; the leaves are large, and the flowers are borne on very long footstalks (five to six	
	inches in length), and are nearly twice as large and much sweeter than the old Russian violet. It is so hardy that it commences blooming in September, and	
	Russian violet. It is so hardy that it commences blooming in September, and	. 50
	continues flowering until May, even during the frost and under the snow	30





ASPARAGUS. CONOVER'S COLOSSAL.
See page 141.



CORN Pates' Early Bronze Field See page 141



TOMATO HOOP TRAINING.

### NOVELTIES AND SPECIALTIES

### FOR 1869.

### VEGETABLE SEEDS.

#### Asparagus.

Per pkt. Colossal. A European variety, introduced several years since, which, by a careful selection of seeds from the most vigorous shoots, has been wonderfully improved both in size and quality, in point of which it surpasses all other varieties in cultivation. Specimens were exibited the past season by Mr. Conover, which were grown alongside the best "Oyster Bay" varieties, and received the same care and treatment, which attained four times the size of that popular variety. Though but two years from the seed, many of the plants produced twenty to thirty sprouts, averaging from two to four inches in circumference, and were ready for cutting one, year in advance of the ordinary varieties. Packets containing \( \frac{1}{2} \) ounce each. See cut

#### Beans.

Carter's Champion Runner. A gigantic variety of Scarlet Runners, having pods nearly double the size of the old variety: it is more robust in growth and is an extraordinary cropper .

#### Cabbage.

Early Wyman. This is the best and most profitable early-market cabbage grown.

It originated with Mr. John Wyman of Arlington, about ten years since,

and has not been disseminated to any extent.

It heads early in the season, is of large size, and first quality, and brings the highest price of any early cabbage brought into the Boston market, selling readily last season by the thousand, at \$18 per hundred; but a limited quantity of seed can be procured.

This cabbage took the first prize on the 11th of July last, at the exhibition of

the Massachusetts Horticultural Society, as it has on several previous occasions.

Bates's Early Bronze Field. Mr. C. Bates of Kingston, Mass., has spent twenty years of labor and care in producing this valuable variety of corn, obtaining the following results :-

> It is a cross between the Whitman, or Smutty White, and Early Canada. At its a cross between the writiman, or Smutty Write, and Early Canada. At rapid-growing and early-maturing corn, of low growth, small stalk, throwing its strength into the corn; ears growing very near the ground; cob small; corn large and well-filled; color bronze, or a blending of yellow and white with a slight trace of red; very productive, yielding large crops even on poor soil; dwarf, averaging from root to top of spindle, from four to five feet.

> > By years of labor we now obtain A corn with fodder small, but large in grain; Long, slim cob, with eight full rows around; Top very low, earing near the ground; Thus filling the crib and not the mow; Having more corn for horse than tops for cow.

This corn is highly recommended for all latitudes, particularly Northern, on account of the above-mentioned qualities, — early maturity, large yield of grain, and small amount of stalk. The favorable reports, together with the good impressions received on visiting Mr. Bates's corn-crib, has induced us to seeure the entire stock; and we now offer it, in large or small quantities, at the following prices: — (see cut.)

One Quart, by mail, postpaid, \$1.00. One Bushel (express to be paid by the purchaser), \$12.00; Five Bushels, \$50.00.

141

Farmers' Club Sweet. Comes to table in seventy to seventy-five days; ears of the best table size, with eight regular rows; kernels large, and of a pearly-white at all times; delightfully tender, sweet, and of unsurpassed creamy flavor, and retains those qualities longer than any other variety; should be boiled no more than twenty minutes. The stalk and leaves are of medium size, and heavily marked with purple. It is a very noticeable and distinct variety. Highly recommended by Solon Robinson, Thos. Mecham, M. C. Weld, Donald G. Michall and Ches L. Flint.	er pk
than twenty minutes. The stalk and leaves are of medium size, and heavily marked with purple. It is a very noticeable and distinct variety. Highly recommended by Solon Robinson, Thos. Mecham, M. C. Weld, Donald G. Mitchell, and Chas. L. Flint	.50
Dandelion.	
Large-leaved (improved). Improvement of the common Dandelion: its leaves are larger,	
erect, almost entire, or at least much less denticulated	.25
Thick-leaved (improved). This is also an improved variety of the common Dandelion; its leaves are smaller and more denticulated, but more numerous than in the	
preceding variety, more thickly set, and forming in the centre almost a bunch.  These two varieties will, we have no doubt, soon supersede everywhere the old one, which has become in the last ten years one of our best and most-asked-for winter and spring salads.	.25
Gourd.	
Bonnet or Dish-Cloth (Luffa Acutangula). One of the most interesting and probably useful members of the family of Cucurbitaceæ, and one but little known, as the Bonnet Gourd; and so new that it is worthy of a place in every garden, whether	
cultivated for its graceful and handsome foliage, its rich-colored flower, or its curious fruit. The principal use of this Gourd is for the curious membrane of	£
fibrous material, which has been used in the South during the rebellion to man-	
ufacture a kind of bonnet (whence its name); and from its snowy-white color, and curious appearance, is quite a novelty: for any washing purposes, it cannot be excelled, as it is soft and pliable in water like a sponge; as a substitute for	
not be excelled, as it is soft and pliable in water like a sponge; as a substitute for hair-gloves, for frictional purposes, it has no equal; requires about the same	
treatment as the melon.	,25
Melon.	
Persian Water. New Watermelon, introduced by the celebrated traveller Bayard Taylor,	,
brought by him from the Caspian Sea, and heretofore entirely unknown in this country. It is globular and elliptical in form, of pale green color, with dark	
stripes; flesh crimson, and remarkably firm texture, with only half an inch of rind; a peculiarity of this melon is, that it can be taken off the vine to ripen,	f
	-
The Alton Large Nutmeg. This melon is said to combine more desirable qualities than any other now before the public.  Its great productiveness, beauty, size, and firmness of flesh, made it unequalled	
as a shipping variety; while its delicious flavor and long-bearing season render it worthy a place in every garden. Melons of this variety sold the past season in the Chicago market for double any other variety.	.25
Onion.	
Red Sallon. In shape and size this new variety resembles the Maderia Onion; but its color is of a darker red, it has a stronger onion-flavor, and keeps much better. Very fine variety.	.25
Pea.	
Laxton's Supreme. A variety raised from LANTON'S PROLIFIC crossed with LITTLE GEM.  The plant grows about 31 ft. in height, and is quite as early as DANIEL  O'ROURKE, a great advantage in a Pea of such high-class quality.  The editor of "The Gardener's Chronicle" says it is "a grand Pea; the sample sent exhibited remarkably fine large full pods" The Royal Hortacultura	
The editor of "The Gardener's Chronicle" says it is "a grand Pea; the sample sent exhibited remarkably fine large full pods." The Royal Horsicultura.  Society of England describe this as "a grand Pea, a Green Marrow of excel-	1
Society of England describe this as "a grand Pea, a Green Marrow of excel- lent quality, with very long well-filled curved pods." It has received a first- class certificate from the Royal Horticultural Society, also at every other place	
that it has been exhibited	.50
Imperial Wonder Pea (Carter's). A fine large wrinkled variety, habit resembling VEITCH'S PERFECTION, but coming in three weeks later	
	.50
Potatoes.	
Climax. The Climax is a seedling of the Early Goodrich, and originated with Mr. D. S. Heffron in 1864, and is thus described by him:—	
"It has a stout, erect stalk; large leaves; tuber about medium size; smooth,	,
cylindrical form, swelled out at centre; eyes shallow, but strongly defined; skin considerably netted or russet, tough, white; flesh entirely white, solid, heavy,	
brittle, and never hollow; boils through quickly, with no hard core at centre; is	
brittle, and never hollow: boils through quickly, with no hard core at centre: is mealy, of floury whiteness, and of superior table-quality. It is equally productive with the Early Rose, but a few days later; earlier than the Early Goodrich; while its keeping qualities are as good as the Peachblow's."	
rich; while its keeping qualities are as good as the Peachblow's."  We have made arrangements for a portion of the stock, which we offer to	
our patrons, fully confident of its good quality. Price \$3.00 per pound, by mail, postpaid.	

Bresee's Prolific (or No. 2). This remarkable variety originated with Albert Bresee, Esq., of Hubbardston, Vt., who was also the originator of the justly-celebrated Early Rose; both varieties being produced from the same seed-ball of the Gar-

net Chili.

The vines of Bresee's Prolific are of medium height, quite bushy, somewhat The vines of Bresse's Prolific are of medium height, quite bushy, somewhat spreading; large leaves; have produced no seed-balls; tubers large, regular in shape, and very smooth, slightly oblong, somewhat flattened; skin dull white, inclined to be russeted; eyes but little depressed, and slightly pinkish; flesh white; cooks quickly, is very mealy, and of excellent quality; yield very large, often exceeding a hundred-fold; matures about three weeks later than the Early Rose, and will prove a most valuable variety for field-culture. A silver medal was awarded to this variety at the annual exhibition of the Massachustet Horituilityal Society last. Sentember. Price Sacce are round by read setts Horticultural Society last September. Price \$2.00 per pound by mail, postpaid.

Early Rose. This new and popular potato has proved all that was changed for it which fered for the first time the past spring. It is very productive, yielding from fifty to ninety fold with common culture; two weeks earlier than the Goodrich, and a very strong grower. Tubers quite smooth, nearly cylindrical, varying to flattish, largest at the centre, tapering gradually towards each end. Skin a dull rose color, flesh white, and one of the best-flavored varieties in cultivation; highly recommended for early marketing on account of its large and uniform size and productiveness. It has been awarded special prizes at the Massachusetts Horticultural and the New-York State Agricultural Societies. On account of the popularity of this potato, there are many being offered as the Early Rose which are worthless in comparison: therefore, only purchase of reliable parties that have a reputation at stake.

A large and fine stock of this popular Potato, grown from the original stock,

A large and marganethes of this popular and warranted genuine.

One pound, \$1.00; three pounds, \$2.00, by mail, postpaid. One peck (15 lbs.), \$5.00; ½ bush., \$8.00; 1 bush. (60 lbs.), \$15.00; 1 bbl. (165 lbs.), \$40.00.

Prices to the trade, in larger quantities, will be given upon application. The freight on all packages by express, boat, or railroad, to be paid by the purchaser. No charge for packages or cartage.

Worcester, or Rielly. This valuable variety has not been well-known until the past season, when Mr. B. Harrington of Lexington (who had grown it for a number of years), induced by his high opinion of its value, and the united testimony of son, when it is the control of years), induced by his high opinion of its value, and the united testimony of all who had ever grown or eaten it, challenged a trial in quality with any seeding, old or new, from any State in the Union. Last September, at the Annual Dinner of the Committee of the Massachusetts Horticultural Society, a trial took place at the Parker House, Boston. There were present many distinguished horticulturists: among them Col. M. P. Wilder, Charles Downing, Esq., Hovey Breck, President Hyde, B. K. Bliss, Albert Bresee (originator of the famous Early Rose), besides all the various Committee, numbering about forty present. Among those offered for trial was the Early Rose and several other varieties, considered by their respective friends the best. But if was the other varieties, considered by their respective friends the best. But it was the unanimous decision that the Worcester was the best table-potato offered. It proved to be very mealy, dry, and of the most delicate flavor; free from any earthy taste; fair size; form inclined to roundish; color light pink; flesh very white; skin thin; eyes deep; and of superior baking quality. Another characteristic of this variety is, that it will be found dry and mealy when but two-thirds grown. For twenty years it has stood the test of disease much better than other varieties. They mature in ninety days from planting. Yield varies according to the season

The Potato from which the cut was taken was one of a lot dug Nov. 1, from a meadow soil, all of which were sound and healthy, while other varieties

growing near were more or less attacked with disease.

Below are a few of the many testimonials received: -

#### From Hon. Marshall P. Wilder.

DEAR SIR, — Please receive my thanks for the Worcester Seedling Potatoes. As a table-po-Boston, Nov. 20, 1868. tato, it is certainly of first quality.

From the Editor of the Hartford Times, November, 1868.

"We have received the Worcester Seedling Potatoes from you. We have found them to be superior to any we have tried for several years; and we have tested about all of the best sorts."

#### From H. S. Goodale, Editor of the Berkshire Courier, Nov. 12, 1868.

"We tried the quality of the Worcester Seedling with the Rose and many other famous seedlings, and found it so decidedly the best, that nearly all others seemed coarse and earthy, and inferior in delicacy of flavor and fineness in grain, —a little to my disappointment, as I have quite a little stock of Rose in store. A gentleman from New York visiting with me claimed he could tell the Worcester from any other variety by smell. He was blindfolded, and, to my surprise, I found that he invariably could; also others, without confusion."

After much care, we have succeeded in securing a stock of this Potato, which we shall offer at the following prices:-

Four Pounds, by mail, postpaid, \$1.00. One peck (express to be paid by purchaser), \$3.00; One Bushel, \$10.00; One Barrel, \$20.00.

Upon receipt of \$5.00, we will mail, postpaid, to any address in the United States or British Provinces, One Pound Each of the Climax, Bresee's Prolific, Worcester, and the Early Rose. Orders will be booked in the order in which they are received, and the potatoes forwarded on and after April x, when they will be free from danger of frost. They can be forwarded earlier if desired, at the risk of the purchaser. No orders will be accepted unless accompanied with the

The prices of above Potatoes variable according to the market.

#### Squash.

Per pkt.

The plants of this new variety attain a length of twelve or fifteen feet, and are remarkably healthy and vigorous. The leaves are singularly variegated with yellow, the depths of color varying in different plants from pale yellow to bright orange, and differing also in the amount of variegations as the season progresses. The color is most profuse at the base of the leaf, and is distributed thence in serrated stripes, towards, but not reaching, the borders.

The fruit is bottle-formed, much resembling the "Puritan;" entirely white, about one foot in length, eight inches in its greatest diameter, and weighs from Lungren.

The fruit is bottle-formed, much resembling the "Puritan;" entirely white, about one foot in length, eight inches in its greatest diameter, and weights from eight to ten pounds. The stem is thick, short, and fleshy. The flesh is pale yellowish-white, thick, fine-grained, dry and sweet, and peculiarly free from the strong flavor common to many varieties. It cooks well, early or late in the season, and even before it has attained its full size, and is also a good keeper.

Among the numerous kinds now cultivated, there are few superior to it for pies, and there are certainly few more mild and delicate.

In a trial-growth last season, the plants suffered little, if any, from bugs, and they entirely escaped the attacks of the borer

#### Strawberries.

TABLE-DECORATION. Berry-bearing plants have been very much sought after of late years for table-decoration; and, in our anxiety to procure novelties, we may perhaps sometimes have overlooked really useful materials already in our possession. I think this may be truly said with regard to the Alpine Strawberry; for what can be more interesting and pretty for the table, during December and the true following ments there are for these rights for itself. Alpine, FOR TABLE-DECORATION. berry; for what can be more interesting and pretty for the table, during December and the two following months, than a few pots of these, nicely fruited, placed in vases or otherwise, according to the taste of the decorator? For this purpose, I select in May or June nice little plants of last year's runners, and plant them in seventy-twos. I then plunge them in an open border, exposed to the sun, but never allow them to suffer for want of water. They have an occasional watering with liquid-manure. The flowers are cut off as they appear, until it is thought necessary to allow them to fruit. They are transferred to the fruiting-pots (forty-eights) in August, and placed with the general stock for forcing. The Alpine forces better than any other strawberry we have, requiring but little heat to bring it into fruit. An early vinery just started is a capital place little heat to bring it into fruit. An early vinery just started is a capital place for it. — W. Robbins, in Florist and Pomologist.

- White .


- Red

#### Tomato.


The Unrivalled Prize, "General Grant." We take great pleasure in announcing to the public that we have secured the entire stock of this justly celebrated Temato. It originated in the garden of an amateur, who, after growing it for a number of years in connection with all the leading sorts, became convinced that it was far superior to any other, and that it should be widely disseminated; and for this purpose it was put into our hands. In consideration of the many disappointments experienced in the introduction of new varieties, we have given it a thorough trial of two years; and it has far exceeded our expectations, ever atpointments experienced in the introduction of new varieties, we have given thorough trial of two years; and it has far exceeded our expectations, ever attracting great attention wherever exhibited, taking the first prize above all others at the Massachusetts Horticultural Society's Exhibitions the past two years. We feel the fullest confidence that too much cannot be said in its praise. believe it the nearest approach to perfection of anything of the kind yet offered, combining more superior qualities.

Size above the medium, three to four inches in diameter, growing in clusters;

Size above the flexibility flattened, very regular, symmetrical, and rarely ribbed or wrinkled; color brilliant glossy crimson; flesh unusually firm, solid, and free from water, weighing from ten to twenty pounds more per bushel than other varieties; skin remarkably fine, smooth, and shining, coloring well up to the stem, — a quality very desirable to those preparing them for the table; very productive, and of the finest flavor: bears carriage well, and keeps in good condiductive, and or the lines have? Dears carriage well, and keeps in good condi-tion a long time after being gathered, retaining its goodness, and free from wilt-ing. It will be found to ripen uniformly, and as early as, if not earlier than, other varieties. Our whole stock of seed has been grown for us by Mr. C. N. Brackett, Chairman of the Vegetable Committee of the Massachusetts Horti-cultural Society, and saved only from the most perfect fruit; and we are warranted in saying that it cannot fail to give satisfaction in every instance.



WORCESTER OR RIELLY POTATO. See page 143.



BRESEE PROLIFIC, OR No. 2. See page 143.



We offer the following testimonials from practical parties, — gentlemen whose judgment in such matters is fully reliable.

#### From Andrew S. Fuller, Author of Small-Fruit Culturist.

We have had an opportunity of testing this tomato the past season, and believe it will prove to be one of the very best varieties in cultivation.

#### From J. F. C. Hyde, President of Massachusetts Horticultural Society.

I have known the General Grant Tomato now for two years, and last season raised a few tomatoes of this variety. I think it is the smoothest and every way the handsomest variety I have ever seen: it is quite solid, equal in this respect to any other variety. I have regarded it as a great acquisition to our list of tomatoes.

#### From C. N. Brackett, Chairman of the Vegetable Committee, Mass. Horticultural Society.

Gents. — I have given the new tomato, "General Grant," a fair trial of two seasons, in connection with a dozen or more of the new varieties recently introduced, such as the Cook's Favorite, Tilden, Valentia Cluster, Keyes, Eureka, Maupay, Foard, Cedar Hill, &c., and find it surpasses them all in earliness, productiveness, and all the qualities which I consider requisite in a first-class market variety; and can heartily recommend it. No person, I think, who makes any of the above-named varieties his standard of excellence, will, after giving this variety one season's trial, grow any other. Its extraordinary beauty, and singular richness of color, command the attention of the most careless observer.

#### From C. Bates of Kingston, Originator of Bates's Early Tomato.

The General Grant Tomato I have tried with several other varieties; viz., Cedar Hill Foard, Tilden, Keyes, Bates's Early. The General Grant beat all in earliness except Bates's Early: with that it was about "neck and neck." But for beauty of form, color, and compact flesh, it stands head and shoulders above all the rest. Planted the 15th of May; fruit ripe 6th of August.

#### From George Hill, Esq., Arlington, Mass.

Have grown the General Grant Tomato the past year, and consider it one of the very best in every respect. It ripens with me earlier than the Cedar Hill, Keyes, and Boston Market; of fair size, very solid and heavy, uniform, and fine flavored.

#### CAUTION.

On account of the immense popularity of this variety, we find that parties are offering for sale a spurious seed, desiring to obtain large prices for the common sorts. We would therefore recommend parties purchasing only those sealed packets bearing our name, as none other can be genuine

Price per packet, 25 cts.; 5 packets, \$1.00. Prices to the trade on application.

#### Alsike Clover.

This variety is a native of Alsike, Sweden; perfectly hardy; does not heave in winter or spring from frost; stands drouth well; and is in every respect superior to the common red variety; highly recommended for sheep. . . . . Per lb. .75

#### Latakia Tobacco.

Per pkt

The Best Smoking Tobacco in the World. Introduced by Baynard Taylor, the well-known traveller, from the East, where it is esteemed the most delicate-flavored tobacco known. It is quite distinct from the American tobacco, having a soft glossy-surfaced leaf, quite unlike the coarse foliage of the Virginia tobacco. Cultivated precisely like the American, in rich soil

#### Rare Tree-Seeds.

Among which are the Palma Regia, or Royal Palm; Pithecolobium Montanum; Umbrella Tree; Algerba (beautiful tree, delicate foliage); Kukui (Oandlenut); Acacia; Braziliana (seed-pods three feet long); Carthartocarpus; Fistula; Seligua Dulce (St. John's Bread)

#### California Evergreens or Conifera.

Pinus Coulteri, Pinus Insignis, Pinus Lambertiana, Pinus Ponderosa, Muricata, Fremontiana, Picea Grandis, Cupressus Marcrocarpus, Sequoi Gigantea (Big Tree of California)

# NOVELTIES AND SPECIALTIES FOR 1869.

# RARE FLOWERS.

1990 Antirrhinum Majus Dwarf. Purplish red and yellow. This is one of those new, fine dwarf varieties of Antirrhinum Majus, producing a large, bushy plant, with numerous large spikes of very showy flowers, from 10 to 12 inches high, very valuable for borders, &c.



ANTIRRHINUM MAJUS DWARF.

1991 Aster Schiller. This variety of new form is splendid in its formation; each individual plant will make a show for itself; pyramidal; the leaves round, the stock regular and ornamental, the flowers splendid, double, and well set 1 feet in height; mixed colors

1992 Giant Pæony Perfection. This new and fine variety was produced from the New Giant Emperor and Pæony Perfection. The flowers not only reach, but surpass, the enormous dimensions of the Giant Emperor Aster. They are, however, dissimilar to the preceding; flowers perfectly double, like the Pæony-flowered; color brilliant dark rose.

1993 Balsam double Solferino. This is one of the best varieties of double Balsams, with fine white flowers, striped, stained, and spotted with crimson; very showy.

1994 Begonia Semperflorens. Very fine variety; one of the best for out-does cultivation; flowers very abundant; white leaves, rather small, fleshy, of a brilliant green, making a fine contrast with the flowers. Plant, bushy, compact, about 10 inches high; in bloom during the whole summer; very valuable for borders in the open ground, as well as a pot-plant. The leaves have the flavor of sorrel, and are often eaten.

1995 Calandrinia speciosa albe. Too much cannot be said in praise of this novelty, which is a pure white variety of the popular C. Speciosa. The very dwarf habit of this variety, in conjunction with the pure white of the flowers, must necessarily make it very useful for the edgings of beds, rockeries, and also as a pot-plant.

1996 Campanula celtidifolia. This new variety, introduced from the Caucasus by Mr. Balansa, has, sown early in spring, produced, after three or four months vegetation, a very fine bushy plant, the ramifications of which bear pretty large nevdented flowers of a tender blue; very fine aspect.

1997 Candytift dwarf lilac. Dwarf variety of the old lilac Candytuft, interesting for its small bushy size; very good plant



ROSE BALSAM. (Natural Size). See page 21.



CHAMÆROPS EXCELSA. See page 147.





CANDYFUFT, VERY DWARF WHITE

Per pkt. 1998 Candytuft very dwarf white. Iberis offinnis (Vilmorins). First-class novelty (annual and biennial); from 4 to 7 inches high, producing large compact bushes, 7 to 9 inches large; finely-cut leaves, which are, when the plant is in bloom, almost completely covered with a multitude of brilliant white flowers, slightly sweet-scented, very valuable for borders

Chamærops Excelsa. This fine palm, which has attracted so much attention in the south of France, where it stands the winter without protection, is considered a valuable addition to this class of plants. See cut
2000 Convolvulus Minor Unicaulus. This variety is the result of at least ten years' careful selection. It has a single upright stem without a branch; the strength of the whole plant is directed to one point; and the result is a compact head of flower-buds in great profusion, which expand into blossoms of immense size, of a very rich purplish-blue color, and continues in bloom through the whole season 2001 Dianthus Heddewegii diadematus fl. pl. (Double Diadem-Pink). Lorenz. This is a striking novelty of wonderful beauty. It differs from the D. Heddewegii, bea striking novelty of wonderful beauty. It differs from the D. Heddewegii, being more luxuriant, compact, and dwarfish: its flowers have a diameter of each, 2 to 4 inches. They are regular densely double, and have all tints, from lilac, crimson, and purple, to the deepest black purple, having very often a velvet-like tint 2002 Eschscholtzia alba rosea. Splendid new variety of this general favorite, which merits the greatest attention. Its tender blossoms are tinged at the exterior of a rosy pink color, verging sometimes to crimson lake. From the disposition of the flowers to remain closed during the greater part of the day, this color is a very striking one; but the effect of the rose-colored buds half open is also most charming. There is great hope that this variety will become later a quite red Eschscholtzia 2003 Godetia Versicolor Grandiflora. A charming rock-plant received from Texas, producing a profusion of flowers in great variety of color, and as large in size as G. The Bride. This annual appears to be identical with G. reptans, except all that the flowers are three times as large, and the habit is more procumbent: altogether we can strongly recommend this showy annual for rockwork, and all purposes of a similar nature.

2004 Helichrysum apiculatum. This very neat everlasting resembles the plant sold under the name of H. stritum, but has broader foliage and much larger flowers. Native from Australia 2005 Lobelia erecta bicolor. A lovely new variety of the upright Lobelias, its pretty flowers tinged half white, half blue 2006 Lupinus spec. ex. Texas litasinus (supranosus, subcarnosus.) New variety of this favorite Lupin, with lilac flowers
 2007 Mimulus repens. Distinct species, with slender trailing stems with ovate foliage; flowers of pale lilac-purple color, the lower lip prettily spotted with orange on yellow ground. Best suited for pot-culture, blooming during the summer months 2008 Myosotis azorica alba. The sky-blue variety of the popular M. azorica was intro-duced the past season. We now offer the pure white one, a delicious middle, 2008 Myosotis azorica alba. The sky-blue variety of the popular M. azorica was introduced the past season. We now offer the pure white one, a delicious middle, between the deep dark-blue and sky-blue varieties.
2009 Myosotis oblongata. This Forget me-not, highly to recommend, is in all its portions larger and more vigorous than M. alpestris, but has its flowers of the same fine blue tint. Blooming already the first year if care is taken to sow it early.
2010 Nasturtion Golden King of Tom Thumbs. This variety is similar in habit to the well-known scarlet King of Tom Thumbs, introduced some years since, and which has given the greatest satisfaction. The variety now offered for the first time has deep golden flowers, thrown well above the dark-colored foliage, and will form a suitable companion and contrast to its predecessor: it will, without will form a suitable companion and contrast to its predecessor: it will, without

doubt prove a very valuable helding start at the late 1	r pkt.
doubt, prove a very valuable bedding-plant, as it stood the late dry summer remarkably well  2011 Oxalis Valdiviana. A showy hardy Oxalis, introduced by the late Mr. R. Pearce. Quite hardy, of compact growth, throwing its bloomspikes well above the foliage. The flowers are sweet-scented, of a bright yellow color, produced in bunches of large size, and continuing a long time to bloom. Contrasts admirational transfer of the production of the	.25
bly when bedded out with other plants.  2012 Palava flexuosa. Highly recommended, newly introduced from Bolivia by Mr. R. Pearce. 15 to 18 inches high, branching freely, it produces its charming flowers, of an inch in diameter, in the greatest profusion. Its leaves are very neat and graceful. The color of the flowers is of a bright rosy pink; the base of the sepals and petals is almost black, producing a dark eye, contrasting most beautifully with the other portions of the flower. For open-air and pot-culture, producing its numerous flowers throughout the greater portion of the summer and early autumn. Received the first prize at the Great International Horticultural Exhibition at London, 1866.	,25
Exhibition at London, 1866.  2013 Petunia Hybrid striped large flowering. Mixed. First-class novelty, with large red, violet, purple, or crimson flowers, covered with large stains, spots or striped, of a pure white, often star-shaped	.50
POTENTILLA HYRRYDA FLONE PLENO.	
2014 Potentilla Hybrida flore pleno. This fine perennial is a great improvement on the old varieties, producing a large proportion of double and semi-double flowers	. 25
2015 Phlox Drummondii Heynholdi. The New True Scarlet Phlox (Benary) There	
is already in our gardens a bright variety of much value, known under the name of P. scarlet (coccinea); but its flowers, though of a very brilliant color, are far of being the true scarlet, and only of a radiant, bright dark-crimson tint. The	
of being the true scarlet, and only of a radiant, bright dark-crinson tint. The flowers of this new variety offered here are of the pure true scarlet, with a slight tinge of copper-color. The Phloxes, among which we have a good portion of	
tinge of copper-color. The Phloxes, among which we have a good portion of distinct tender and bright tints, belong to our best and most useful Annuals; but this new variety will have the first place everywhere, between the most striking	
this new variety will have the first place everywhere, between the most striking of them; and for composing whole true scarlet groups of it, it will be highly	
welcome. It is quite constant, of dwarf, compact habitus, one of the best acquisitions of modern horticulture, and the very completement of Phlores.	.00
2016 Rodanthe Manglesi major. A very great improvement of the old and much-admired	
<ul> <li>2016 Rodanthe Manglesi major. A very great improvement of the old and much-admired R. Manglesi, having the giant and robust habit of R. maculata</li> <li>2017 Viscaria oculata perfection dwarf (Vilmorins). This is a remarkably fine novelty, very dwarf (6 to 8 inches high), very bushy and compact; exceedingly floriferous;</li> </ul>	.25
very dwarf (6 to 8 inches high), very bushy and compact; exceedingly floriferous; flowers rosy white, slightly shaded lilac with a purplish stain in the centre. Variety of Viscaria oculata Dunnettii	
riety of Viscaria oculata Dunnettii  2018 Zinnia elegans pumila fl. pl. varietates (Benary). This new variety differs in noth-	.25
ing from the other double Zinnias on account of the brilliant tints and double-	
and being a precious acquisition for ribbon borders and low groups by this ex-	
and being a precious acquisition for ribbon borders and low groups by this exceedingly agreeable height in comparison of the older varieties having a height of 2 to 2½ feet. Of compact growth	.25
which proved such acquisition to our numerous effective annuals, the want of	
a white variety has been much regretted by all lovers of this popular flower: we	
have therefore much pleasure in offering this novelty, being the first step towards obtaining a perfect double flower.  2020 Zinnia tagetiflora fl. pl. varietates. Of neat and gracious habitus, as fine colored	. 25
as Z. elegans fl. pl., being pompon-like, double, as Asters and Chrysanthemums,	2.5
and of particular beauty  2021 Zinnia Ghresbreghti: or, Zinnia Hasoeans Hybrida. A charming acquisition, dwarf in habit, similar to Zinnia Mexicana, of various colors, useful for bedding in	. 25
groups, borders, &c	.25

## GLADIOLUS.

#### Splendid French and Belgian Hybrids of Gandavensis.

The new hybrid productions of the Gladiolus Gandavensis are, without doubt, the most superb flowering-bulbs in cultivation, producing their magnificent, long, and densely-flowered spikes of bloom, varying from white to rich salmon, and brilliant carmine, to the most intense scalet or crimson. A single bulb will often give two or three stems of bloom, and a succession of flowers will be produced for two months. These splendid flowering-bulbs are now considered unsurpassable ornaments, and one of the finest features of the flower-garden. Having made large additions to our stock from the most extensive growers in Europe and the United States, we are enabled to offer to our patrons the largest and best-selected collection gere offered in America.

our patrons the largest and best-selected collection ever offered in America.

GENERAL TREATMENT. — The bulbs should be planted as soon as the ground is fairly dried in the spring, and all danger of frost is over; planting may be made every two weeks until the middle of June to secure a succession of bloom. Plant the bulbs from two to four inches deep, according to their size: the soil should be enriched with well-decomposed manure, and well pulverized. The Gladiolus show to the best advantage when planted in beds four feet wide, setting the bulbs three-fourths of a foot apart each way. The plants should be well staked, and the bloom will be magnificent. When the frost has killed the leaves, or before, if the leaves, by turning yellow, show the ripening of the bulb, the bulb should be taken up, dried rapidly in full sunlight, the new bulbs separated from the old, and the flowering bulbs (the stocks being cut off about an inch from the crown of the bulb) put up in paper bags, carefully labelled. Should be kept during the winter in a dry, cool cellar, free from frost.

A discount of five per cent from catalogue prices will be made when one dozen varieties are ordered, ten per cent on two dozen varieties, and fifteen per cent on fifty varieties. The whole collection 20 per cent.

Purchasers will please state whether we may substitute, in the event of our being out of the varie-

Forwarded by mail to any address in the Union, post-paid, at catalogue prices.

### NEW VARIETIES FOR 1869.

#### Offered for the First Time in this Country.

· · · · · · · · · · · · · · · · · · ·	
PI	RICE.
Antonius. Fine spike of large, well-opened, perfect flowers, cherry colored, slightly tinged with orange, blazed with carminate-red; very fine pure white stains; charming little plant.  Argus. Long spike of large, well-opened flowers, glittering fire-red; centre and lower divis-	51.00
	3.50
Circe. Fine spike of large, well-opened perfect flowers, of a fine rose slightly tinged with lilac, largely blazed with bright carmine; centre well lighted; very fine plant.	1.75
Cornelie. Handsome spike of large light-cherry-colored flowers; centre very transparent.	, ,
Fenelon. bright-cherry-colored, darkening towards the border.  Tall plant, with long and large spikes of large well-opened flowers of a tender rose tinged with violet and blazed with bright carmine; very fine, vigorous vari-	1.75
Homer. Vigorous plant; very long spikes of very large, perfect flowers, of a light amaranth,	2.50
blazed with very bright purple; magnificent plant (perfection)  Jenny Lind. Fine long spike of handsome flowers of a tender rose, blazed with bright car-	4 00
minate-cherry color; centre transparent; charming variety  Mme. Desportes. Very vigorous plant; very large and wide spike; flowers very large, well- opened, of a very pure white; the inferior divisions slightly striped with violet;	2.00
splendid variety  Mme. Dombrain Small, vigorous plant; very long spike of large, perfect, well-inserted flowers of a carminate violet, blazed with bright purple; well-lighted in the cen-	4.00
tre: charming little variety  Mary Stuart. Very vigorous plant; very long spike of large, well-opened, and well-inserted flowers, white, very slightly tinged with rose, and blazed with very bright, car-	3,50
minate, cherry color; first-rate variety (perfection)  Michel-Ange. Vigorous; long spike of large well-opened flowers; dark crimson, slightly blazed with brownish purple on the superior divisions; centre well lighted; white	4.00
stains; first-rate variety, as well for its peculiar color, as for the elegant insertion of the flowers on the spike, which makes them resemble Lilies	8.00
divisions a pure white stain; plant of a grand effect	4.00

Picciola. Very handsome, vigorous plant; fine	spike; flowers of a fine rose, glazed and								
blazed with very bright carminate re	ose; centre well lighted; stains very large,								
blazed with very bright carminate rose; centre well lighted; stains very large, pure white, covering, completely the inferior divisions.  Racine, Very fine, tall plant; very long spike of cherry-colored flowers, tinged with violet; centre white, well-lighted, striped with pure white.  3.5									
centre white, well-lighted, striped with pure white.  Romulus. Long spike of pretty large flowers, very brilliant brownish red : large pure white									
Romulus. Long spike of pretty large flowers, very brilliant brownish red; large pure white stain; large white lines on the inferior divisions; very showy variety.									
Thomas Methwen. Flowers large, well-shaped, violet tinged with rose; centre very well-lighted, transparent, the extremity of the divisions carminate dark violet; very									
Van Dyck. Amaranth-red, striped with white;	very fine shade; vigorous, medium-sized								
plant									
GENERAL C	COLLECTION.								
0.211.22.	322311311.								
PRICE.	Comtage de Presser Deer black								
Anais. Middle-sized flower; good shape, white, slightly tinged with lilac; very	Comtesse de Bresson. Deep blush- pink in centre, shaded with crimson;								
large sulphur-white stains, broadly	outside petals veined with white; two								
striped with hlac-carmine; very striking	lower petals striped with purple								
plant (dwarf)	Courant: Fulgens. Bright-crimson; fine20 De Candolle. Cherry, flamed with scarlet,								
Apollon. Large flower of a perfect shape; rosy-lilac, with a large stain of light-	and blotched with violet 1.00								
rose, finely striped with white in the	Diomede. Large, fine form; white,								
centre 1.00	named with carmine, and Diotelled with								
Alexander. Flower large, well shaped, very fine bright red	Daphne. Light-cherry, with darker								
Amabilis. Bright vermilion, stained with	stripes, and stained with bright-carmine .30								
yellow	Diana. Light-salmon, variegated with								
Adonis. Light-cherry, yellow throat, with light-yellow spots	rose, and blotched with light-carmine,								
with light-yellow spots	on white ground.  Duc de Malakoff. Orange-red, on yel-								
mottled	lowish-white ground; fine 80								
Aristote. Light-rose, with purplish	Danæ. Delicate straw-color, with violet								
Achitle. Bright-red, striped with white	spots								
Archimede. Large, rich, flamed salmon-	Don Juan. Vivid blush-pink; petals								
red, opening carmine	beautifully mottled with deep crimson,								
Belle Gabrielle. Very fine lilac-rose, slightly marked with bright-rose; per-	and veined with pure white 20  Edulia. Upper petals white, spotted with								
fect form: large flowers 1.00	Edulia. Upper petals white, spotted with violet; lower striped with white . 1.00								
fect form; large flowers. 1.00  Berenice. Beautiful rose, striped with	Edith. Large flower; carnation-rose,								
red, with purple-carmine colored-spots 30	deeply striped with same								
Bertha Rabourdin. Pure white, with beautiful large carmine stain	Egerie. Orange-rose; petals slightly marked with carmine								
Brenchleyensis. Deep scarlet; fine20	Emma. Clear carmine: dwarf								
Bernard de Jussieu. Flower large, wide,	Emile. Scarlet, flamed with crimson and								
perfect ground violet, shaded and tinted	white, and spotted scarlet and white . 2.00 Endymion. Rose; beautiful								
with cherry-color and purple; stains purple on white ground; new and al-	Erato. Delicate rose; with dark stripes								
most indescribable color 3.50	and carmine blotches								
Britiant. Large flower, good shape; purple-red, very fine color . 1.50	Eldorado. Fine clear yellow, striped with								
Cherubini. Large flower, perfect shape;	Eugene Scribe. Flower very large and								
white ground, largely blazed with car-	wide, perfect, tender-rose, blazed with								
minate-violet	Etendard. Flower very large and wide,								
Calypso. Rose-striped, blotched with	perfect, white, slightly blazed with lilac								
carmine	or bluish-violet, spike very long 3.00								
Canari. Light-yellow, striped with rose50 Ceres. Pure white, blotched with pur-	Emilie White, blazed with rose, with a dark-brown stain								
plish-rose; large flower	Flavia. Very bright red, a color little								
Charles Dickens. Beautiful rose, tinted with chamois; blazed and striped with	darker than Napoleon III 1.00 Fulton Vermilion. Velvet; very bright,								
carmine	spotted with purple; magnificent . 1.25								
Charles Michel. Bright-vermilion, spot-	Fanny Rouget. Rosy-flesh color, striped								
ted with purplish-violet	with rosy carmine								
Ch teaubriand. Clear cherry; a mag- nificent spike	Florian. Cherry-rose, with large violet spots, the centre petals lined with white .35								
Clamence. Satin-like rose, with large	Fulgens. Deep rich fiery scarlet								
bright-carmine stains; very large flower35	Galathee, White, beautifully spotted								
Comte de Morny. Dark cherry-red, blotched with white, and striped with	with carmine								
purple									

	RICE.		RICE.
Greuze. Cherry-red, blazed with purple;		Mars. Beautiful; fine deep scarlet .	.30
growing very strong; very fine  Hebe. Very tender flesh-color, beautiful-	.80	Marie. Pure white, blotched with dark	
Hebe. Very tender flesh-color, beautiful-		carmine	•75
ly striped with fine lake	-35	Meyerbeer. Very brilliant red, flamed with vermilion, and brotched with ama-	
Helene. White, slightly tinged with lilac, spotted and striped with violet	2.5	ranth. Superb	3.00
	•35 •20	Mazeppa. Orange-rose, blotched with	2.00
Hector. Delicate rose, sometimes striped Henrietta. Large, well-shaped flower,	.20	yellow and striped with red	20
white-tinted and blazed with lilac: very		Mons. Blouet. Tender-rose, shaded with	.30
nice dayarf plant	1.00	carmine; large flower	.20
Imperatrice. White, slightly suffused with pink, spotted with bright-carmine.		Mons. Gorgeon. Rose, with salmon-	
with pink, spotted with bright-carmine .	.20	colored tint	.20
Imperatrice Eugenie. White, named		Moliere. Flower very large and wide,	
with rose, violet in the centre.	1.50	perfect, cherry-colored red, with very	
Isoline. Blush, spotted with carmine violet	.30	large, pure-white stains	2.00
Isabella. Middle-sized flower, very fine spike, pure white, with large, very dark		Mozart. Flower large, very wide, spike	
spike, pure white, with large, very dark		spreading, bright rose, slightly tinted	
carminate-violet stains	1.50	with violet, very largely blazed with very dark carmine; very large, pure-white	
Jean d'Arc. White, very slightly tinged		dark carinine; very large, pure-white	
with rose; striped and stained with pur-	70	stains: very beautiful plant.  Miton. White slightly tinted with rose,	3.00
Lord Byron. Very brilliant scarlet, stained	.50	largely blazed with red; large flower,	
and ribboned with pure white; very		and perfect form	2.00
showy plant	1.50	Napoleon III. Brilliant scarlet, streaked	3.00
Le Titien. Large flower; perfect shape;		with white	.40
disposed in a very showy spike, light-red		Neptune. Beautiful red, with carmine	
and very brilliant; very fine plant	1.75	spots and stripes	.25
La Favorite. Flower large, rose, blazed		Nemesis. Vivid-rose, with white lines	
with carmine; lower divisions light yel-		and carmine stains on yellow ground .	⋅35
low .	1.75	Norma. Middle-sized flower, spike spread-	
La Fiancee. Flower large, perfect, very		ing, pure white, very slender, and very	
pure white, small, bluish-violet stains;		ing, pure white, very slender, and very slightly blazed with very tender lilac.  Noemi. Flower large, light lilac-rose,	3.00
very fine variety	3.00	Noemi. Flower large, light lilac-rose,	7.00
Leonora. Flower large, perfect, cherry-		oscar. Flower large, well shaped, very	1.00
colored red, slightly tinted with orange.  Lord Granville. Straw-color, stained	1.00	Oscar. Flower large, well shaped, very bril'nt, bright cherry-color, stains white,	0.50
with deep yellow, and striped with red.	ro.	Osiris. Brilliant cherry-rose; fine	2.50
La Quintinie. Beautiful light-orange .	.60	Ophir. Yellow, blotched with purple	.80
Lady Franklin. Large flower, good shape,	.00	Othello. Light red; dwarf, very showy.	.20
white slightly tinged with rose, finely		Oracle. Brilliant cherry-rose; fine	.50
striated with carmine, and very largely	14.		.50
striated with carmine, and very largely blazed with carminate-rose (dwarf)	2,00	darker shade; spots of a violet-carmine	
Louis Van Houtie. Brilliantred, blotched		on a slight orange-tinted ground	.30
with violet	.20	Penelope. White, slightly tinged with	
Le Poussin. Light-red, white ground,		pink; lower petals yellow tinted, and	
very large white blotch on lower petals .	.80	striped with carmine	-35
Lælia. Peach-pink, stained with lilac.	.30:	Pegasus. Carnation, flaked with rose;	
Madame Basseville. Large cherry-col-		lower petals shaded with maroon	.20
ored flower, with purple blotches on a		Pellonia. Rose, spotted with crimson .	.20
yellowish-white ground, striped with	9.	Princesse Marie de Cambridge. Very	
Madame de Vatry. Yellowish-white,	.80	large and well-opened flower, unexcep-	
stained with carmine; very large flower,	75	tionable shape and upright habit; white, with very large light-carmine stains	
Madame Binder. Pure white; long car-	-75	(extra).	3.50
minate-rose stripes on the lower petals .	7.5	Princess Alice Flower very large and	3,30
Madame Coudere. Bright-carmine,	.,5	wide, perfect, tender lilac, slightly tinted	
shaded with fine rose in the throat	.20	with rose, very large white stains; new and	
Madame Herincq Yellow white, chan-		charming shade; first-rate dwarf plant	4.00
ging to a dull white, with large marbled		Princess Ciotniide. Beautiful salmon-	
veins of lilac	.20	rose; very large	1.00
Madame Leseble. Pure white, blotched		Prince Imperial. Blush-white, blotched	
with rose	.80	with carmine	-40
Madame Domage. Rose, spotted with		Premices de Montrouge. Brilliant red;	
amaranth, and striped with white	1.75	dwarf	-30
Madame Furtado. Rose, changing to		Rossini. Flower large, perfect, very long	
pink, flamed with carmine	2 00	spike, dark amaranth-red, lined and	7 10
Madame Paillett. Cinnamon, with white stripes and violet spots	40	stained with white; very good variety. Reverend serketey. Large flowers, of	3.50
Madame Pereiro. Pure white, large	-40	a good shape, disposed in a large spike:	
purple stains, white centre	1.00	light rose, tinged with violet and car-	
Madame Habourdin. Rose, flamed with	1.00	minate striped on white ground	1.50
carmine and white, striped in the centre		Reine Victoria Pure white, stained	50
of each petal	1.50	with violet carmine; very large	1.00
Madame Vilmorin. (Souchet.) Bright-		with violet carmine; very large Raphael. Deep and vermilion	-35
rose, with white throat shaded with deep-		Rebecca. White, shaded with heac	-35
rose, and striped with carmine and white	1.00	Rembrandt. Very bright deep scarlet .	.30
Maria Dumortier, White, slightly		Shakanaare. White, very slightly	
streaked with rose, violetish-purple		biazed with carminate, rose, large rosy	
stains on a streaked ground	.80	stain; fine form, large flower	2.00

Sulphureus. Sulphur-yellow50	
Solfateree. Rich Jonquil-yellow; large 1.00	
Stephenson. Large; fine form; superb	minate-red on white ground; very bril-
spikes, cherry-carmine, lined with white 1.00	lant color. 2.00
Sir William Hooker. Very large and	- 1 1 1 1 m 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1
well-opened flower; perfect shape, light-	crimson
cherry color, rose-carmine stain on pure	Velleda. Soft rose, blotched with lilac50
white ground; plant of a great effect . 2.00	
Sterla. Flower large, well shaped;	spots on yellow ground
ground white, slightly tinted with yellow	Vulcain. Very rich velvety scarlet-pur-
and rose, and blazed with carminate-red. 2.50	ple, with violet shades in the centre50
Thalia. Flower large, perfect, white,	
blazed with white striated with carmine;	OTHER SORTS OF GLADIOLUS.
very fine, vigorous plant 1.00	
Thunberg. Flower very large, perfect,	Gandavensis (the original variety). Ver-
'lightly orange-colored cherry-red; stains	million, shaded with yellow \$0.10
pure white, very large 1.75	
Thos. Moore. Large flower, good shape;	white
very fine carminate-rose on white ground,	Pisittacinus. Yellow and brown
blazed and stained with light carmine . 3.00	
Thos. Paxton. Large flower; perfect	along the centre of each petal

#### CHOICE MIXED VARIETIES.

We have a fine collection of mixed varieties, saved from seedlings, and others where the names have been lost, which we offer at \$2.00 per doz., by mail, postpaid. By the hundred, prices on application.

#### Gladiolus Lyonii.

Cardinalis habit. Flowers large spreading petals of good form: color pure white, vividly flaked with bright scarlet; very free bloomer, and altogether a most exquisite variety. Spikes of bloom were exhibited at the Rose show at the Massachusetts Horticultural Society last June, attracting great attention; highly recommended for pot culture. Price \$1.50 each.

#### Tigridias.

A genus of Mexican bulbs, grows about one and a half feet high, producing flowers of the most exquisite beauty: the flowers large, about four inches across, of singularly curious shape, and the color of each variety gorgeous, and purely contrasted. No flower can exceed it in beauty. In bloom from July to the first of October. In autumn, take up the bulbs, and keep them in a dry place, away from frost, until the time of planting in the spring.

Conchiflora. Orange and golden-yellow, spotted with black. 12 cents each; \$1.25 per doz. Pavonia. Richest scarlet, tinged and spotted with pure yellow. 12 cents each; \$1.25 per doz.

Tigridias by mail, postpaid, at the above prices.

#### Double Tuberoses.

The Tuberose is one of the most delightfully fragrant and beautiful of summer-flowering bulbs, The Tuberose is one of the most delightfully fragrant and beautiful of summer-flowering bulbs, throwing up small spikes of double white flowers, two to three feet high, which remain in bloom a long period. The bulbs may be planted from February to May. When they are needed very early, they may be planted in the greenhouse or hot-bed in February or March; and, for a succession of flowers, in April and May In planting, remove the useless, small offsets around the main root, and place a single tuber in a pot four or five inches wide. Use good loam and leaf mould, with good drainage. Start them slowly upon a temperate heat, in the hot-bed or forcing put, er later in the season in a frame. Water slightly at first; and, when the bulbs begin to grow, increase the quantity. Those started early should be supplied with a good bottom heat till May, when they may be shifted into pots six or seven inches wide. By the first of June, all may be plunged out in a warm border, staking each plant to prevent their being broken by the wind. On the approach of cool weather, in September, those remaining in bloom should be removed to the conservatory or parlor, where they will continue in flower for a long period.

Fine bulbs, \$1.50 to \$2.00 per dozen; bulbs started in pots in May, \$3.00 per dozen.

#### Vallota.

A splendid bulbous-rooted plant, allied to the Amaryllis. It blooms in August, throwing up its strong stems about one foot high, with from five to eight brilliant, scarlet, lily-like flowers; very ornamental for bedding out in summer, or cultivation in pots and vases.

Purpurea, each \$0.75.

#### Tritoma,

Splendid, half-hardy, evergreen, herbaceous plants, forming large, robust, stemless, leaf-crowns, from the centre of which their tall flower-stems, three to five feet in height, are produced in summer and autumn, with large, dense-flowered terminal racemes of rich pendent, orange-red and scarlet tubulous flowers; each raceme a foot or more in length.

They are admirably adapted for bedding out; and the numerous terminal, flame-colored blossoms form a stately distant or mediate effect. They thrive in any rich light garden-soil. On approach of winter, they should be taken up, and placed in the greenhouse or cellar for replanting out again in spring.

Uvaria	glaucescens				٠		٠	\$0.50	Uvaria	Rooperi		٠	10	0	9	. 1	\$1.00
4.4	grandiflora	٠		۰		0	۰	1.00		scrotina				۰		0	.25




LILIUM AURATUM. (One-half its natural size.)

Lilium Auratum, Golden-Striped Lity. This new and magnificent species of Lily, lately introduced from Japan, is spoken of by Dr. Lindley as follows: "If ever a flower merited the name of 'glorious,' it is this, which stands far above all other Lilies, whether we regard its size, sweetness, or its exquisite arrangement of color. Imagine upon the end of a purple stem, not thicker than a ramrod, and not above two feet high, a saucer-shaped flower at least ten inches in diameter, composed of six spreading, somewhat crisp parts, rolled back at their points, and having an ivory-white skin, thinly strewn with purple points or studs, and oval, or roundish, prominent purple stains. To this add, in the middle of each of the six parts, a broad stripe of light satin-yellow, losing itself gradually in the ivory skin. Place the flower in a situation where side-light is cut off, and no direct light can reach it, except from above, when the stripes acquire the appearance of gentle streamlets of Australian gold, and the reader who has not seen it may form some feeble notion of what it is."

We have the pleasure to inform our friends that we have secured a very fine stock of this beautiful plant, which we shall offer at greatly reduced prices.

Very strong flowering bulbs, . . \$1.50 each, . . \$12.00 per dozen.

Very strong flower	ing	bu	bs,			\$1.50 each,		\$12.00 per dozen.
Second size bulbs,						1.00 "		9.00 " "
Third " "						.75 "		6.00 " "



# CONTENTS.

PAGE.	PAGE.
Agricultural Seeds, in quantity	Lilies, Japan 2d page of cover Lilium Auratum see cut Mushroom Spawn 135 Novelties for 1866–67 92 Novelties for 1866–67 135 Novelties for 1866–67 141 Ornamental Tree-Seeds 129 Rare Seeds and Novelties 136 Seeds for Hedges 129 Special Directions for Cultivators of Flowers 6 Summer Flower-Garden 3 Strawberry-Seeds 129 To our Amateur Friends 117 Tree-Seeds 122 Tobacco-Seed 152 Tritomas 152 Tritomas 152 Tritomas 152 Tuberoses 152 Vegetables Seeds, Select List of 103 Vegetables Seeds, in quantity 122 Zea, or Japanese Maize 102
Editin Critico I I I I I I I I I I I I I I I I I I I	

# BOOKS FOR FARMERS AND OTHERS.

#### FOR SALE BY WASHBURN & CO.

Any of these books will be forwarded by mail, post-paid, on receipt of price.

Allen's (L. F.) Rural Architecture \$1 50	Garden Vegetables, and how to raise them.
Allen's (R. L.) American Farm-Book 1 50	By Fearing Burr 2 50
Allen's (R. L.) Diseases of Domestic Ani-	Garden Flowers, and how to cultivate them.
mals 1 00	By Edward S. Rand, Jr 3 00
American Bird-Fancier 30	Gardening for Profit. By Peter Henderson 1 50
American Pomology, by Dr. J. A. Warder 3 00	Gardening for the South. By the late Wil-
American Rose-Culturist 30	liam N. White 2 00
American Weeds and Useful Plants 1 75	Grasses and Forage-Plants. By Charles
Bement's Rabbit-Fancier 30	L. Flint 2 50
Bommer's Method of making Manures . 25	Gregory on Squashes, paper 30
D 1 CD /F TT	Harris's Insects Injurious to Vegetation,
Breck's New Book of Flowers	
Bulbs: A Treatise on Hardy and Tender	
Bulbs and Tubers. By Edward	Hop-Culture 40
	Hunter and Trapper 1 00
Sprague Rand, Jr 3 00	Leuchar's how to build Hothouses 1 50
Buist's Flower-garden Directory 1 50	My Vineyard at Lakeview 1 25
Buist's Family Kitchen-Gardener 1 00	Norton's Scientific Agriculture 75
Chorlton's Grape-grower's Guide 75	Onion Culture 20
Cobbett's American Gardener	Our Farm of Four Acres, paper, 30 c. cloth 60
Cole's (S. W.) American Fruit-Book 75	Pardee on Strawberry-Culture
Country Life. By R. M. Copeland 5 00	Peat and Its Uses. By Prof. S. W. Johnson 1 25
Cultivation of Flowers for the Parlor and	Quinby's Mysteries of Bee-Keeping 1 50
Garden. By Edward Sprague Rand,	Randall's Sheep-Husbandry 1 50
Esq 3 00	Richardson on the Dog, paper 30 c. cloth . 60
Dadd's (Geo. H.) Modern Horse-Doctor . 1 50	Rivers's Miniature Fruit-Garden 1 00
Dana's Muck Manual 1 25	Saunders's Domestic Poultry, paper 40 c.
Darwin's Variation of Animals and Plants	bound 75
2 Volumes 6 00	Skilful Housewife 75
Dog and Gun (Hooper's) paper, 30 c. cloth 60	Stewart's (John) Stable-Book 1 50
Downing's Fruit and Fruit-Trees of Amer-	The Book of Roses. By Francis Park-
ica 3 00	man 3 00
Draining for Profit and Health, by G. E.	Tim Bunker Papers 1 50
Waring, Jr 1 50	The Culture of the Grape. By W. C.
Eastwood on Cranberry	Strong 3 00
Elliott's Western Fruit-Grower's Guide . 1 50	Tobacco-Culture 25
Field's (Thomas W.) Pear-Culture 1 25	The Field and Garden Vegetables of
Flax-Culture 50	America. By Fearing Burr, Jr 5 00
French's Farm Drainage 1 50	Warder's Hedges and Evergreens 1 50
Fuller's Grape-Culturist 1 50	Woodward's Country Homes 1 50
Fuller's Small-Fruit-Culturist 1 50	Woodward's Graperies, &c 1 50
Fuller's Strawberry-Culturist 20	
- and o continuous, cantainst 20	

WARNALLED PRIZE TOMATO



"GENERAL GRANT!